

NSW Perinatal Variables 2017

NAME	LABEL
idalias	
YearBirth_mum	Year of mother's birth
MonthBirth_mum	Month of mother's birth
dob_MthYR	Month and year of mother's birth
AgeMum	Age of mother
maritaly	Mother's marital status
LHD10Res_recode	Local Health District of residence
HOSPINS	Hosp. Insurance 1=Yes(Private) 2=No
bdob	Baby's date of birth
Impdate	Date of LMP
edcdate	Estimated confinement date
prevpreg	Previous pregnancy >20 wks?
pregnum	Number of previous pregnancies
csbirth	Last birth by caesarean section?
cstotal	Number of previous caesareans
oamn	Amniocentesis (<20 wks)?
ocvs	CVS/amniocentesis (<20 wks)?
ocs	Cervical suture?
ancare	Wks pregnant 1st antenatal visit
anc	Was antenatal care received?
ancare2011	Duration of pregnancy at first comprehensive booking or assessment by a clinician
ancarenum	Number of visits prior to birth - excluding separate day assessment and antenatal admissions
smoke	Any smoking during pregnancy?
smokeqty	Cigarettes per day - 2nd half
smoke1st	Any smoking during the first half of pregnancy?
smoke2nd	Any smoking during the second half of pregnancy?
smoke1stgp	Number of cigarettes smoked per day in the first half of pregnancy
smoke2ndgp	Number of cigarettes smoked per day in the second half of pregnancy
smokeqty1st	Number of cigarettes smoked per day in the first half of pregnancy
smokeqty2nd	Number of cigarettes smoked per day in the second half of pregnancy
mdiab	Maternal diabetes mellitus?
odiab	Gestational diabetes?
mhyper	Maternal hypertension?
ohyper	Pre-eclampsia
OPROM	Prelabour rupture of membranes >24hrs?
MHEPB	Maternal hepatitis B?
hepbsag	Mother hepatitis B surface antigen positive
INFECTN	Major puerperal infection?
TEAR	Third degree tear?
PPH	Postpartum haemorrhage requiring blood transfusion

labons	Labour onset
indaugot	Induction/augmentation by other method
inducwhy	Main indication for induction
arm	Induction/augmentation by ARM
oxytotic	Induction/augmentation by oxytocics
prostagl	Induction/augmentation by PGs
epidural	Epidural block?
presen98	Presentation
presen06	Presentation
present	Presentation
deliv98	Delivery
deliv2011	Type of birth
delivery	Type of delivery
cswhy	Main indication for caesarean section
cswhy06	Main indication for caesarean section
perineal	Perineal status
perineal06	Perineal status (2006 new form)
episiot	Episiotomy?
repair	Surgical repair of vagina or perineum
stage3	Management of the third stage
mod_an_gp	Model of care-antenatal - general practioner
mod_an_h	Model of care-antenatal - hospital based medical
mod_an_im	Model of care-antenatal - independent midwife
mod_an_m	Model of care-antenatal - hospital based midwife
mod_an_na	Model of care-antenatal - not applicable
mod_an_ob	Model of care-antenatal - private obstetrician
mod_b_gp	Model of care-birth - general practioner
mod_b_h	Model of care-birth - hospital based medical
mod_b_im	Model of care-birth - independent midwife
mod_b_m	Model of care-birth - hospital based midwife
mod_b_na	Model of care-birth - not applicable
mod_b_ob	Model of care-birth - private obstetrician
contcarer	Was mother in a midwifery continuity of carer program for antenatal, birth and postnatal care?
ref_mum	Mother referred from another hospital
ref_hos	Hospital mother referred from
ref_pre	Mother referred prior to onset of labour
ref_post	Mother referred after onset of labour
bsex	Baby's sex
plural	Plurality of birth
plurnum	Birth order
gestage	Estimated gestational age (wks)
bweight	Birth weight (grams)
apgar1	Apgar score (1 min.)
apgar5	Apgar score (5 min.)
scn_obs	Admitted to SCN for observation only

scn_nic	Admitted to special care nursery or neonatal intensive care unit
admitscn	Admitted to special care nursery (SCN)
admitnic	Admitted to neonatal ICU
admbdef	Admitted to SCN/NICU due to birth defect
nic_bdef	Birth defect the main reason if admitted to NICU
neomorb	Admission to SCN or NICU (4hrs+)?
src2006	Source type of 2006 MDC
bresusci	Resuscitation of baby
bresus2011	Resuscitation of baby
vitk	Vitamin K administration
hepb	Hepatitis B birth dose given
bdisdate	Baby's discharge/transfer date
bdisch	Baby's discharge status
bdisch06	Baby's discharge status
bdatedth	Baby's date of death
btrans	Transferred to hospital
dtthtype	Death type
placebth	Baby's place of birth
mdisch	Mother's discharge status
mtrans	Hospital for receiving transferred mother
level	Hospital Obstetric Level
xrank	Confinement based on first baby
sla_2011_code	Mother's Statistical Local Area (2011) of residence (geocoded)
ohyp_p	Preeclampsia
ohyp_np	Gestational hypertension
AN_L_NIL	Analgesia for labour - None
AN_L_NO2	Analgesia for labour - Nitrous oxide
AN_L_IM	Analgesia for labour - Systematic opioid
AN_L_SPI	Analgesia for labour - Spinal anaesthetic
AN_L_EPI	Analgesia for labour - Epidural or caudal
AN_L_COM	Analgesia for labour - Combined spinal-epidural
AN_L_OTH	Analgesia for labour - Other
AN_D_NIL	Analgesia for delivery - None
AN_D_LOC	Analgesia for delivery - Local to perineum
AN_D_PUD	Analgesia for delivery - Pudendal
AN_D_SPI	Analgesia for delivery - Spinal anaesthetic
AN_D_EPI	Analgesia for delivery - Epidural or caudal
AN_D_COM	Analgesia for delivery - Combined spinal-epidural
AN_D_GA	Analgesia for delivery - General anaesthetic
AN_D_OTH	Analgesia for delivery - Other
anal_nil	Pain relief: None
anal_n2o	Pain relief: Nitrous oxide
anal_im	Pain relief: IM narcotics
anal_loc	Pain relief: Local to perineum
anal_pud	Pain relief: Pudendal
anal_epi	Pain relief: Epidural/caudal

anal_spi
anal_ga
anal_oth

Pain relief: Spinal
Pain relief: General anaesthetic
Pain relief: Other