



The UNIVERSITY
of NEWCASTLE

Research Centre for Gender and Health

AUSTRALIAN LONGITUDINAL STUDY ON WOMEN'S HEALTH

**Report on the provision of data to the Office
for Women**

November 2005

Delivered to
Office for Women, Department of Family and Community Services

Deborah Loxton, PhD
Jennifer Powers
Anne Young, PhD
with assistance from
Angela Wood

The Australian Longitudinal Study on Women's Health is funded by the Australian Commonwealth Department of Health and Ageing and conducted by a team of researchers at the Universities of Newcastle and Queensland, Australia.

This project was funded by the Office for Women, Department of Family and Community Services.

Thanks are due to Jean Ball, Catherine Chojenta, Andrew Hampson and Dr. Virginia Wheway for their assistance with this report. Thank you to all of the staff at the Research Centre for Gender and Health, the University of Newcastle, who contributed to the completion of this research.

We also wish to thank the women who participate in the ALWSH.

© 2005

Table of Contents

Table of Contents	i
Abbreviations	iii
SECTION 1: INTRODUCTION.....	1-1
The Australian Longitudinal Study on Women’s Health.....	1-2
Specifications for Cross-Tabulations and Data Cubes	1-6
YOUNGER COHORT.....	1-6
MID-AGE COHORT.....	1-9
Variable Description	1-13
Alphabetical Listing of Frequencies for Individual Variables.....	1-18
YOUNGER COHORT.....	1-18
MID-AGE COHORT.....	1-31
SECTION 2: YOUNGER COHORT DATA.....	2-1
AREA BY SPECIALIST DOCTOR VISITS - Y1	2-2
PAID WORK BY LEVEL OF PHYSICAL ACTIVITY - Y2,Y3.....	2-5
PAID WORK BY STRESS WITH OWN HEALTH - Y2,Y3.....	2-23
PAID WORK BY STRESS WITH WORK OR STUDY - Y2,Y3.....	2-41
PAID WORK BY STRESS WITH MONEY - Y2,Y3.....	2-59
PAID WORK BY STRESS WITH RELATIONSHIPS -Y2,Y3	2-77
STRESS WITH MOTHERHOOD/CHILDREN BY HOME DUTIES - Y3	2-95
FAMILY STATUS BY SATISFACTION WITH WORK, CAREER AND STUDY - Y1,Y2,Y3	2-101
FAMILY STATUS BY SATISFACTION WITH FAMILY RELATIONSHIPS - Y1,Y2,Y3	2-110
FAMILY STATUS BY SERIOUS INCIDENTS - Y1,Y2,Y3.....	2-119
RELATIONSHIP VIOLENCE BY STI - Y1,Y2,Y3.....	2-128
RELATIONSHIP VIOLENCE BY PMT - Y1,Y2,Y3	2-146
RELATIONSHIP VIOLENCE BY FAMILY DOCTOR - Y1,Y2,Y3.....	2-164
RELATIONSHIP VIOLENCE BY DEPRESSION - Y2,Y3.....	2-182
RELATIONSHIP VIOLENCE BY STRESS WITH OWN HEALTH - Y1,Y2,Y3	2-194
RELATIONSHIP VIOLENCE BY ACCESS TO COUNSELLING - Y2,Y3	2-212
PHYSICAL VIOLENCE BY FAMILY DOCTOR VISITS - Y1,Y2,Y3.....	2-224
SEXUAL VIOLENCE BY ACCESS TO WOMEN’S HEALTH/FAMILY PLANNING CENTRES - Y2,Y3.....	2-233
SECTION 3: MID-AGE COHORT DATA.....	3-1
AREA BY HYSTERECTOMY M1, M2, M3	3-2
AREA BY OOPHORECTOMY M1, M2, M3.....	3-11
AREA BY PROLAPSE REPAIR M1, M2, M3.....	3-20

AREA BY ENDOMETRIAL ABLATION M1,M2,M3.....	3-29
AREA BY TUBAL LIGATION M1, M2, M3	3-38
FAMILY STATUS BY LEAKING URINE M1,M2,M3	3-47
FAMILY STATUS BY PERIOD PROBLEMS M1, M2, M3	3-56
FAMILY STATUS BY LOW IRON LEVEL M1, M2, M3.....	3-65
PAID WORK BY STRESS WITH OWN HEALTH M2,M3.....	3-74
PAID WORK BY STRESS WITH WORK OR STUDY M2, M3	3-104
PAID WORK BY STRESS WITH MONEY M2, M3	3-134
PAID WORK BY STRESS WITH REALATIONSHIPS M2, M3.....	3-164
PAID WORK BY DEPRESSION M2, M3	3-194
PAID WORK BY ANXIETY M2, M3	3-224
RELATIONSHIP VIOLENCE BY DEPRESSION M2, M3	3-254
RELATIONSHIP VIOLENCE BY ANXIETY M2, M3	3-284
RELATIONSHIP VIOLENCE BY COUNSELLING M2, M3	3-314
SEXUAL VIOLENCE BY ACCESS TO WOMEN’S HEALTH/FAMILY PLANNING CENTRE M2, M3	3-344
RELATIONSHIP VIOLENCE BY STRESS WITH OWN HEALTH M2, M3.....	3-374
LEVEL OF PHYSICAL ACTIVITY BY DEPRESSION M2, M3.....	3-404
BODY SHAPE BY DEPRESSION M2	3-428

Abbreviations

ALSWH	Australian Longitudinal Study on Women's Health (also known as Women's Health Australia)
CES-D 10	Centre for Epidemiological Studies Depression Scale (10 items)
MID	Mid-Age Cohort of Women
PMT	Premenstrual Tension
RRMA	Remote, Rural, Metropolitan Areas
STI	Sexually Transmitted Infection
YNG	Young Aged Cohort of Women

**SECTION 1: INTRODUCTION
&
DOCUMENTATION**

The Australian Longitudinal Study on Women’s Health


The Australian Longitudinal Study on Women’s Health (ALSWH) – widely known as Women’s Health Australia - is a longitudinal population-based mailed survey, funded by the Australian Government Department of Health and Ageing. The project began in 1996 and examines the health of over 40,000 Australian women.

The ALSWH involves three large, nationally representative, cohorts of Australian women representing three generations:

- The Younger cohort women, aged 18-23 when first recruited in 1996 (n=14247), are now in their late 20s, the peak years for relationship formation, childbearing, and establishing adult health habits (eg physical activity, diet) and paid and unpaid work patterns.
- The Mid-age cohort, initially aged 45-50 (n=13716), are now experiencing menopause, as well as changes in household structure, family care giving, and impending retirement, which are common at this life stage. Some are showing early signs of age-related physical decline, while some are adopting new health behaviours in preparation for a healthy old age.
- The Older women, aged 70-75 when first recruited (n=12432), are in their 80s and facing the physical, emotional and social challenges of old age.

Features of the study design include:

- Women were randomly selected from the Medicare database and invited to participate in the longitudinal study.
- Women in rural and remote areas of Australia were intentionally over-sampled to ensure adequate numbers for statistical analysis.
- After Survey 1 in 1996, the three age cohorts have been surveyed sequentially, one cohort per year, on a rolling basis since 1998 (see Figure 1).



(i) Figure 1.1: Timeline for main ALSWH Surveys

The study was designed to explore factors that influence health among women who are broadly representative of the entire Australian population. The study assesses:

- Physical and emotional health (including well-being, major diagnoses, symptoms)
- Use of health services (GP, specialist and other visits, access, satisfaction)
- Health behaviours and risk factors (diet, exercise, smoking, alcohol, other drugs)
- Time use (including paid and unpaid work, family roles, and leisure)
- Socio-demographic factors (location, education, employment, family composition)
- Life stages and key events (such as childbirth, divorce, widowhood).

The project provides a valuable opportunity to examine associations over time between aspects of women's lives and their physical and emotional health. It provides an evidence base to the Australian Government Department of Health and Ageing – as well as other Australian and State/Territory Departments – for the development and evaluation of policy and practice in many areas of service delivery that affect women. An overview of the study and investigators, copies of the questionnaires, and abstracts of all publications and presentations can be located on the Study's website:

<http://www.newcastle.edu.au/centre/wha>

The project has been able to retain a very high proportion of the original participants. Among the Younger cohort women, 68% responded to Survey 2 in 2000 and 64% to Survey 3 in 2003, retention rates which compare well with other surveys of this highly mobile age group. Retention rates have been much higher among the Mid-age cohort; 90% and 83% of the Mid-age cohort respectively responded to Survey 2 in 1998 and Survey 3 in 2001.

The focus of the data cubes is the Younger and Mid-age cohorts. The notation used in the data cubes, the years the surveys were conducted and the ages of the women are shown in table below.

Notation for the surveys used in this report.

Year	Younger	Mid-age
1996	Y1 18-23 yrs	M1 45-50 yrs
1997		
1998		M2 47-52 yrs
1999		
2000	Y2 22-27 yrs	
2001		M3 50-55 yrs
2002		
2003	Y3 25-30 yrs	

Limitations of the data

- Because of uncertainties about the accuracy of the Medicare database (which was used as the sampling frame for the stratified random samples), response rates cannot be exactly specified. It is estimated that 41%-42% and 53-56% of the Younger and Mid-age cohorts, respectively, responded to the initial invitation to participate.
- Aggregate data for nonrespondents' use of health services (from the Australian Medicare database) suggest that there are small differences in use of health services among respondents and nonrespondents, with nonrespondents less likely, for example, to have visited a medical specialist in the last 2 years (Mid-age: 49% versus 54%). There was not a significant difference in health service use between respondents and nonrespondents from the Younger cohort.
- Comparison with the 1996 census data confirmed that the participants in each of the cohorts are reasonably representative of the general population of women of the same age in Australia. There is some over-representation of women with tertiary education and under-representation of some groups of immigrant women.
- Retention at Surveys 2 and 3 was calculated as percentage of respondents at each survey as a percentage of respondents at Survey 1 once those who had died or were too ill to complete surveys had been excluded.
- Retention varied for the cohorts: 68% and 64% of the Younger cohort and 90% and 83% of the Mid-age cohort completed Surveys 2 and 3 respectively.
- Respondents of all ages were more likely to have tertiary education, to be Australian born and to be non-smokers than non-respondents at subsequent surveys. Hence biases may exist for women with lower socioeconomic status (less educated), immigrant women and those who are current smokers.
- Mid-age respondents reported better self-rated health at Survey 1 than women who did not respond to subsequent surveys. Findings at Surveys 2 and 3 may be more indicative of those who are in better health in their age groups.
- Most, but not all women complete every survey, and not all women who complete surveys answer every question. This results in missing data, which may lead to results that are more complex to interpret than they first appear. To avoid misinterpretation, data cubes should be viewed as preliminary findings and should be considered as a guide for further research.
- Data are presented as three cross-sectional data points. For example, when examining area of residence and relationship (marital) status and leaking urine amongst the Mid-age cohort it should be remembered that at each survey there will be different women who are classified as living alone and also different women who report leaking urine. Therefore the results should not be interpreted as an improvement or decline in the problem of leaking urine in specific relationship groups over time. Hence trend lines (lines that connect data points) on graphs may be misleading and should not be used.

Data should not be used to draw conclusions. Data can be used to identify specific hypotheses that require further analyses.

Data from this website can be quoted but the source of the data must be noted as the Australian Longitudinal Study on Women's Health, and limitations of the data must be taken into account.

The Australian Longitudinal Study on Women's Health is funded by the Australian Government Department of Health and Ageing and is conducted by teams of researchers and staff at the University of Newcastle and the University of Queensland.

Specifications for Cross-Tabulations and Data Cubes

YOUNGER COHORT

YDC.1	Cohort Group	Survey	Variable 1	Variable 2
	Young Cohort	1	D3 Area	HS3 Specialist doctor

YDC.2	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	2 and 3	D1 Education	SE4 Paid work	HB3 Physical activity

YDC.3	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	2 and 3	D1 Education	SE4 Paid work	H19 Stress with own health

YDC.4	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	2 and 3	D1 Education	SE4 Paid work	H21 Stress with work/study

YDC.5	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	2 and 3	D1 Education	SE4 Paid work	H22 Stress with money

YDC.6	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	2 and 3	D1 Education	SE4 Paid work	H23 Stress with relationships

YDC.7	Cohort Group	Survey	Variable1	Variable 2	Variable 3
	Young Cohort	3	D2 Family status	H24 Stress with motherhood	SE5 Home duties

YDC.8	Cohort Group	Surveys	Variable1	Variable 2
	Young Cohort	1, 2 and 3	D2 Family status	SE11 Work, career, study

YDC.9	Cohort Group	Surveys	Variable1	Variable 2
	Young Cohort	1, 2 and 3	D2 Family status	SE12 Family relationships

YDC.10	Cohort Group	Surveys	Variable1	Variable 2
	Young Cohort	1, 2 and 3	D2 Family status	SE21 Serious incidents

YDC.11	Cohort Group	Survey	Variable1	Variable 2	Variable 3
	Young Cohort	1, 2 and 3	D4 Partner status	SE1 Relationship violence	H1 STI

YDC.12	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	1, 2 and 3	D4 Partner status	SE1 Relationship violence	H4 PMT

YDC.13	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	1, 2 and 3	D4 Partner status	SE1 Relationship violence	HS1 Family doctor

YDC.14	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	2 and 3	D4 Partner status	SE1 Relationship violence	H17 Depression

YDC.15	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Young Cohort	1,2 and 3	D4 Partner status	SE1 Relationship violence	H19 Stress with own health

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
YDC.16	Young Cohort	2 and 3	D4 Partner status	SE1 Relationship violence	HS10 Access to Counselling

	Cohort Group	Surveys	Variable1	Variable 2
YDC.17	Young Cohort	1, 2 and 3	SE2 Physical violence	HS1 Family doctor

	Cohort Group	Survey	Variable1	Variable 2
YDC.18	Young Cohort	2 and 3	SE3 Sexual violence	HS11 Women's health family planning centre

Specifications for Cross-Tabulations and Data Cubes

MID-AGE COHORT

MDC.1	Cohort Group	Surveys	Variable 1	Variable 2
	Mid-age Cohort	1,2,3	D3 Area	HR3 Hysterectomy

MDC.2	Cohort Group	Surveys	Variable 1	Variable 2
	Mid-age Cohort	1,2,3	D3 Area	HR4 Oophorectomy

MDC.3	Cohort Group	Surveys	Variable 1	Variable 2
	Mid-age Cohort	1,2,3	D3 Area	HR5 Prolapse Repair

MDC.4	Cohort Group	Surveys	Variable 1	Variable 2
	Mid-age Cohort	1,2,3	D3 Area	HR6 Endometrial Ablation

MDC.5	Cohort Group	Surveys	Variable 1	Variable 2
	Mid-age Cohort	1,2,3	D3 Area	HR7 Tubal Ligation

MDC.6	Cohort Group	Surveys	Variable 1	Variable 2
	Mid-age Cohort	1,2,3	D2 Family Status	H8 Leaking urine

MDC.7	Cohort Group	Surveys	Variable 1	Variable 2
	Mid-age Cohort	1,2,3	D2 Family Status	H5 Period Problems

MDC.8	Cohort Group	Surveys	Variable 1	Variable 2
	Mid-age Cohort	1,2,3	D2 Family Status	H21(?) Low iron level

MDC.9	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Mid-age cohort	2,3	D2 Family Status	SE4 Paid Work	H19 Stress with own health

MCD.10	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Mid-age cohort	2,3	D2 Family Status	SE4 Paid Work	H21 Stress with work/study

MDC.11	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Mid-age cohort	2,3	D2 Family Status	SE4 Paid Work	H22 Stress with money

MDC.12	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Mid-age cohort	2,3	D2 Family Status	SE4 Paid Work	H23 Stress with relationships

MDC.13	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
	Mid-age cohort	2,3	D2 Family Status	SE4 Paid Work	H17 Depression

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
MDC.14	Mid-age cohort	2,3	D2 Family Status	SE4 Paid Work	H18 Anxiety

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
MDC.15	Mid-age cohort	2, 3	D2 Family Status	SE1 Relationship Violence	H17 Depression

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
MDC.16	Mid-age cohort	2, 3	D2 Family Status	SE1 Relationship Violence	H18 Anxiety

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
MDC.17	Mid-age cohort	2, 3	D2 Family Status	SE1 Relationship Violence	HS10 Access to Counselling

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
MDC.18	Mid-age cohort	2, 3	D2 Family Status	SE3 Sexual Violence	HS11 Women's health/family planning centre

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
MDC.19	Mid-age cohort	2, 3	D2 Family Status	SE1 Relationship Violence	H19 Stress with own health

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
MDC.20	Mid-age cohort	2, 3	D1 Education	HB3 Physical Activity	H17 Depression

	Cohort Group	Surveys	Variable1	Variable 2	Variable 3
MDC.21	Mid-age cohort	2	D1 Education	HB2 Body Shape	H17 Depression

Variable Description

VARIABLE NAME	DESCRIPTION/NOTES	RESPONSE OPTIONS	SURVEY
Access to Counselling	Rating of access to counselling services	1 excellent, very good, good 2 fair, poor 3 don't know	Yng 2,3 Mid 2,3
Access to Women's Health / Family Planning Centre	Rating of access to Women's Health / Family Planning Centre	1 excellent, very good, good 2 fair, poor 3 don't know	Yng 2,3
Anxiety	Symptoms of anxiety in the last 12 months	Mid survey 2: 1 never/rarely 2 sometimes/often Mid Survey 3: 1 never 2 rarely/sometimes/often	Mid 2,3
Area	Area of residence at time of survey , based on Rural, Remote and Metropolitan Area (RRMA)	1 urban (1, 2) 2 large rural centre(3) 3 small rural centre(4) 4 other rural/ remote (5, 6, 7)	Yng 1,2,3 Mid 1,2,3
Body Shape	Indicates dissatisfaction with body shape in the last month	1 Not at all dissatisfied 2 Slightly dissatisfied 3 Moderately dissatisfied 4 Markedly dissatisfied	Mid 2
Depression	Using short form CESD scale where ≥ 10 indicates a clinical level of depression symptomatology	0 no 1 yes	Yng 2,3 Mid 2,3

VARIABLE NAME	DESCRIPTION/NOTES	RESPONSE OPTIONS	SURVEY
Education	Highest education qualification completed	Young Cohort: 1 less than or equal to year 12 2 trade/ certificate/ diploma 3 university degree Mid-aged Cohort: 1 less than year 12 2 year 12 3 trade/ certificate/ diploma 4 university degree	Yng 1,2,3 Mid 1
Endometrial Ablation	Item measures whether they have ever had an Endometrial Ablation	0 No 1 Yes	Mid 1,2,3
Family Doctor	Number of visits in the last 12 months	1 0-2 visits 2 3-6 visits 3 7+ visits	Yng 1,2,3
Family Relationships	Measures satisfaction with family relationships	1 very satisfied 2 satisfied 3 dissatisfied	Yng 1,2,3
Family Status	Indicates composition of household	1 sole person household 2 self, partner +/- others excluding children 3 self, partner +/- others including children 4 self, no partner, children +/- others 5 self and others, no partner and no children	Yng 1,2,3 Mid 1,2,3
Home Duties	Indicates hours spent per week on home duties	1 0-15 hours 2 16-34 hours 3 35+ hours	Yng 2,3
Hysterectomy	Item measures whether they have ever had a Hysterectomy	0 No 1 Yes	Mid 1,2,3
Low Iron Level	Item measures whether they have ever been diagnosed with a low iron level	0 No 1 Yes	Mid 1,2,3

VARIABLE NAME	DESCRIPTION/NOTES	RESPONSE OPTIONS	SURVEY
Leaking Urine	Item measures whether they have experienced leaking urine in the last 12 months	0 No 1 Yes	Mid 1,2,3
Oophorectomy	Item measures whether they have ever had an Oophorectomy	0 No 1 Yes	Mid 1,2,3
Paid Work	Indicates hours spent per week in paid work	1 no hours 2 1-34 hours 3 35+ hours	Yng 2,3 Mid 1,2,3
Partnership Status	This variable was derived from the family status variable. Due to the low cell sizes in some categories.	0 No Partner 1 Partner	Yng 1,2,3
Period Problems	Item measures whether they have experienced period problems in the last 12 months Note: Including irregular monthly periods, heavy periods and severe period pain. Also note, the group of women not having these symptoms, includes women who have had a hysterectomy and are post-menopausal.	1 never/rarely 2 sometimes 3 often	Mid 1,2,3
Physical Activity	Variable created based on frequency and intensity of exercise	1 nil/sedentary 2 low activity 3 moderate activity 4 high activity	Yng 2,3 Mid 2,3
Physical Violence	Indicates being pushed, grabbed, shoved, kicked or hit in the last 12 months	0 No 1 Yes	Yng 1,2,3
PMT	Item measures whether they have experienced PMT in the last 12 months	1 never/ rarely 2 sometimes 3 often	Yng 1,2,3
Prolapse Repair	Item measures whether they have ever had an Prolapse Repair	0 No 1 Yes	Mid 1,2,3

VARIABLE NAME	DESCRIPTION/NOTES	RESPONSE OPTIONS	SURVEY
Relationship Violence	Item measures ever having been in a violent relationship Note: For the mid-aged women, this variable was based on responses at surveys 1 and 4.	0 No 1 Yes	Yng 1,2,3 Mid 1,2,3
Serious Incidents	Indicates having experienced a serious incident in the last 12 months Note: Includes experiencing disasters, robbery, accidents, court and/or jail	0 No 1 Yes	Yng 1,2,3
Sexual Violence	Item measures ever having experienced sexual violence	0 No 1 Yes	Yng 1,2,3 Mid 1,2,3
Specialist Doctor	Item measures number of visits to a specialist doctor in the last 12 months	1 0 visits 2 1-2 visits 3 3+ visits	Yng 1
STI	Item measures whether they have ever been diagnosed with an STI	0 No 1 Yes	Yng 1,2,3
Stress with Money	Degree of stress felt over the last 12 months	1 no stress 2 some stress 3 very stressed	Yng 1,2,3 Mid 1,2,3
Stress with Motherhood/ Children	Degree of stress felt over the last 12 months Note: Tables only presented where family status indicates children in the household	1 no stress 2 some stress 3 very stressed	Yng 3
Stress with Own Health	Degree of stress felt over the last 12 months	1 no stress 2 some stress 3 very stressed	Yng 1,2,3 Mid 1,2,3

VARIABLE NAME	DESCRIPTION/NOTES	RESPONSE OPTIONS	SURVEY
Stress with Relationships	Degree of stress felt over the last 12 months Note: Variable includes parents, partner/spouse, children and/or friends	1 no stress 2 some stress 3 very stressed	Yng 1,2,3 Mid 1,2,3
Stress with Work or Study	Degree of stress felt over the last 12 months	1 no stress 2 some stress 3 very stressed	Yng 1,2,3 Mid 1,2,3
Tubal Ligation	Item measures whether they have ever had a Tubal Ligation	0 No 1 Yes	Mid 1,2,3
Work, Career and Study	Measures satisfaction with what they have achieved in their work, career and/or study	1 very satisfied 2 satisfied 3 dissatisfied	Yng 1,2,3

Alphabetical Listing of Frequencies for Individual Variables

YOUNGER COHORT

The total number of women in each table varies due to small amounts of missing data.

Access to Counselling-Y2

	Frequency	Percent
excellent, very good, good	4269	45
fair, poor	1392	15
don't know	3852	40

Total **9513**

Access to Counselling-Y3

y3counsel	Frequency	Percent
excellent, very good, good	3961	44
fair, poor	1276	14
don't know	3737	42

Total **8975**

Access to Family Planning Centre-Y2

y2accfpc	Frequency	Percent
excellent, very good, good	4125	43
fair, poor	1420	15
don't know	4001	42

Total **9546**

Access to Family Planning Centre-Y3

y3accfpc	Frequency	Percent
excellent, very good, good	3820	43
fair, poor	1398	16
don't know	3768	42

Total **8986**

Area-Y1

Y1areaD3	Frequency	Percent
Urban	8102	55
Large rural centre	1798	12
Small rural centre	1587	11
Other rural/Remote	3176	22

Total 14663

Area-Y2

Y2areaD3	Frequency	Percent
Urban	5647	61
Large rural centre	943	10
Small rural centre	891	10
Other rural/Remote	1833	20

Total 9314

Area-Y3

Y3areaD3	Frequency	Percent
Urban	5330	60
Large rural centre	917	10
Small rural centre	857	10
Other rural/Remote	1749	20

Total 8853

Depression-Y2

y2depres	Frequency	Percent
No	6526	70
Yes	2807	30

Total 9333

Depression-Y3

y3depres	Frequency	Percent
No	6618	75
Yes	2258	25

Total 8876

Education-Y1

Y1educ	Frequency	Percent
less than or equal to year 12	10298	70
trade/ certificate/ diploma	2594	18
University degree	1810	12

Total **14701**

Education-Y2

Y2educ	Frequency	Percent
less than or equal to year 12	2998	32
trade/ certificate/ diploma	2177	23
University degree	4205	45

Total **9380**

Education-Y3

y3educ	Frequency	Percent
less than or equal to year 12	2302	26
trade/ certificate/ diploma	2159	24
University degree	4374	50

Total **8835**

Family Doctor Visits-Y1

y1famdoc	Frequency	Percent
0-2 visits	5495	37
3-6 visits	6790	46
7+ visits	2433	17

Total **14718**

Family Doctor Visits-Y2

y2famdoc	Frequency	Percent
0-2 visits	1830	19
3-6 visits	6485	67
7+ visits	1365	14

Total **9680**

Family Doctor Visits-Y3

y3famdoc	Frequency	Percent
0-2 visits	2168	24
3-6 visits	5768	64
7+ visits	1062	12

Total **8997**

Family Satisfaction-Y1

y1satfamrel	Frequency	Percent
very satisfied	5628	39
satisfied	7279	50
dissatisfied	1594	11

Total **14502**

Family Satisfaction-Y2

y2satfamrel	Frequency	Percent
very satisfied	4188	44
satisfied	4483	47
dissatisfied	830	9

Total **9501**

Family Satisfaction-Y3

y3satfamrel	Frequency	Percent
very satisfied	3714	41
satisfied	4540	51
dissatisfied	717	8

Total **8972**

Family Status-Y1

y1famstat	Frequency	Percent
live alone	875	6
self, partner, no children	2521	18
self, partner, with children	922	6
self, no partner, children	670	5
self and others, no partner or children	9366	65

Total **14354**

Family Status-Y2

y2famstat	Frequency	Percent
live alone	577	6
self, partner, no children	3287	35
self, partner, with children	1251	13
self, no partner, children	359	4
self and others, no partner or children	4006	42
Total	9481	

Family Status-Y3

y3famstat	Frequency	Percent
live alone	668	7
self, partner, no children	3210	36
self, partner, with children	2194	24
self, no partner, children	435	5
self and others, no partner or children	2487	28
Total	8995	

Home Duty-Y2

y2hmduty	Frequency	Percent
0-15 hours	7458	78
16-34 hours	1310	14
35+ hours	805	8
Total	9573	

Home Duty-Y3

y3hmduty	Frequency	Percent
0-15 hours	6253	70
16-34 hours	1465	16
35+ hours	1196	13
Total	8914	

Paid Work-Y2

y2pdwork	Frequency	Percent
no hours	1648	17
1-34 hours	2358	24
35+ hours	5625	58

Total 9631

Paid Work-Y3

y3pdwork	Frequency	Percent
no hours	1810	20
1-34 hours	2132	24
35+ hours	5010	56

Total 8952

Partner Status-Y1

y1partner	Frequency	Percent
No partner	10300	78
Partner	2859	22

Total 13159

Partner Status-Y2

y2partner	Frequency	Percent
No partner	4943	52
Partner	4538	48

Total 9481

Partner Status-Y3

y3partner	Frequency	Percent
No partner	3591	40
Partner	5404	60

Total 8995

Physical Activity-Y2

Y2exgrp	Frequency	Percent
Nil/sedentary	914	10
Low	3299	35
Moderate	2232	24
High	3009	32

Total 9455

Physical Activity-Y3

y3exgrp	Frequency	Percent
Nil/sedentary	774	9
Low	3168	36
Moderate	2041	23
High	2886	33

Total 8869

Physical Violence-Y1

y1phyviol	Frequency	Percent
No	12417	84
Yes	2318	16

Total 14735

Physical Violence-Y2

y2phyviol	Frequency	Percent
No	8906	93
Yes	676	7

Total 9582

Physical Violence-Y3

y3phyviol	Frequency	Percent
No	8508	94
Yes	504	6

Total 9012

Premenstrual Tension-Y1

y1pmt	Frequency	Percent
never/rarely	8013	55
sometimes	4209	29
often	2478	17

Total 14700

Premenstrual Tension-Y2

Y2pmt	Frequency	Percent
never/rarely	6323	65
sometimes	2031	21
often	1328	14

Total 9683

Premenstrual Tension-Y3

Y3pmt	Frequency	Percent
never/rarely	5897	66
sometimes	2056	23
often	1046	12

Total 8999

Relationship Violence-Y1

y1relviol	Frequency	Percent
No	13040	89
Yes	1665	11

Total 14706

Relationship Violence -Y2

y2relviol	Frequency	Percent
No	8492	90
Yes	942	10

Total 9434

Relationship Violence -Y3

y3relviol	Frequency	Percent
No	7849	89
Yes	956	11

Total 8805

Serious Incidents-Y1

y1bummer	Frequency	Percent
No	11293	77
Yes	3427	23

Total 14720

Serious Incidents-Y2

y2bummer	Frequency	Percent
No	7941	83
Yes	1642	17

Total 9582

Serious Incidents-Y3

y3bummer	Frequency	Percent
No	7589	84
Yes	1422	16

Total 9012

Sexual Violence-Y1

y1sexviol	Frequency	Percent
No	14191	96
Yes	535	4

Total 14725

Sexual Violence-Y2

y2sexviol	Frequency	Percent
No	9431	98
Yes	152	2

Total 9583

Sexual Violence-Y3

y3sexviol	Frequency	Percent
No	8926	99
Yes	86	1

Total 9012

Specialist Doctor Visits-Y1

y1spec	Frequency	Percent
0 visits	10155	70
1-2 visits	2969	20
3+ visits	1480	10

Total 14603

STI-Y1

y1sti	Frequency	Percent
No	13796	95
Yes	780	5

Total 14576

STI-Y2

y2sti	Frequency	Percent
No	8510	89
Yes	1088	11

Total 9598

STI-Y3

y3sti	Frequency	Percent
No	7709	87
Yes	1184	13

Total 8893

Stress with Money-Y1

y1moneystr	Frequency	Percent
no stress	2835	19
some stress	8072	55
Very stressed	3798	26

Total 14705

Stress with Money -Y2

y2moneystr	Frequency	Percent
no stress	1584	17
some stress	5609	59
very stressed	2387	25

Total 9580

Stress with Money -Y3

y3moneystr	Frequency	Percent
no stress	1409	16
some stress	5423	60
very stressed	2142	24

Total 8974

Stress with Motherhood/Children -Y3

y3mumstr	Frequency	Percent
no stress	6272	70
some stress	2221	25
very stressed	476	5

Total 8969

Stress with own health-Y1

y1hlthstr	Frequency	Percent
no stress	6453	44
some stress	7262	50
very stressed	953	7

Total 14669

Stress with own health -Y2

y2hlthstr	Frequency	Percent
no stress	3662	38
some stress	5107	53
very stressed	853	9

Total 9621

Self-health Stress-Y3

y3hlthstr	Frequency	Percent
no stress	3098	35
some stress	5199	58
very stressed	673	8

Total 8970

Stress with Relationships -Y1

y1relstr	Frequency	Percent
no stress	5865	40
some stress	8446	57
very stressed	397	3

Total 14709

Stress with Relationships -Y2

y2relstr	Frequency	Percent
no stress	2860	30
some stress	6462	67
very stressed	315	3

Total 9637

Stress with Relationships -Y3

y3relstr	Frequency	Percent
no stress	2393	27
some stress	6323	70
very stressed	288	3

Total 9004

Stress with Work or Study -Y1

y1wkstr	Frequency	Percent
no stress	2104	14
some stress	7596	51
very stressed	5084	34

Total 14784

Stress with Work or Study -Y2

y2wkstr	Frequency	Percent
no stress	1548	16
some stress	5328	55
very stressed	2821	29

Total **9697**

Stress with Work or Study -Y3

y3wkstr	Frequency	Percent
no stress	1653	18
some stress	4958	55
very stressed	2416	27

Total **9027**

Work/Career/Study Satisfaction-Y1

y1satwork	Frequency	Percent
very satisfied	4154	29
satisfied	7048	49
dissatisfied	3295	23

Total **14497**

Work/Career/Study Satisfaction-Y2

y2satwork	Frequency	Percent
very satisfied	2035	21
satisfied	5424	57
dissatisfied	2089	22

Total **9547**

Work/Career/Study Satisfaction-Y3

y3satwork	Frequency	Percent
very satisfied	1712	19
satisfied	5452	61
dissatisfied	1821	20

Total **8985**

Alphabetical Listing of Frequencies for Individual Variables

MID-AGE COHORT

The total number of women in each table varies due to small amounts of missing data.

Access to Counselling-M2

m2counsel	Frequency	Percent
excellent, very good, good	4509	39
fair, poor	1203	11
don't know	5716	50

Total **11428**

Access to Counselling-M3

m3counsel	Frequency	Percent
excellent, very good, good	4360	40
fair, poor	1064	10
don't know	5488	50

Total **10912**

Access to Family Planning Centre-M2

m2accfpc	Frequency	Percent
excellent, very good, good	4425	39
fair, poor	1106	10
don't know	5912	52

Total **11443**

Access to Family Planning Centre-M3

m3accfpc	Frequency	Percent
excellent, very good, good	4291	39
fair, poor	1080	10
don't know	5554	51

Total **10926**

Anxiety-M2

m2anx	Frequency	Percent
never/rarely	7894	69
sometimes/often	3497	31

Total 11391

Anxiety-M3

M3anx	Frequency	Percent
never/rarely/sometimes	8349	78
often	2361	22

Total 10710

Area-M1

m1areaD3	Frequency	Percent
Urban	5114	36.55
Large rural centre	1970	14.08
Small rural centre	2035	14.55
Other rural/Remote	4871	34.82

Total 13990

Area-M2

m2areaD3	Frequency	Percent
Urban	4561	37.37
Large rural centre	1681	13.77
Small rural centre	1736	14.22
Other rural/Remote	4226	34.63

Total 12204

Area-M3

m3areaD3	Frequency	Percent
Urban	4184	37.93
Large rural centre	1515	13.74
Small rural centre	1573	14.26
Other rural/Remote	3758	34.07

Total 11030

Body Shape-M2

m2bodyshp	Frequency	Percent
not at all dissatisfied	2162	19
slightly dissatisfied	3947	35
moderately dissatisfied	2879	26
markedly dissatisfied	2253	20

Total 11242

Depression-M2

m2depres	Frequency	Percent
No	8520	75
Yes	2802	25

Total 11323

Depression-M3

m3depres	Frequency	Percent
No	8260	78
Yes	2316	22

Total 10576

Education-M1

m1educ	Frequency	Percent
less than year 12	6526	47
year 12	2442	17
trade/ certificate/ diploma	2723	20
university degree	2276	16

Total 13967

Endometrial Ablation-M1

m1endoab	Frequency	Percent
No	13175	95
Yes	682	5

Total 13857

Endometrial Ablation-M2

m2endoab	Frequency	Percent
No	11339	92
Yes	967	8

Total **12306**

Endometrial Ablation-M3

m3endoab	Frequency	Percent
No	9665	91
Yes	938	9

Total **10603**

Family Status-M1

m1famstat	Frequency	Percent
live alone	1131	8
self, partner, no children	3362	25
self, partner, with children	7576	56
self, no partner, children	1215	9
self and others, no partner or children	265	2

Total **13550**

Family Status-M2

m2famstat	Frequency	Percent
live alone	843	7
self, partner, no children	3546	31
self, partner, with children	5621	49
self, no partner, children	1208	11
self and others, no partner or children	252	2

Total **11470**

Family Status-M3

m3famstat	Frequency	Percent
live alone	1042	9
self, partner, no children	4751	43
self, partner, with children	3951	36
self, no partner, children	1002	9
self and others, no partner or children	271	2
Total	11017	

Hysterectomy-M1

m1hyster	Frequency	Percent
No	10981	78
Yes	3086	22
Total	14067	

Hysterectomy-M2

m2hyster	Frequency	Percent
No	9326	76
Yes	2980	24
Total	12306	

Hysterectomy-M3

m3hyster	Frequency	Percent
No	7748	72
Yes	2981	28
Total	10728	

Low Iron Level-M1

m1iron	Frequency	Percent
No	9449	67
Yes	4618	33
Total	14067	

Low Iron Level-M2

m2iron	Frequency	Percent
No	7555	61
Yes	4751	39

Total 12306

Low Iron Level-M3

m3iron	Frequency	Percent
No	6502	59
Yes	4475	41

Total 10977

Leaking Urine-M1

m1urine	Frequency	Percent
never/rarely	11188	80
sometimes	2106	15
often	776	6

Total 14070

Leaking Urine-M2

m2urine	Frequency	Percent
never/rarely	8540	75
sometimes	2134	19
often	707	6

Total 11382

Leaking Urine-M3

m3urine	Frequency	Percent
never/rarely	8460	79
sometimes	1599	15
often	585	6

Total 10644

Oophorectomy-M1

m1ovaries	Frequency	Percent
No	13145	94
Yes	885	6

Total 14030**Oophorectomy-M2**

m2ovaries	Frequency	Percent
No	11346	92
Yes	960	8

Total 12306**Oophorectomy-M3**

m3ovaries	Frequency	Percent
No	9609	91
Yes	1006	9

Total 10615**Paid Work-M1**

m1pdwork	Frequency	Percent
no hours	4121	30
1-34 hours	4526	33
35+ hours	5181	37

Total 13827**Paid Work-M2**

m2pdwork	Frequency	Percent
no hours	2578	23
1-34 hours	4011	36
35+ hours	4604	41

Total 11193

Paid Work-M3

m3pdwork	Frequency	Percent
no hours	3394	31
1-34 hours	3484	32
35+ hours	4014	37

Total 10892

Period Problems-M1

m1period	Frequency	Percent
never/rarely	7699	55
sometimes	3418	24
often	2899	21

Total 14017

Period Problems-M2

m2period	Frequency	Percent
never/rarely	6532	58
sometimes	2555	23
often	2181	19

Total 11269

Period Problems-M3

m3period	Frequency	Percent
never/rarely	8063	76
sometimes	1293	12
often	1189	11

Total 10546

Physical Activity-M2

m2exgrp	Frequency	Percent
Nil/sedentary	2019	18
Low	3577	32
Moderate	2503	22
High	3032	27

Total 11131

Physical Activity-M3

m3exgrp	Frequency	Percent
Nil/sedentary	1855	18
Low	3920	37
Moderate	2204	21
High	2565	24

Total 10544**Prolapse Repair-M1**

m1prolapse	Frequency	Percent
No	12883	92
Yes	1150	8

Total 14033**Prolapse Repair-M2**

m2prolapse	Frequency	Percent
No	11087	90
Yes	1219	10

Total 12306**Prolapse Repair-M3**

m3prolapse	Frequency	Percent
No	9405	89
Yes	1221	11

Total 10626**Relationship Violence-M1**

m1relviol	Frequency	Percent
No	11844	84
Yes	2175	16

Total 14020**Relationship Violence-M2**

m2relviol	Frequency	Percent
No	8423	83
Yes	1772	17

Total 10196

Relationship Violence-M3

m3relviol	Frequency	Percent
No	8217	81
Yes	1896	19

Total 10113**Sexual Violence-M1**

m1sexviol	Frequency	Percent
No	13852	98
Yes	248	2

Total 14101**Sexual Violence-M2**

m2sexviol	Frequency	Percent
No	11460	99
Yes	96	1

Total 11556**Sexual Violence-M3**

m3sexviol	Frequency	Percent
No	10930	100
Yes	55	1

Total 10985**Stress with Money-M1**

m1moneystr	Frequency	Percent
no stress	5437	39
some stress	6580	47
Very stressed	1993	14

Total 14010

Stress with Money -M2

m2moneyst	Frequency	Percent
no stress	4697	41
some stress	5363	47
Very stressed	1317	12

Total 11377

Stress with Money -M3

m3moneyst	Frequency	Percent
no stress	4565	43
some stress	4967	47
Very stressed	1092	10

Total 10625

Stress with own health-M1

M1hlthstr	Frequency	Percent
no stress	6693	48
some stress	6133	44
Very stressed	1125	8

Total 13952

Stress with own health -M2

M2hlthstr	Frequency	Percent
no stress	5858	52
some stress	4701	42
Very stressed	658	6

Total 11217

Stress with own health -M3

M3hlthstr	Frequency	Percent
no stress	5369	50
some stress	4748	44
Very stressed	588	6

Total 10705**Stress with Relationships -M1**

m1relstr	Frequency	Percent
no stress	5695	41
some stress	8020	57
Very stressed	336	2

Total 14052**Stress with Relationships -M2**

m2relstr	Frequency	Percent
no stress	4992	44
some stress	6255	55
Very stressed	224	2

Total 11471**Stress with Relationships -M3**

m3relstr	Frequency	Percent
no stress	5349	49
some stress	5518	50
Very stressed	130	1

Total 10998

Stress with Work/Study -M1

m1wkstr	Frequency	Percent
no stress	5823	41
some stress	6083	43
Very stressed	2232	16

Total 14138

Stress with Work/Study -M2

m2wkstr	Frequency	Percent
no stress	5752	47
some stress	4969	40
Very stressed	1584	13

Total 12306

Stress with Work/Study -M3

m3wkstr	Frequency	Percent
no stress	5199	47
some stress	4536	41
very stressed	1325	12

Total 11060

Tubal Ligation-M1

m1tubes	Frequency	Percent
No	10224	73
Yes	3839	27

Total 14063

Tubal Ligation-M2

m2tubes	Frequency	Percent
No	7429	60
Yes	4877	40

Total 12306

Tubal Ligation-M3

m3tubes	Frequency	Percent
No	6400	60
Yes	4350	40
Total	10750	

SECTION 2: YOUNGER COHORT DATA

AREA BY SPECIALIST DOCTOR VISITS - Y1

% Younger cohort at Survey 1 by area of residence and number of visits to a specialist doctor in the past 12 months

Area-Y1	Specialist Doctor Visits-Y1	Frequency Count	Percent of Total Frequency
Urban	0 visits	5311	38.0
	1-2 visits	1625	11.6
	3+ visits	802	5.7
Large rural centre	0 visits	1193	8.5
	1-2 visits	346	2.5
	3+ visits	174	1.2
Small rural centre	0 visits	1067	7.6
	1-2 visits	299	2.1
	3+ visits	148	1.1
Other rural/Remote	0 visits	2231	16.0
	1-2 visits	517	3.7
	3+ visits	263	1.9
		=====	=====
		13976	100
		=====	=====

% Younger cohort at Survey 1 by area of residence and number of visits to a specialist doctor in the past 12 months

Area-Y1	Specialist Doctor Visits-Y1	Frequency Count	%
Urban	0 visits	5311	68.6
	1-2 visits	1625	21.0
	3+ visits	802	10.4
		<hr/> 7738	<hr/> 100
Large rural centre	0 visits	1193	69.6
	1-2 visits	346	20.2
	3+ visits	174	10.2
		<hr/> 1713	<hr/> 100
Small rural centre	0 visits	1067	70.5
	1-2 visits	299	19.7
	3+ visits	148	9.8
		<hr/> 1514	<hr/> 100
Other rural/Remote	0 visits	2231	74.1
	1-2 visits	517	17.2
	3+ visits	263	8.7
		<hr/> 3011	<hr/> 100

% Younger cohort at Survey 1 by number of visits to a specialist doctor in the past 12 months and area of residence

Specialist Doctor Visits-Y1	Area-Y1	Frequency Count	%
0 visits	Urban	5311	54.2
	Large rural centre	1193	12.2
	Small rural centre	1067	10.9
	Other rural/Remote	2231	22.8
		9802	100
1-2 visits	Urban	1625	58.3
	Large rural centre	346	12.4
	Small rural centre	299	10.7
	Other rural/Remote	517	18.6
		2787	100
3+ visits	Urban	802	57.8
	Large rural centre	174	12.5
	Small rural centre	148	10.7
	Other rural/Remote	263	19.0
		1387	100

PAID WORK BY LEVEL OF PHYSICAL ACTIVITY - Y2,Y3

% Younger cohort at Survey 2 where education is year 12 or less:
hours of paid work/week by level of physical activity

Paid Work-Y2	Physical Activity-Y2	Frequency Count	Percent of Total Frequency
no hours	Nil/sedentary	101	4.5
	Low	256	11.4
	Moderate	120	5.4
	High	120	5.4
1-34 hours	Nil/sedentary	63	2.8
	Low	222	9.9
	Moderate	150	6.7
	High	194	8.7
35+ hours	Nil/sedentary	123	5.5
	Low	366	16.3
	Moderate	241	10.8
	High	284	12.7
		=====	=====
		2240	100
		=====	=====

% Younger cohort at Survey 2 where education is year 12 or less:
hours of paid work/week by level of physical activity

Paid Work-Y2	Physical Activity-Y2	Frequency Count	%
no hours	Nil/sedentary	101	16.9
	Low	256	42.9
	Moderate	120	20.1
	High	120	20.1
		597	100
1-34 hours	Nil/sedentary	63	10.0
	Low	222	35.3
	Moderate	150	23.8
	High	194	30.9
		629	100
35+ hours	Nil/sedentary	123	12.1
	Low	366	36.1
	Moderate	241	23.8
	High	284	28.0
		1014	100

% Younger cohort at Survey 2 where education is year 12 or less:
level of physical activity by hours of paid work/week

Physical Activity-Y2	Paid Work-Y2	Frequency Count	%
Nil/sedentary	no hours	101	35.2
	1-34 hours	63	22.0
	35+ hours	123	42.8
		<hr/> 287	<hr/> 100
Low	no hours	256	30.4
	1-34 hours	222	26.3
	35+ hours	366	43.3
		<hr/> 844	<hr/> 100
Moderate	no hours	120	23.5
	1-34 hours	150	29.3
	35+ hours	241	47.2
		<hr/> 511	<hr/> 100
High	no hours	120	20.1
	1-34 hours	194	32.4
	35+ hours	284	47.5
		<hr/> 599	<hr/> 100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by level of physical activity

Paid Work-Y2	Physical Activity-Y2	Frequency Count	Percent of Total Frequency
no hours	Nil/sedentary	43	2.5
	Low	129	7.6
	Moderate	38	2.3
	High	68	4.0
1-34 hours	Nil/sedentary	41	2.4
	Low	169	10.0
	Moderate	95	5.6
	High	107	6.3
35+ hours	Nil/sedentary	105	6.2
	Low	341	20.1
	Moderate	250	14.7
	High	313	18.4
		=====	=====
		1699	100
		=====	=====

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
hours of paid work/week by level of physical activity

Paid Work-Y2	Physical Activity-Y2	Frequency Count	%
no hours	Nil/sedentary	43	15.3
	Low	129	46.3
	Moderate	38	13.8
	High	68	24.5
			278
1-34 hours	Nil/sedentary	41	10.0
	Low	169	41.1
	Moderate	95	23.0
	High	107	25.9
			412
35+ hours	Nil/sedentary	105	10.4
	Low	341	33.8
	Moderate	250	24.8
	High	313	31.1
			1009

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
level of physical activity by hours of paid work/week

Physical Activity-Y2	Paid Work-Y2	Frequency Count	%
Nil/sedentary	no hours	43	22.6
	1-34 hours	41	21.9
	35+ hours	105	55.5
		<hr/>	<hr/>
		189	100
Low	no hours	129	20.2
	1-34 hours	169	26.5
	35+ hours	341	53.3
		<hr/>	<hr/>
		639	100
Moderate	no hours	38	10.0
	1-34 hours	95	24.8
	35+ hours	250	65.2
		<hr/>	<hr/>
		383	100
High	no hours	68	13.9
	1-34 hours	107	21.9
	35+ hours	313	64.2
		<hr/>	<hr/>
		488	100

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by level of physical activity

Paid Work-Y2	Physical Activity-Y2	Frequency Count	Percent of Total Frequency
no hours	Nil/sedentary	40	1.2
	Low	111	3.3
	Moderate	70	2.1
	High	105	3.1
1-34 hours	Nil/sedentary	36	1.1
	Low	286	8.5
	Moderate	182	5.4
	High	251	7.4
35+ hours	Nil/sedentary	132	3.9
	Low	710	21.0
	Moderate	617	18.3
	High	833	24.7
		=====	=====
		3374	100
		=====	=====

% Younger cohort at Survey 2 where education is university degree:
hours of paid work/week by level of physical activity

Paid Work-Y2	Physical Activity-Y2	Frequency Count	%
no hours	Nil/sedentary	40	12.4
	Low	111	34.1
	Moderate	70	21.5
	High	105	32.0
			327
1-34 hours	Nil/sedentary	36	4.8
	Low	286	37.9
	Moderate	182	24.1
	High	251	33.2
			755
35+ hours	Nil/sedentary	132	5.7
	Low	710	31.0
	Moderate	617	26.9
	High	833	36.4
			2292

% Younger cohort at Survey 2 where education is university degree:
level of physical activity by hours of paid work/week

Physical Activity-Y2	Paid Work-Y2	Frequency Count	%
Nil/sedentary	no hours	40	19.4
	1-34 hours	36	17.3
	35+ hours	132	63.3
		<hr/>	<hr/>
		208	100
Low	no hours	111	10.1
	1-34 hours	286	25.8
	35+ hours	710	64.1
		<hr/>	<hr/>
		1107	100
Moderate	no hours	70	8.1
	1-34 hours	182	20.9
	35+ hours	617	71.0
		<hr/>	<hr/>
		870	100
High	no hours	105	8.8
	1-34 hours	251	21.1
	35+ hours	833	70.1
		<hr/>	<hr/>
		1189	100

% Younger cohort at Survey 3 where education is year 12 or less:
 hours of paid work/week by level of physical activity

Paid Work-Y3	Physical Activity-Y3	Frequency Count	Percent of Total Frequency
no hours	Nil/sedentary	103	5.6
	Low	272	14.8
	Moderate	113	6.2
	High	116	6.3
1-34 hours	Nil/sedentary	62	3.4
	Low	215	11.7
	Moderate	113	6.2
	High	119	6.5
35+ hours	Nil/sedentary	81	4.4
	Low	260	14.2
	Moderate	141	7.7
	High	242	13.2
		=====	=====
		1838	100
		=====	=====

% Younger cohort at Survey 3 where education is year 12 or less:
hours of paid work/week by level of physical activity

Paid Work-Y3	Physical Activity-Y3	Frequency Count	%
no hours	Nil/sedentary	103	17.1
	Low	272	45.0
	Moderate	113	18.7
	High	116	19.1
		<hr/>	604
1-34 hours	Nil/sedentary	62	12.2
	Low	215	42.1
	Moderate	113	22.2
	High	119	23.4
		<hr/>	510
35+ hours	Nil/sedentary	81	11.2
	Low	260	35.9
	Moderate	141	19.5
	High	242	33.4
		<hr/>	725

% Younger cohort at Survey 3 where education is year 12 or less:
level of physical activity by hours of paid work/week

Physical Activity-Y3	Paid Work-Y3	Frequency Count	%
Nil/sedentary	no hours	103	41.8
	1-34 hours	62	25.2
	35+ hours	81	33.0
		<hr/> 247	<hr/> 100
Low	no hours	272	36.4
	1-34 hours	215	28.7
	35+ hours	260	34.9
		<hr/> 747	<hr/> 100
Moderate	no hours	113	30.8
	1-34 hours	113	30.8
	35+ hours	141	38.4
		<hr/> 367	<hr/> 100
High	no hours	116	24.2
	1-34 hours	119	25.0
	35+ hours	242	50.7
		<hr/> 477	<hr/> 100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 hours of paid work/week by level of physical activity

Paid Work-Y3	Physical Activity-Y3	Frequency Count	Percent of Total Frequency
no hours	Nil/sedentary	50	2.8
	Low	187	10.3
	Moderate	87	4.8
	High	78	4.3
1-34 hours	Nil/sedentary	52	2.9
	Low	175	9.7
	Moderate	98	5.4
	High	137	7.6
35+ hours	Nil/sedentary	80	4.4
	Low	314	17.4
	Moderate	223	12.3
	High	325	18.0
		=====	=====
		1807	100
		=====	=====

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
hours of paid work/week by level of physical activity

Paid Work-Y3	Physical Activity-Y3	Frequency Count	%
no hours	Nil/sedentary	50	12.5
	Low	187	46.4
	Moderate	87	21.6
	High	78	19.5
			402
1-34 hours	Nil/sedentary	52	11.3
	Low	175	37.8
	Moderate	98	21.2
	High	137	29.7
			463
35+ hours	Nil/sedentary	80	8.5
	Low	314	33.3
	Moderate	223	23.6
	High	325	34.5
			942

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
level of physical activity by hours of paid work/week

Physical Activity-Y3	Paid Work-Y3	Frequency Count	%
Nil/sedentary	no hours	50	27.5
	1-34 hours	52	28.5
	35+ hours	80	44.0
		<hr/> 183	<hr/> 100
Low	no hours	187	27.6
	1-34 hours	175	25.9
	35+ hours	314	46.5
		<hr/> 676	<hr/> 100
Moderate	no hours	87	21.3
	1-34 hours	98	24.1
	35+ hours	223	54.6
		<hr/> 408	<hr/> 100
High	no hours	78	14.5
	1-34 hours	137	25.4
	35+ hours	325	60.1
		<hr/> 541	<hr/> 100

% Younger cohort at Survey 3 where education is university degree:
 hours of paid work/week by level of physical activity

Paid Work-Y3	Physical Activity-Y3	Frequency Count	Percent of Total Frequency
no hours	Nil/sedentary	43	1.1
	Low	181	4.8
	Moderate	114	3.0
	High	120	3.2
1-34 hours	Nil/sedentary	53	1.4
	Low	306	8.1
	Moderate	166	4.4
	High	247	6.6
35+ hours	Nil/sedentary	133	3.5
	Low	758	20.1
	Moderate	671	17.8
	High	977	25.9
		=====	=====
		3770	100
		=====	=====

% Younger cohort at Survey 3 where education is university degree:
hours of paid work/week by level of physical activity

Paid Work-Y3	Physical Activity-Y3	Frequency Count	%
no hours	Nil/sedentary	43	9.4
	Low	181	39.5
	Moderate	114	24.8
	High	120	26.3
			458
1-34 hours	Nil/sedentary	53	6.9
	Low	306	39.6
	Moderate	166	21.5
	High	247	32.0
			773
35+ hours	Nil/sedentary	133	5.2
	Low	758	29.9
	Moderate	671	26.4
	High	977	38.5
			2539

% Younger cohort at Survey 3 where education is university degree:
level of physical activity by hours of paid work/week

Physical Activity-Y3	Paid Work-Y3	Frequency Count	%
Nil/sedentary	no hours	43	18.8
	1-34 hours	53	23.3
	35+ hours	133	57.9
		<hr/>	<hr/>
		229	100
Low	no hours	181	14.5
	1-34 hours	306	24.6
	35+ hours	758	60.9
		<hr/>	<hr/>
		1245	100
Moderate	no hours	114	12.0
	1-34 hours	166	17.5
	35+ hours	671	70.6
		<hr/>	<hr/>
		951	100
High	no hours	120	9.0
	1-34 hours	247	18.4
	35+ hours	977	72.7
		<hr/>	<hr/>
		1344	100

PAID WORK BY STRESS WITH OWN HEALTH - Y2,Y3

% Younger cohort at Survey 2 where education is year 12 or less:

hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y2	Self-health Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	200	8.8
	some stress	344	15.2
	very stressed	65	2.9
1-34 hours	no stress	247	10.9
	some stress	333	14.7
	very stressed	56	2.5
35+ hours	no stress	396	17.5
	some stress	526	23.2
	very stressed	102	4.5
		=====	=====
		2270	100
		=====	=====

% Younger cohort at Survey 2 where education is year 12 or less:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y2	Self-health Stress-Y2	Frequency Count	%
no hours	no stress	200	32.8
	some stress	344	56.5
	very stressed	65	10.7
		609	100
1-34 hours	no stress	247	38.9
	some stress	333	52.4
	very stressed	56	8.8
		636	100
35+ hours	no stress	396	38.7
	some stress	526	51.4
	very stressed	102	9.9
		1024	100

% Younger cohort at Survey 2 where education is year 12 or less:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	200	23.7
	1-34 hours	247	29.3
	35+ hours	396	47.0
		843	100
some stress	no hours	344	28.6
	1-34 hours	333	27.7
	35+ hours	526	43.7
		1204	100
very stressed	no hours	65	29.2
	1-34 hours	56	25.1
	35+ hours	102	45.7
		222	100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y2	Self-health Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	93	5.4
	some stress	154	9.0
	very stressed	30	1.7
1-34 hours	no stress	159	9.3
	some stress	220	12.8
	very stressed	35	2.1
35+ hours	no stress	383	22.3
	some stress	542	31.6
	very stressed	100	5.8
		=====	=====
		1716	100
		=====	=====

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y2	Self-health Stress-Y2	Frequency Count	%
no hours	no stress	93	33.5
	some stress	154	55.7
	very stressed	30	10.8
		277	100
1-34 hours	no stress	159	38.3
	some stress	220	53.1
	very stressed	35	8.5
		414	100
35+ hours	no stress	383	37.4
	some stress	542	52.9
	very stressed	100	9.7
		1025	100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	93	14.6
	1-34 hours	159	25.0
	35+ hours	383	60.3
		634	100
some stress	no hours	154	16.8
	1-34 hours	220	24.0
	35+ hours	542	59.2
		916	100
very stressed	no hours	30	18.2
	1-34 hours	35	21.4
	35+ hours	100	60.5
		165	100

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y2	Self-health Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	118	3.4
	some stress	162	4.7
	very stressed	52	1.5
1-34 hours	no stress	291	8.5
	some stress	395	11.5
	very stressed	82	2.4
35+ hours	no stress	955	27.8
	some stress	1253	36.5
	very stressed	122	3.6
		=====	=====
		3431	100
		=====	=====

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y2	Self-health Stress-Y2	Frequency Count	%
no hours	no stress	118	35.6
	some stress	162	48.7
	very stressed	52	15.7
		332	100
1-34 hours	no stress	291	37.9
	some stress	395	51.5
	very stressed	82	10.6
		768	100
35+ hours	no stress	955	41.0
	some stress	1253	53.8
	very stressed	122	5.2
		2330	100

% Younger cohort at Survey 2 where education is university degree:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	118	8.7
	1-34 hours	291	21.3
	35+ hours	955	70.0
		1365	100
some stress	no hours	162	8.9
	1-34 hours	395	21.8
	35+ hours	1253	69.2
		1810	100
very stressed	no hours	52	20.4
	1-34 hours	82	31.9
	35+ hours	122	47.7
		256	100

% Younger cohort at Survey 3 where education is year 12 or less:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y3	Self-health Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	212	11.4
	some stress	345	18.5
	very stressed	55	3.0
1-34 hours	no stress	176	9.4
	some stress	305	16.3
	very stressed	36	1.9
35+ hours	no stress	253	13.5
	some stress	430	23.1
	very stressed	54	2.9
		=====	=====
		1867	100
		=====	=====

% Younger cohort at Survey 3 where education is year 12 or less:
hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y3	Self-health Stress-Y3	Frequency Count	%
no hours	no stress	212	34.6
	some stress	345	56.4
	very stressed	55	9.0
		612	100
1-34 hours	no stress	176	34.0
	some stress	305	59.0
	very stressed	36	7.0
		517	100
35+ hours	no stress	253	34.3
	some stress	430	58.3
	very stressed	54	7.4
		738	100

% Younger cohort at Survey 3 where education is year 12 or less:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	212	33.1
	1-34 hours	176	27.4
	35+ hours	253	39.5
		641	100
some stress	no hours	345	31.9
	1-34 hours	305	28.2
	35+ hours	430	39.8
		1081	100
very stressed	no hours	55	37.8
	1-34 hours	36	24.8
	35+ hours	54	37.3
		146	100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y3	Self-health Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	144	7.9
	some stress	213	11.7
	very stressed	49	2.7
1-34 hours	no stress	163	8.9
	some stress	262	14.4
	very stressed	43	2.4
35+ hours	no stress	330	18.1
	some stress	556	30.5
	very stressed	62	3.4
		=====	=====
		1822	100
		=====	=====

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y3	Self-health Stress-Y3	Frequency Count	%
no hours	no stress	144	35.5
	some stress	213	52.3
	very stressed	49	12.1
		406	100
1-34 hours	no stress	163	34.8
	some stress	262	56.0
	very stressed	43	9.2
		468	100
35+ hours	no stress	330	34.8
	some stress	556	58.7
	very stressed	62	6.5
		948	100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	144	22.7
	1-34 hours	163	25.6
	35+ hours	330	51.8
		637	100
some stress	no hours	213	20.6
	1-34 hours	262	25.4
	35+ hours	556	53.9
		1031	100
very stressed	no hours	49	32.0
	1-34 hours	43	27.9
	35+ hours	62	40.1
		154	100

% Younger cohort at Survey 3 where education is university degree:
hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y3	Self-health Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	145	3.8
	some stress	283	7.4
	very stressed	34	0.9
1-34 hours	no stress	257	6.8
	some stress	460	12.1
	very stressed	60	1.6
35+ hours	no stress	926	24.4
	some stress	1478	38.9
	very stressed	158	4.2
		=====	=====
		3800	100
		=====	=====

% Younger cohort at Survey 3 where education is university degree:
hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-Y3	Self-health Stress-Y3	Frequency Count	%
no hours	no stress	145	31.3
	some stress	283	61.3
	very stressed	34	7.4
		461	100
1-34 hours	no stress	257	33.1
	some stress	460	59.2
	very stressed	60	7.7
		777	100
35+ hours	no stress	926	36.1
	some stress	1478	57.7
	very stressed	158	6.2
		2562	100

% Younger cohort at Survey 3 where education is university degree:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	145	10.9
	1-34 hours	257	19.4
	35+ hours	926	69.7
		1327	100
some stress	no hours	283	12.7
	1-34 hours	460	20.7
	35+ hours	1478	66.6
		2221	100
very stressed	no hours	34	13.5
	1-34 hours	60	23.8
	35+ hours	158	62.7
		252	100

PAID WORK BY STRESS WITH WORK OR STUDY - Y2,Y3

% Younger cohort at Survey 2 where education is year 12 or less:

hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y2	Work or Study Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	249	10.9
	some stress	236	10.3
	very stressed	130	5.7
1-34 hours	no stress	127	5.6
	some stress	349	15.3
	very stressed	162	7.1
35+ hours	no stress	159	7.0
	some stress	574	25.1
	very stressed	299	13.1
		=====	=====
		2287	100
		=====	=====

% Younger cohort at Survey 2 where education is year 12 or less:
hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y2	Work or Study Stress-Y2	Frequency Count	%
no hours	no stress	249	40.5
	some stress	236	38.4
	very stressed	130	21.1
		616	100
1-34 hours	no stress	127	19.9
	some stress	349	54.7
	very stressed	162	25.4
		639	100
35+ hours	no stress	159	15.4
	some stress	574	55.6
	very stressed	299	29.0
		1033	100

% Younger cohort at Survey 2 where education is year 12 or less:
 work/study stress level felt in the past 12 months by hours of paid work/week

Work or Study Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	249	46.5
	1-34 hours	127	23.7
	35+ hours	159	29.8
		536	100
some stress	no hours	236	20.4
	1-34 hours	349	30.1
	35+ hours	574	49.5
		1160	100
very stressed	no hours	130	22.0
	1-34 hours	162	27.5
	35+ hours	299	50.6
		592	100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y2	Work or Study Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	92	5.3
	some stress	110	6.4
	very stressed	79	4.5
1-34 hours	no stress	71	4.1
	some stress	225	13.0
	very stressed	123	7.1
35+ hours	no stress	147	8.5
	some stress	608	35.1
	very stressed	276	16.0
		=====	=====
		1732	100
		=====	=====

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y2	Work or Study Stress-Y2	Frequency Count	%
no hours	no stress	92	32.8
	some stress	110	39.2
	very stressed	79	28.0
		281	100
1-34 hours	no stress	71	16.9
	some stress	225	53.7
	very stressed	123	29.4
		419	100
35+ hours	no stress	147	14.3
	some stress	608	58.9
	very stressed	276	26.8
		1031	100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
work/study stress level felt in the past 12 months by hours of paid work/week

Work or Study Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	92	29.7
	1-34 hours	71	22.9
	35+ hours	147	47.4
		311	100
some stress	no hours	110	11.7
	1-34 hours	225	23.9
	35+ hours	608	64.5
		943	100
very stressed	no hours	79	16.4
	1-34 hours	123	25.8
	35+ hours	276	57.8
		478	100

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y2	Work or Study Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	37	1.1
	some stress	195	5.7
	very stressed	102	3.0
1-34 hours	no stress	45	1.3
	some stress	432	12.6
	very stressed	293	8.5
35+ hours	no stress	211	6.1
	some stress	1394	40.5
	very stressed	734	21.3
		=====	=====
		3443	100
		=====	=====

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y2	Work or Study Stress-Y2	Frequency Count	%
no hours	no stress	37	11.0
	some stress	195	58.4
	very stressed	102	30.6
		334	100
1-34 hours	no stress	45	5.9
	some stress	432	56.1
	very stressed	293	38.0
		770	100
35+ hours	no stress	211	9.0
	some stress	1394	59.6
	very stressed	734	31.4
		2339	100

% Younger cohort at Survey 2 where education is university degree:
work/study stress level felt in the past 12 months by hours of paid work/week

Work or Study Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	37	12.6
	1-34 hours	45	15.5
	35+ hours	211	71.9
		293	100
some stress	no hours	195	9.6
	1-34 hours	432	21.4
	35+ hours	1394	69.0
		2021	100
very stressed	no hours	102	9.1
	1-34 hours	293	25.9
	35+ hours	734	65.0
		1129	100

% Younger cohort at Survey 3 where education is year 12 or less:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y3	Work or Study Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	320	17.0
	some stress	212	11.3
	very stressed	86	4.6
1-34 hours	no stress	138	7.3
	some stress	278	14.8
	very stressed	103	5.5
35+ hours	no stress	109	5.8
	some stress	438	23.3
	very stressed	196	10.4
		=====	=====
		1881	100
		=====	=====

% Younger cohort at Survey 3 where education is year 12 or less:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y3	Work or Study Stress-Y3	Frequency Count	%
no hours	no stress	320	51.8
	some stress	212	34.4
	very stressed	86	13.9
		618	100
1-34 hours	no stress	138	26.6
	some stress	278	53.6
	very stressed	103	19.8
		519	100
35+ hours	no stress	109	14.7
	some stress	438	58.9
	very stressed	196	26.4
		743	100

% Younger cohort at Survey 3 where education is year 12 or less:
work/study stress level felt in the past 12 months by hours of paid work/week

Work or Study Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	320	56.4
	1-34 hours	138	24.4
	35+ hours	109	19.2
		<hr/> 567	<hr/> 100
some stress	no hours	212	22.9
	1-34 hours	278	30.0
	35+ hours	438	47.1
		<hr/> 928	<hr/> 100
very stressed	no hours	86	22.2
	1-34 hours	103	26.8
	35+ hours	196	51.0
		<hr/> 385	<hr/> 100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y3	Work or Study Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	167	9.1
	some stress	167	9.1
	very stressed	74	4.0
1-34 hours	no stress	77	4.2
	some stress	282	15.4
	very stressed	112	6.1
35+ hours	no stress	113	6.2
	some stress	592	32.3
	very stressed	248	13.5
		=====	=====
		1832	100
		=====	=====

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y3	Work or Study Stress-Y3	Frequency Count	%
no hours	no stress	167	40.9
	some stress	167	41.0
	very stressed	74	18.1
		407	100
1-34 hours	no stress	77	16.3
	some stress	282	59.9
	very stressed	112	23.8
		471	100
35+ hours	no stress	113	11.9
	some stress	592	62.1
	very stressed	248	26.0
		954	100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
work/study stress level felt in the past 12 months by hours of paid work/week

Work or Study Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	167	46.7
	1-34 hours	77	21.5
	35+ hours	113	31.8
		<hr/>	<hr/>
		357	100
some stress	no hours	167	16.1
	1-34 hours	282	27.1
	35+ hours	592	56.9
		<hr/>	<hr/>
		1041	100
very stressed	no hours	74	17.0
	1-34 hours	112	25.9
	35+ hours	248	57.2
		<hr/>	<hr/>
		434	100

% Younger cohort at Survey 3 where education is university degree:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y3	Work or Study Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	119	3.1
	some stress	229	6.0
	very stressed	114	3.0
1-34 hours	no stress	79	2.1
	some stress	452	11.8
	very stressed	251	6.6
35+ hours	no stress	219	5.7
	some stress	1539	40.3
	very stressed	818	21.4
		=====	=====
		3821	100
		=====	=====

% Younger cohort at Survey 3 where education is university degree:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-Y3	Work or Study Stress-Y3	Frequency Count	%
no hours	no stress	119	25.8
	some stress	229	49.6
	very stressed	114	24.6
		463	100
1-34 hours	no stress	79	10.1
	some stress	452	57.8
	very stressed	251	32.1
		782	100
35+ hours	no stress	219	8.5
	some stress	1539	59.7
	very stressed	818	31.8
		2576	100

% Younger cohort at Survey 3 where education is university degree:
work/study stress level felt in the past 12 months by hours of paid work/week

Work or Study Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	119	28.5
	1-34 hours	79	19.0
	35+ hours	219	52.5
		417	100
some stress	no hours	229	10.3
	1-34 hours	452	20.4
	35+ hours	1539	69.3
		2220	100
very stressed	no hours	114	9.6
	1-34 hours	251	21.2
	35+ hours	818	69.1
		1184	100

PAID WORK BY STRESS WITH MONEY - Y2,Y3

% Younger cohort at Survey 2 where education is year 12 or less:

hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y2	Money Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	72	3.2
	some stress	307	13.6
	very stressed	225	10.0
1-34 hours	no stress	70	3.1
	some stress	369	16.4
	very stressed	191	8.5
35+ hours	no stress	202	9.0
	some stress	560	24.8
	very stressed	261	11.6
		=====	=====
		2258	100
		=====	=====

% Younger cohort at Survey 2 where education is year 12 or less:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y2	Money Stress-Y2	Frequency Count	%
no hours	no stress	72	11.9
	some stress	307	50.8
	very stressed	225	37.3
		604	100
1-34 hours	no stress	70	11.1
	some stress	369	58.6
	very stressed	191	30.3
		631	100
35+ hours	no stress	202	19.8
	some stress	560	54.8
	very stressed	261	25.5
		1023	100

% Younger cohort at Survey 2 where education is year 12 or less:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	72	20.9
	1-34 hours	70	20.4
	35+ hours	202	58.7
		344	100
some stress	no hours	307	24.8
	1-34 hours	369	29.9
	35+ hours	560	45.3
		1236	100
very stressed	no hours	225	33.2
	1-34 hours	191	28.2
	35+ hours	261	38.5
		677	100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y2	Money Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	23	1.4
	some stress	160	9.4
	very stressed	95	5.5
1-34 hours	no stress	47	2.7
	some stress	233	13.6
	very stressed	132	7.7
35+ hours	no stress	161	9.4
	some stress	631	36.9
	very stressed	228	13.3
		=====	=====
		1711	100
		=====	=====

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y2	Money Stress-Y2	Frequency Count	%
no hours	no stress	23	8.4
	some stress	160	57.6
	very stressed	95	34.0
		278	100
1-34 hours	no stress	47	11.3
	some stress	233	56.6
	very stressed	132	32.1
		412	100
35+ hours	no stress	161	15.8
	some stress	631	61.9
	very stressed	228	22.3
		1020	100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	23	10.1
	1-34 hours	47	20.2
	35+ hours	161	69.7
		231	100
some stress	no hours	160	15.6
	1-34 hours	233	22.8
	35+ hours	631	61.6
		1025	100
very stressed	no hours	95	20.8
	1-34 hours	132	29.1
	35+ hours	228	50.1
		455	100

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y2	Money Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	55	1.6
	some stress	196	5.7
	very stressed	82	2.4
1-34 hours	no stress	93	2.7
	some stress	486	14.2
	very stressed	184	5.4
35+ hours	no stress	536	15.7
	some stress	1429	41.8
	very stressed	356	10.4
		=====	=====
		3415	100
		=====	=====

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y2	Money Stress-Y2	Frequency Count	%
no hours	no stress	55	16.6
	some stress	196	58.9
	very stressed	82	24.5
		332	100
1-34 hours	no stress	93	12.1
	some stress	486	63.7
	very stressed	184	24.2
		763	100
35+ hours	no stress	536	23.1
	some stress	1429	61.6
	very stressed	356	15.3
		2320	100

% Younger cohort at Survey 2 where education is university degree:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	55	8.1
	1-34 hours	93	13.6
	35+ hours	536	78.4
		683	100
some stress	no hours	196	9.3
	1-34 hours	486	23.0
	35+ hours	1429	67.7
		2110	100
very stressed	no hours	82	13.1
	1-34 hours	184	29.7
	35+ hours	356	57.2
		622	100

% Younger cohort at Survey 3 where education is year 12 or less:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y3	Money Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	59	3.1
	some stress	357	19.1
	very stressed	197	10.5
1-34 hours	no stress	64	3.4
	some stress	287	15.4
	very stressed	167	8.9
35+ hours	no stress	117	6.3
	some stress	457	24.5
	very stressed	166	8.9
		=====	=====
		1870	100
		=====	=====

% Younger cohort at Survey 3 where education is year 12 or less:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y3	Money Stress-Y3	Frequency Count	%
no hours	no stress	59	9.6
	some stress	357	58.2
	very stressed	197	32.2
		612	100
1-34 hours	no stress	64	12.3
	some stress	287	55.5
	very stressed	167	32.3
		518	100
35+ hours	no stress	117	15.8
	some stress	457	61.8
	very stressed	166	22.4
		740	100

% Younger cohort at Survey 3 where education is year 12 or less:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	59	24.5
	1-34 hours	64	26.6
	35+ hours	117	48.9
		239	100
some stress	no hours	357	32.4
	1-34 hours	287	26.1
	35+ hours	457	41.5
		1101	100
very stressed	no hours	197	37.2
	1-34 hours	167	31.5
	35+ hours	166	31.3
		530	100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y3	Money Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	39	2.2
	some stress	230	12.6
	very stressed	136	7.5
1-34 hours	no stress	40	2.2
	some stress	269	14.7
	very stressed	161	8.8
35+ hours	no stress	140	7.7
	some stress	593	32.5
	very stressed	215	11.8
		=====	=====
		1823	100
		=====	=====

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y3	Money Stress-Y3	Frequency Count	%
no hours	no stress	39	9.7
	some stress	230	56.7
	very stressed	136	33.6
		405	100
1-34 hours	no stress	40	8.4
	some stress	269	57.3
	very stressed	161	34.3
		469	100
35+ hours	no stress	140	14.8
	some stress	593	62.5
	very stressed	215	22.7
		949	100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	39	18.0
	1-34 hours	40	18.0
	35+ hours	140	64.0
		219	100
some stress	no hours	230	21.0
	1-34 hours	269	24.6
	35+ hours	593	54.3
		1091	100
very stressed	no hours	136	26.6
	1-34 hours	161	31.4
	35+ hours	215	42.0
		512	100

% Younger cohort at Survey 3 where education is university degree:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y3	Money Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	67	1.8
	some stress	295	7.8
	very stressed	97	2.5
1-34 hours	no stress	118	3.1
	some stress	485	12.8
	very stressed	178	4.7
35+ hours	no stress	564	14.8
	some stress	1597	42.0
	very stressed	400	10.5
		=====	=====
		3801	100
		=====	=====

% Younger cohort at Survey 3 where education is university degree:
hours of paid work/week by money stress level felt in the past 12 months

Paid Work-Y3	Money Stress-Y3	Frequency Count	%
no hours	no stress	67	14.5
	some stress	295	64.4
	very stressed	97	21.1
		458	100
1-34 hours	no stress	118	15.1
	some stress	485	62.2
	very stressed	178	22.8
		781	100
35+ hours	no stress	564	22.0
	some stress	1597	62.4
	very stressed	400	15.6
		2561	100

% Younger cohort at Survey 3 where education is university degree:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	67	8.9
	1-34 hours	118	15.7
	35+ hours	564	75.4
		<hr/>	<hr/>
		748	100
some stress	no hours	295	12.4
	1-34 hours	485	20.4
	35+ hours	1597	67.2
		<hr/>	<hr/>
		2378	100
very stressed	no hours	97	14.3
	1-34 hours	178	26.3
	35+ hours	400	59.3
		<hr/>	<hr/>
		675	100

PAID WORK BY STRESS WITH RELATIONSHIPS -Y2,Y3

% Younger cohort at Survey 2 where education is year 12 or less:

hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y2	Relationship Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	200	8.8
	some stress	382	16.8
	very stressed	28	1.2
1-34 hours	no stress	182	8.0
	some stress	433	19.1
	very stressed	20	0.9
35+ hours	no stress	319	14.0
	some stress	674	29.7
	very stressed	34	1.5
		=====	=====
		2273	100
		=====	=====

% Younger cohort at Survey 2 where education is year 12 or less:
hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y2	Relationship Stress-Y2	Frequency Count	%
no hours	no stress	200	32.8
	some stress	382	62.7
	very stressed	28	4.6
		609	100
1-34 hours	no stress	182	28.7
	some stress	433	68.1
	very stressed	20	3.2
		636	100
35+ hours	no stress	319	31.0
	some stress	674	65.6
	very stressed	34	3.3
		1027	100

% Younger cohort at Survey 2 where education is year 12 or less:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	200	28.5
	1-34 hours	182	26.0
	35+ hours	319	45.5
		701	100
some stress	no hours	382	25.6
	1-34 hours	433	29.1
	35+ hours	674	45.3
		1490	100
very stressed	no hours	28	33.7
	1-34 hours	20	24.7
	35+ hours	34	41.5
		82	100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y2	Relationship Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	83	4.8
	some stress	186	10.8
	very stressed	11	0.6
1-34 hours	no stress	123	7.1
	some stress	274	15.9
	very stressed	20	1.2
35+ hours	no stress	334	19.3
	some stress	664	38.5
	very stressed	31	1.8
		=====	=====
		1725	100
		=====	=====

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y2	Relationship Stress-Y2	Frequency Count	%
no hours	no stress	83	29.5
	some stress	186	66.5
	very stressed	11	3.9
		<hr/>	<hr/>
		280	100
1-34 hours	no stress	123	29.5
	some stress	274	65.7
	very stressed	20	4.8
		<hr/>	<hr/>
		417	100
35+ hours	no stress	334	32.4
	some stress	664	64.5
	very stressed	31	3.0
		<hr/>	<hr/>
		1028	100

% Younger cohort at Survey 2 where education is trade/certificate/diploma:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	83	15.3
	1-34 hours	123	22.8
	35+ hours	334	61.8
		<hr/>	<hr/>
		539	100
some stress	no hours	186	16.6
	1-34 hours	274	24.4
	35+ hours	664	59.1
		<hr/>	<hr/>
		1124	100
very stressed	no hours	11	17.7
	1-34 hours	20	32.4
	35+ hours	31	49.9
		<hr/>	<hr/>
		62	100

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y2	Relationship Stress-Y2	Frequency Count	Percent of Total Frequency
no hours	no stress	103	3.0
	some stress	220	6.4
	very stressed	10	0.3
1-34 hours	no stress	205	6.0
	some stress	548	16.0
	very stressed	16	0.5
35+ hours	no stress	649	18.9
	some stress	1632	47.5
	very stressed	50	1.5
		=====	=====
		3433	100
		=====	=====

% Younger cohort at Survey 2 where education is university degree:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y2	Relationship Stress-Y2	Frequency Count	%
no hours	no stress	103	30.9
	some stress	220	66.1
	very stressed	10	3.0
		<hr/>	<hr/>
		332	100
1-34 hours	no stress	205	26.7
	some stress	548	71.2
	very stressed	16	2.1
		<hr/>	<hr/>
		769	100
35+ hours	no stress	649	27.8
	some stress	1632	70.0
	very stressed	50	2.1
		<hr/>	<hr/>
		2331	100

% Younger cohort at Survey 2 where education is university degree:
 relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-Y2	Paid Work-Y2	Frequency Count	%
no stress	no hours	103	10.7
	1-34 hours	205	21.4
	35+ hours	649	67.8
		957	100
some stress	no hours	220	9.2
	1-34 hours	548	22.8
	35+ hours	1632	68.0
		2400	100
very stressed	no hours	10	13.2
	1-34 hours	16	21.1
	35+ hours	50	65.7
		76	100

% Younger cohort at Survey 3 where education is year 12 or less:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y3	Relationship Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	156	8.3
	some stress	428	22.8
	very stressed	32	1.7
1-34 hours	no stress	149	8.0
	some stress	353	18.8
	very stressed	17	0.9
35+ hours	no stress	213	11.3
	some stress	505	26.9
	very stressed	22	1.2
		=====	=====
		1875	100
		=====	=====

% Younger cohort at Survey 3 where education is year 12 or less:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y3	Relationship Stress-Y3	Frequency Count	%
no hours	no stress	156	25.3
	some stress	428	69.4
	very stressed	32	5.3
		616	100
1-34 hours	no stress	149	28.8
	some stress	353	67.9
	very stressed	17	3.3
		519	100
35+ hours	no stress	213	28.7
	some stress	505	68.3
	very stressed	22	3.0
		740	100

% Younger cohort at Survey 3 where education is year 12 or less:
 relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	156	30.1
	1-34 hours	149	28.8
	35+ hours	213	41.0
		518	100
some stress	no hours	428	33.3
	1-34 hours	353	27.4
	35+ hours	505	39.3
		1285	100
very stressed	no hours	32	45.2
	1-34 hours	17	24.2
	35+ hours	22	30.5
		72	100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y3	Relationship Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	104	5.7
	some stress	284	15.5
	very stressed	19	1.1
1-34 hours	no stress	118	6.5
	some stress	331	18.1
	very stressed	21	1.2
35+ hours	no stress	262	14.3
	some stress	666	36.4
	very stressed	25	1.3
		=====	=====
		1830	100
		=====	=====

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y3	Relationship Stress-Y3	Frequency Count	%
no hours	no stress	104	25.6
	some stress	284	69.7
	very stressed	19	4.7
		407	100
1-34 hours	no stress	118	25.2
	some stress	331	70.3
	very stressed	21	4.5
		470	100
35+ hours	no stress	262	27.5
	some stress	666	69.9
	very stressed	25	2.6
		952	100

% Younger cohort at Survey 3 where education is trade/certificate/diploma:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	104	21.5
	1-34 hours	118	24.4
	35+ hours	262	54.1
		484	100
some stress	no hours	284	22.2
	1-34 hours	331	25.8
	35+ hours	666	52.0
		1280	100
very stressed	no hours	19	29.7
	1-34 hours	21	32.5
	35+ hours	25	37.8
		65	100

% Younger cohort at Survey 3 where education is university degree:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y3	Relationship Stress-Y3	Frequency Count	Percent of Total Frequency
no hours	no stress	129	3.4
	some stress	323	8.5
	very stressed	8	0.2
1-34 hours	no stress	196	5.1
	some stress	572	15.0
	very stressed	13	0.3
35+ hours	no stress	659	17.3
	some stress	1843	48.3
	very stressed	69	1.8
		=====	=====
		3812	100
		=====	=====

% Younger cohort at Survey 3 where education is university degree:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-Y3	Relationship Stress-Y3	Frequency Count	%
no hours	no stress	129	28.1
	some stress	323	70.1
	very stressed	8	1.8
		461	100
1-34 hours	no stress	196	25.1
	some stress	572	73.3
	very stressed	13	1.6
		781	100
35+ hours	no stress	659	25.6
	some stress	1843	71.7
	very stressed	69	2.7
		2570	100

% Younger cohort at Survey 3 where education is university degree:
 relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-Y3	Paid Work-Y3	Frequency Count	%
no stress	no hours	129	13.1
	1-34 hours	196	19.9
	35+ hours	659	66.9
		984	100
some stress	no hours	323	11.8
	1-34 hours	572	20.9
	35+ hours	1843	67.3
		2739	100
very stressed	no hours	8	9.4
	1-34 hours	13	14.0
	35+ hours	69	76.6
		90	100

STRESS WITH MOTHERHOOD/CHILDREN BY HOME DUTIES - Y3

% Younger cohort at Survey 3 who live with a partner and children:
 motherhood stress level felt in the past 12 months by hours of home duties/week

Motherhood Children Stress-Y3	Home Duty-Y3	Frequency Count	Percent of Total Frequency
no stress	0-15 hours	139	6.4
	16-34 hours	138	6.4
	35+ hours	180	8.3
some stress	0-15 hours	333	15.4
	16-34 hours	422	19.6
	35+ hours	667	30.9
very stressed	0-15 hours	44	2.1
	16-34 hours	78	3.6
	35+ hours	158	7.3
		=====	=====
		2159	100
		=====	=====

% Younger cohort at Survey 3 who live with a partner and children:
 motherhood stress level felt in the past 12 months by hours of home duties/week

Motherhood Children Stress-Y3	Home Duty-Y3	Frequency Count	%
no stress	0-15 hours	139	30.4
	16-34 hours	138	30.2
	35+ hours	180	39.4
		456	100
some stress	0-15 hours	333	23.4
	16-34 hours	422	29.7
	35+ hours	667	46.9
		1422	100
very stressed	0-15 hours	44	15.8
	16-34 hours	78	27.8
	35+ hours	158	56.4
		281	100

% Younger cohort at Survey 3 who live with a partner and children:
 hours of home duties/week by motherhood stress level felt in the past 12 months

Home Duty-Y3	Motherhood Children Stress-Y3	Frequency Count	%
0-15 hours	no stress	139	26.9
	some stress	333	64.5
	very stressed	44	8.6
		516	100
16-34 hours	no stress	138	21.6
	some stress	422	66.2
	very stressed	78	12.3
		638	100
35+ hours	no stress	180	17.9
	some stress	667	66.4
	very stressed	158	15.8
		1005	100

% Younger cohort at Survey 3 who live with children and no partner :
 motherhood stress level felt in the past 12 months by hours of home duties/week

Motherhood Children Stress-Y3	Home Duty-Y3	Frequency Count	Percent of Total Frequency
no stress	0-15 hours	69	16.2
	16-34 hours	24	5.6
	35+ hours	17	3.9
some stress	0-15 hours	79	18.7
	16-34 hours	85	19.9
	35+ hours	70	16.5
very stressed	0-15 hours	31	7.2
	16-34 hours	26	6.1
	35+ hours	25	5.9
		===== 426	===== 100
		=====	=====

% Younger cohort at Survey 3 who live with children and no partner :
 motherhood stress level felt in the past 12 months by hours of home duties/week

Motherhood Children Stress-Y3	Home Duty-Y3	Frequency Count	%
no stress	0-15 hours	69	62.8
	16-34 hours	24	21.9
	35+ hours	17	15.2
		110	100
some stress	0-15 hours	79	33.9
	16-34 hours	85	36.1
	35+ hours	70	30.0
		234	100
very stressed	0-15 hours	31	37.7
	16-34 hours	26	31.6
	35+ hours	25	30.7
		82	100

% Younger cohort at Survey 3 who live with children and no partner:
 hours of home duties/week by motherhood stress level felt in the past 12 months

Home Duty-Y3	Motherhood Children Stress-Y3	Frequency Count	%
0-15 hours	no stress	69	38.4
	some stress	79	44.3
	very stressed	31	17.2
		179	100
16-34 hours	no stress	24	17.8
	some stress	85	62.9
	very stressed	26	19.2
		135	100
35+ hours	no stress	17	14.9
	some stress	70	62.6
	very stressed	25	22.5
		112	100

FAMILY STATUS BY SATISFACTION WITH WORK, CAREER AND STUDY - Y1,Y2,Y3

% Younger cohort at Survey 1 by living arrangements and satisfaction with work, career and study

Family Status-Y1	Work Career, Study Satisfaction-Y1	Frequency Count	Percent of Total Frequency
live alone	very satisfied	139	1.9
	satisfied	186	2.5
	dissatisfied	79	1.1
self, partner, no children	very satisfied	348	4.7
	satisfied	636	8.6
	dissatisfied	270	3.6
self, partner, with children	very satisfied	53	0.7
	satisfied	123	1.7
	dissatisfied	124	1.7
self, no partner, children	very satisfied	40	0.5
	satisfied	100	1.3
	dissatisfied	86	1.2
self and others, no partner or children	very satisfied	1735	23.4
	satisfied	2620	35.3
	dissatisfied	881	11.9
		=====	=====
		7419	100
		=====	=====

% Younger cohort at Survey 1 by living arrangements and satisfaction with work, career and study

Family Status-Y1	Work Career, Study Satisfaction-Y1	Frequency Count	%
live alone	very satisfied	139	34.4
	satisfied	186	46.1
	dissatisfied	79	19.5
		404	100
self, partner, no children	very satisfied	348	27.8
	satisfied	636	50.7
	dissatisfied	270	21.5
		1254	100
self, partner, with children	very satisfied	53	17.6
	satisfied	123	41.0
	dissatisfied	124	41.4
		300	100
self, no partner, children	very satisfied	40	17.8
	satisfied	100	44.2
	dissatisfied	86	38.1
		225	100
self and others, no partner or children	very satisfied	1735	33.1
	satisfied	2620	50.0
	dissatisfied	881	16.8
		5236	100

% Younger cohort at Survey 1 by satisfaction with work, career and study and living arrangements

Work Career, Study Satisfaction-Y1	Family Status-Y1	Frequency Count	%
very satisfied	live alone	139	6.0
	self, partner, no children	348	15.0
	self, partner, with children	53	2.3
	self, no partner, children	40	1.7
	self and others, no partner or children	1735	75.0
		2315	100
satisfied	live alone	186	5.1
	self, partner, no children	636	17.4
	self, partner, with children	123	3.4
	self, no partner, children	100	2.7
	self and others, no partner or children	2620	71.5
		3664	100
dissatisfied	live alone	79	5.5
	self, partner, no children	270	18.7
	self, partner, with children	124	8.6
	self, no partner, children	86	6.0
	self and others, no partner or children	881	61.2
		1439	100

% Younger cohort at Survey 2 by living arrangements and satisfaction with work, career and study

Family Status-Y2	Work Career, Study Satisfaction-Y2	Frequency Count	Percent of Total Frequency
live alone	very satisfied	109	1.5
	satisfied	243	3.2
	dissatisfied	99	1.3
self, partner, no children	very satisfied	659	8.8
	satisfied	1639	21.9
	dissatisfied	414	5.5
self, partner, with children	very satisfied	127	1.7
	satisfied	531	7.1
	dissatisfied	313	4.2
self, no partner, children	very satisfied	20	0.3
	satisfied	122	1.6
	dissatisfied	105	1.4
self and others, no partner or children	very satisfied	712	9.5
	satisfied	1793	23.9
	dissatisfied	614	8.2
		=====	=====
		7500	100
		=====	=====

% Younger cohort at Survey 2 by living arrangements and satisfaction with work, career and study

Family Status-Y2	Work Career, Study Satisfaction-Y2	Frequency Count	%
live alone	very satisfied	109	24.1
	satisfied	243	53.8
	dissatisfied	99	22.0
		451	100
self, partner, no children	very satisfied	659	24.3
	satisfied	1639	60.4
	dissatisfied	414	15.3
		2712	100
self, partner, with children	very satisfied	127	13.1
	satisfied	531	54.7
	dissatisfied	313	32.2
		972	100
self, no partner, children	very satisfied	20	8.2
	satisfied	122	49.4
	dissatisfied	105	42.4
		247	100
self and others, no partner or children	very satisfied	712	22.8
	satisfied	1793	57.5
	dissatisfied	614	19.7
		3119	100

% Younger cohort at Survey 2 by satisfaction with work, career and study and living arrangements

Work Career, Study Satisfaction-Y2	Family Status-Y2	Frequency Count	%
very satisfied	live alone	109	6.7
	self, partner, no children	659	40.5
	self, partner, with children	127	7.8
	self, no partner, children	20	1.2
	self and others, no partner or children	712	43.8
		1628	100
satisfied	live alone	243	5.6
	self, partner, no children	1639	37.9
	self, partner, with children	531	12.3
	self, no partner, children	122	2.8
	self and others, no partner or children	1793	41.4
		4327	100
dissatisfied	live alone	99	6.4
	self, partner, no children	414	26.8
	self, partner, with children	313	20.3
	self, no partner, children	105	6.8
	self and others, no partner or children	614	39.7
		1545	100

% Younger cohort at Survey 3 by living arrangements and satisfaction with work, career and study

Family Status-Y3	Work Career, Study Satisfaction-Y3	Frequency Count	Percent of Total Frequency
live alone	very satisfied	130	1.7
	satisfied	350	4.5
	dissatisfied	94	1.2
self, partner, no children	very satisfied	676	8.8
	satisfied	1750	22.8
	dissatisfied	366	4.8
self, partner, with children	very satisfied	267	3.5
	satisfied	1114	14.5
	dissatisfied	478	6.2
self, no partner, children	very satisfied	30	0.4
	satisfied	182	2.4
	dissatisfied	127	1.7
self and others, no partner or children	very satisfied	394	5.1
	satisfied	1308	17.0
	dissatisfied	425	5.5
		=====	=====
		7691	100
		=====	=====

% Younger cohort at Survey 3 by living arrangements and satisfaction with work, career and study

Family Status-Y3	Work Career, Study Satisfaction-Y3	Frequency Count	%
live alone	very satisfied	130	22.7
	satisfied	350	60.9
	dissatisfied	94	16.4
		574	100
self, partner, no children	very satisfied	676	24.2
	satisfied	1750	62.7
	dissatisfied	366	13.1
		2792	100
self, partner, with children	very satisfied	267	14.4
	satisfied	1114	59.9
	dissatisfied	478	25.7
		1859	100
self, no partner, children	very satisfied	30	8.9
	satisfied	182	53.6
	dissatisfied	127	37.5
		340	100
self and others, no partner or children	very satisfied	394	18.5
	satisfied	1308	61.5
	dissatisfied	425	20.0
		2126	100

% Younger cohort at Survey 3 by satisfaction with work, career and study and living arrangements

Work Career, Study Satisfaction-Y3	Family Status-Y3	Frequency Count	%
very satisfied	live alone	130	8.7
	self, partner, no children	676	45.2
	self, partner, with children	267	17.8
	self, no partner, children	30	2.0
	self and others, no partner or children	394	26.3
		1498	100
satisfied	live alone	350	7.4
	self, partner, no children	1750	37.2
	self, partner, with children	1114	23.7
	self, no partner, children	182	3.9
	self and others, no partner or children	1308	27.8
		4703	100
dissatisfied	live alone	94	6.3
	self, partner, no children	366	24.5
	self, partner, with children	478	32.1
	self, no partner, children	127	8.6
	self and others, no partner or children	425	28.5
		1490	100

FAMILY STATUS BY SATISFACTION WITH FAMILY RELATIONSHIPS - Y1,Y2,Y3

% Younger cohort at Survey 1 by living arrangements and satisfaction with family relationships

Family Status-Y1	Family Satisfaction-Y1	Frequency Count	Percent of Total Frequency
live alone	very satisfied	161	2.2
	satisfied	194	2.6
	dissatisfied	49	0.7
self, partner, no children	very satisfied	605	8.1
	satisfied	545	7.3
	dissatisfied	110	1.5
self, partner, with children	very satisfied	153	2.1
	satisfied	128	1.7
	dissatisfied	21	0.3
self, no partner, children	very satisfied	46	0.6
	satisfied	137	1.8
	dissatisfied	41	0.6
self and others, no partner or children	very satisfied	1994	26.8
	satisfied	2711	36.5
	dissatisfied	531	7.2
		=====	=====
		7428	100
		=====	=====

% Younger cohort at Survey 1 by living arrangements and satisfaction with family relationships

Family Status-Y1	Family Satisfaction-Y1	Frequency Count	%
live alone	very satisfied	161	39.8
	satisfied	194	48.0
	dissatisfied	49	12.2
		405	100
self, partner, no children	very satisfied	605	48.0
	satisfied	545	43.3
	dissatisfied	110	8.8
		1260	100
self, partner, with children	very satisfied	153	50.7
	satisfied	128	42.4
	dissatisfied	21	6.9
		302	100
self, no partner, children	very satisfied	46	20.5
	satisfied	137	61.0
	dissatisfied	41	18.4
		224	100
self and others, no partner or children	very satisfied	1994	38.1
	satisfied	2711	51.8
	dissatisfied	531	10.1
		5236	100

% Younger cohort at Survey 1 by satisfaction with family relationships and living arrangements

Family Satisfaction-Y1	Family Status-Y1	Frequency Count	%
very satisfied	live alone	161	5.4
	self, partner, no children	605	20.4
	self, partner, with children	153	5.2
	self, no partner, children	46	1.6
	self and others, no partner or children	1994	67.4
		2958	100
satisfied	live alone	194	5.2
	self, partner, no children	545	14.7
	self, partner, with children	128	3.5
	self, no partner, children	137	3.7
	self and others, no partner or children	2711	73.0
		3716	100
dissatisfied	live alone	49	6.5
	self, partner, no children	110	14.7
	self, partner, with children	21	2.8
	self, no partner, children	41	5.5
	self and others, no partner or children	531	70.5
		753	100

% Younger cohort at Survey 2 by living arrangements and satisfaction with family relationships

Family Status-Y2	Family Satisfaction-Y2	Frequency Count	Percent of Total Frequency
live alone	very satisfied	162	2.2
	satisfied	229	3.1
	dissatisfied	56	0.7
self, partner, no children	very satisfied	1397	18.7
	satisfied	1148	15.4
	dissatisfied	157	2.1
self, partner, with children	very satisfied	496	6.6
	satisfied	418	5.6
	dissatisfied	56	0.8
self, no partner, children	very satisfied	69	0.9
	satisfied	130	1.7
	dissatisfied	48	0.6
self and others, no partner or children	very satisfied	1221	16.4
	satisfied	1566	21.0
	dissatisfied	311	4.2
		=====	=====
		7464	100
		=====	=====

% Younger cohort at Survey 2 by living arrangements and satisfaction with family relationships

Family Status-Y2	Family Satisfaction-Y2	Frequency Count	%
live alone	very satisfied	162	36.3
	satisfied	229	51.2
	dissatisfied	56	12.5
		447	100
self, partner, no children	very satisfied	1397	51.7
	satisfied	1148	42.5
	dissatisfied	157	5.8
		2702	100
self, partner, with children	very satisfied	496	51.1
	satisfied	418	43.1
	dissatisfied	56	5.8
		970	100
self, no partner, children	very satisfied	69	27.9
	satisfied	130	52.7
	dissatisfied	48	19.5
		246	100
self and others, no partner or children	very satisfied	1221	39.4
	satisfied	1566	50.6
	dissatisfied	311	10.0
		3098	100

% Younger cohort at Survey 2 by satisfaction with family relationships and living arrangements

Family Satisfaction-Y2	Family Status-Y2	Frequency Count	%
very satisfied	live alone	162	4.9
	self, partner, no children	1397	41.8
	self, partner, with children	496	14.8
	self, no partner, children	69	2.0
	self and others, no partner or children	1221	36.5
		<hr/>	<hr/>
		3345	100
satisfied	live alone	229	6.6
	self, partner, no children	1148	32.9
	self, partner, with children	418	12.0
	self, no partner, children	130	3.7
	self and others, no partner or children	1566	44.9
		<hr/>	<hr/>
		3491	100
dissatisfied	live alone	56	8.9
	self, partner, no children	157	25.0
	self, partner, with children	56	9.0
	self, no partner, children	48	7.6
	self and others, no partner or children	311	49.5
		<hr/>	<hr/>
		628	100

% Younger cohort at Survey 3 by living arrangements and satisfaction with family relationships

Family Status-Y3	Family Satisfaction-Y3	Frequency Count	Percent of Total Frequency
live alone	very satisfied	185	2.4
	satisfied	318	4.1
	dissatisfied	69	0.9
self, partner, no children	very satisfied	1343	17.5
	satisfied	1306	17.0
	dissatisfied	140	1.8
self, partner, with children	very satisfied	855	11.1
	satisfied	896	11.7
	dissatisfied	110	1.4
self, no partner, children	very satisfied	78	1.0
	satisfied	194	2.5
	dissatisfied	67	0.9
self and others, no partner or children	very satisfied	717	9.3
	satisfied	1177	15.3
	dissatisfied	225	2.9
		=====	=====
		7680	100
		=====	=====

% Younger cohort at Survey 3 by living arrangements and satisfaction with family relationships

Family Status-Y3	Family Satisfaction-Y3	Frequency Count	%
live alone	very satisfied	185	32.4
	satisfied	318	55.6
	dissatisfied	69	12.0
		572	100
self, partner, no children	very satisfied	1343	48.2
	satisfied	1306	46.8
	dissatisfied	140	5.0
		2789	100
self, partner, with children	very satisfied	855	45.9
	satisfied	896	48.2
	dissatisfied	110	5.9
		1861	100
self, no partner, children	very satisfied	78	22.9
	satisfied	194	57.3
	dissatisfied	67	19.8
		339	100
self and others, no partner or children	very satisfied	717	33.8
	satisfied	1177	55.5
	dissatisfied	225	10.6
		2119	100

% Younger cohort at Survey 3 by satisfaction with family relationships and living arrangements

Family Satisfaction-Y3	Family Status-Y3	Frequency Count	%
very satisfied	live alone	185	5.8
	self, partner, no children	1343	42.3
	self, partner, with children	855	26.9
	self, no partner, children	78	2.4
	self and others, no partner or children	717	22.6
		3178	100
satisfied	live alone	318	8.2
	self, partner, no children	1306	33.6
	self, partner, with children	896	23.0
	self, no partner, children	194	5.0
	self and others, no partner or children	1177	30.2
		3891	100
dissatisfied	live alone	69	11.2
	self, partner, no children	140	22.9
	self, partner, with children	110	18.0
	self, no partner, children	67	11.0
	self and others, no partner or children	225	36.9
		611	100

FAMILY STATUS BY SERIOUS INCIDENTS - Y1,Y2,Y3

% Younger cohort at Survey 1 by living arrangements and having experienced a serious incident in the past 12 months

Family Status-Y1	Serious Incidents-Y1	Frequency Count	Percent of Total Frequency
live alone	No	326	4.3
	Yes	84	1.1
self, partner, no children	No	971	12.9
	Yes	311	4.1
self, partner, with children	No	212	2.8
	Yes	91	1.2
self, no partner, children	No	141	1.9
	Yes	90	1.2
self and others, no partner or children	No	4223	56.0
	Yes	1093	14.5
		=====	=====
		7543	100
		=====	=====

% Younger cohort at Survey 1 by living arrangements and having experienced a serious incident in the past 12 months

Family Status-Y1	Serious Incidents-Y1	Frequency Count	%
live alone	No	326	79.5
	Yes	84	20.5
		410	100
self, partner, no children	No	971	75.7
	Yes	311	24.3
		1282	100
self, partner, with children	No	212	70.1
	Yes	91	29.9
		303	100
self, no partner, children	No	141	61.2
	Yes	90	38.8
		231	100
self and others, no partner or children	No	4223	79.4
	Yes	1093	20.6
		5316	100

% Younger cohort at Survey 1 by having experienced a serious incident in the past 12 months and living arrangements

Serious Incidents-Y1	Family Status-Y1	Frequency Count	%
No	live alone	326	5.6
	self, partner, no children	971	16.5
	self, partner, with children	212	3.6
	self, no partner, children	141	2.4
	self and others, no partner or children	4223	71.9
		5874	100
Yes	live alone	84	5.0
	self, partner, no children	311	18.7
	self, partner, with children	91	5.4
	self, no partner, children	90	5.4
	self and others, no partner or children	1093	65.5
		1669	100

% Younger cohort at Survey 1 by having experienced a serious incident in the past 12 months and living arrangements

Family Status-Y2	Serious Incidents-Y2	Frequency Count	Percent of Total Frequency
live alone	No	379	5.0
	Yes	73	1.0
self, partner, no children	No	2299	30.6
	Yes	411	5.5
self, partner, with children	No	804	10.7
	Yes	174	2.3
self, no partner, children	No	176	2.3
	Yes	72	1.0
self and others, no partner or children	No	2605	34.7
	Yes	525	7.0
		=====	=====
		7518	100
		=====	=====

% Younger cohort at Survey 2 by living arrangements and having experienced a serious incident in the past 12 months

Family Status-Y2	Serious Incidents-Y2	Frequency Count	%
live alone	No	379	83.8
	Yes	73	16.2
		<hr/>	<hr/>
		452	100
self, partner, no children	No	2299	84.8
	Yes	411	15.2
		<hr/>	<hr/>
		2710	100
self, partner, with children	No	804	82.2
	Yes	174	17.8
		<hr/>	<hr/>
		978	100
self, no partner, children	No	176	71.0
	Yes	72	29.0
		<hr/>	<hr/>
		248	100
self and others, no partner or children	No	2605	83.2
	Yes	525	16.8
		<hr/>	<hr/>
		3130	100

% Younger cohort at Survey 2 by having experienced a serious incident in the past 12 months and living arrangements

Serious Incidents-Y2	Family Status-Y2	Frequency Count	%
No	live alone	379	6.0
	self, partner, no children	2299	36.7
	self, partner, with children	804	12.8
	self, no partner, children	176	2.8
	self and others, no partner or children	2605	41.6
		<hr/>	<hr/>
		6263	100
Yes	live alone	73	5.9
	self, partner, no children	411	32.8
	self, partner, with children	174	13.9
	self, no partner, children	72	5.7
	self and others, no partner or children	525	41.8
		<hr/>	<hr/>
		1255	100

% Younger cohort at Survey 2 by having experienced a serious incident in the past 12 months and living arrangements

Family Status-Y3	Serious Incidents-Y3	Frequency Count	Percent of Total Frequency
live alone	No	458	5.9
	Yes	115	1.5
self, partner, no children	No	2409	31.2
	Yes	387	5.0
self, partner, with children	No	1583	20.5
	Yes	282	3.7
self, no partner, children	No	263	3.4
	Yes	78	1.0
self and others, no partner or children	No	1806	23.4
	Yes	333	4.3
		=====	=====
		7714	100
		=====	=====

% Younger cohort at Survey 3 by living arrangements and having experienced a serious incident in the past 12 months

Family Status-Y3	Serious Incidents-Y3	Frequency Count	%
live alone	No	458	79.9
	Yes	115	20.1
		<hr/>	<hr/>
		573	100
self, partner, no children	No	2409	86.2
	Yes	387	13.8
		<hr/>	<hr/>
		2796	100
self, partner, with children	No	1583	84.9
	Yes	282	15.1
		<hr/>	<hr/>
		1866	100
self, no partner, children	No	263	77.2
	Yes	78	22.8
		<hr/>	<hr/>
		341	100
self and others, no partner or children	No	1806	84.4
	Yes	333	15.6
		<hr/>	<hr/>
		2138	100

% Younger cohort at Survey 3 by having experienced a serious incident in the past 12 months and living arrangements

Serious Incidents-Y3	Family Status-Y3	Frequency Count	%
No	live alone	458	7.0
	self, partner, no children	2409	37.0
	self, partner, with children	1583	24.3
	self, no partner, children	263	4.0
	self and others, no partner or children	1806	27.7
		6519	100
Yes	live alone	115	9.7
	self, partner, no children	387	32.4
	self, partner, with children	282	23.6
	self, no partner, children	78	6.5
	self and others, no partner or children	333	27.8
		1195	100

RELATIONSHIP VIOLENCE BY STI - Y1,Y2,Y3

% Younger cohort at Survey 1 who are not living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y1	Diagnosed with STI-Y1	Frequency Count	Percent of Total Frequency
No	No	4827	89.4
	Yes	171	3.2
Yes	No	358	6.6
	Yes	41	0.8
		=====	=====
		5397	100
		=====	=====

% Younger cohort at Survey 1 who are not living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y1	Diagnosed with STI-Y1	Frequency Count	%
No	No	4827	96.6
	Yes	171	3.4
		<hr/> 4998	<hr/> 100
Yes	No	358	89.8
	Yes	41	10.2
		<hr/> 399	<hr/> 100

% Younger cohort at Survey 1 who are not living with a partner:
 ever diagnosed with a STI by ever been in a violent relationship

Diagnosed with STI-Y1	Violent Relationship-Y1	Frequency Count	%
No	No	4827	93.1
	Yes	358	6.9
		<hr/>	<hr/>
		5186	100
Yes	No	171	80.7
	Yes	41	19.3
		<hr/>	<hr/>
		212	100

% Younger cohort at Survey 1 who are living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y1	Diagnosed with STI-Y1	Frequency Count	Percent of Total Frequency
No	No	1157	79.2
	Yes	100	6.9
Yes	No	177	12.1
	Yes	28	1.9
		=====	=====
		1462	100
		=====	=====

% Younger cohort at Survey 1 who are living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y1	Diagnosed with STI-Y1	Frequency Count	%
No	No	1157	92.0
	Yes	100	8.0
		<hr/> 1258	<hr/> 100
Yes	No	177	86.5
	Yes	28	13.5
		<hr/> 204	<hr/> 100

% Younger cohort at Survey 1 who are living with a partner:
 ever diagnosed with a STI by ever been in a violent relationship

Diagnosed with STI-Y1	Violent Relationship-Y1	Frequency Count	%
No	No	1157	86.8
	Yes	177	13.2
		<hr/>	<hr/>
		1334	100
Yes	No	100	78.5
	Yes	28	21.5
		<hr/>	<hr/>
		128	100

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y2	Diagnosed with STI-Y2	Frequency Count	Percent of Total Frequency
No	No	3089	82.5
	Yes	318	8.5
Yes	No	259	6.9
	Yes	79	2.1
		=====	=====
		3745	100
		=====	=====

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y2	Diagnosed with STI-Y2	Frequency Count	%
No	No	3089	90.7
	Yes	318	9.3
		<hr/> 3407	<hr/> 100
Yes	No	259	76.7
	Yes	79	23.3
		<hr/> 338	<hr/> 100

% Younger cohort at Survey 2 who are not living with a partner:
 ever diagnosed with a STI by ever been in a violent relationship

Diagnosed with STI-Y2	Violent Relationship-Y2	Frequency Count	%
No	No	3089	92.3
	Yes	259	7.7
		<hr/>	<hr/>
		3348	100
Yes	No	318	80.1
	Yes	79	19.9
		<hr/>	<hr/>
		397	100

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y2	Diagnosed with STI-Y2	Frequency Count	Percent of Total Frequency
No	No	2884	80.0
	Yes	356	9.9
Yes	No	277	7.7
	Yes	89	2.5
		=====	=====
		3607	100
		=====	=====

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y2	Diagnosed with STI-Y2	Frequency Count	%
No	No	2884	89.0
	Yes	356	11.0
		<hr/> 3240	<hr/> 100
Yes	No	277	75.6
	Yes	89	24.4
		<hr/> 367	<hr/> 100

% Younger cohort at Survey 2 who are living with a partner:
 ever diagnosed with a STI by ever been in a violent relationship

Diagnosed with STI-Y2	Violent Relationship-Y2	Frequency Count	%
No	No	2884	91.2
	Yes	277	8.8
		<hr/>	<hr/>
		3161	100
Yes	No	356	79.9
	Yes	89	20.1
		<hr/>	<hr/>
		446	100

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y3	Diagnosed with STI-Y3	Frequency Count	Percent of Total Frequency
No	No	2267	76.7
	Yes	326	11.0
Yes	No	247	8.4
	Yes	114	3.9
		=====	=====
		2955	100
		=====	=====

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y3	Diagnosed with STI-Y3	Frequency Count	%
No	No	2267	87.4
	Yes	326	12.6
		<hr/> 2594	<hr/> 100
Yes	No	247	68.5
	Yes	114	31.5
		<hr/> 361	<hr/> 100

% Younger cohort at Survey 3 who are not living with a partner:
 ever diagnosed with a STI by ever been in a violent relationship

Diagnosed with STI-Y3	Violent Relationship-Y3	Frequency Count	%
No	No	2267	90.2
	Yes	247	9.8
		<hr/> 2515	<hr/> 100
Yes	No	326	74.1
	Yes	114	25.9
		<hr/> 440	<hr/> 100

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y3	Diagnosed with STI-Y3	Frequency Count	Percent of Total Frequency
No	No	3591	80.1
	Yes	488	10.9
Yes	No	301	6.7
	Yes	106	2.4
		=====	=====
		4485	100
		=====	=====

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by ever diagnosed with a STI

Violent Relationship-Y3	Diagnosed with STI-Y3	Frequency Count	%
No	No	3591	88.0
	Yes	488	12.0
		<hr/> 4079	<hr/> 100
Yes	No	301	74.0
	Yes	106	26.0
		<hr/> 407	<hr/> 100

% Younger cohort at Survey 3 who are living with a partner:
 ever diagnosed with a STI by ever been in a violent relationship

Diagnosed with STI-Y3	Violent Relationship-Y3	Frequency Count	%
No	No	3591	92.3
	Yes	301	7.7
		<hr/>	<hr/>
		3892	100
Yes	No	488	82.2
	Yes	106	17.8
		<hr/>	<hr/>
		593	100

RELATIONSHIP VIOLENCE BY PMT - Y1,Y2,Y3

% Younger cohort at Survey 1 who are not living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y1	Premenstrual Tension-Y1	Frequency Count	Percent of Total Frequency
No	never/rarely	2709	49.9
	sometimes	1490	27.4
	often	830	15.3
Yes	never/rarely	222	4.1
	sometimes	99	1.8
	often	81	1.5
		=====	=====
		5432	100
		=====	=====

% Younger cohort at Survey 1 who are not living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y1	Premenstrual Tension-Y1	Frequency Count	%
No	never/rarely	2709	53.9
	sometimes	1490	29.6
	often	830	16.5
		5029	100
Yes	never/rarely	222	55.2
	sometimes	99	24.6
	often	81	20.2
		402	100

% Younger cohort at Survey 1 who are not living with a partner:
 occurrence of PMT in past 12 months by ever been in a violent relationship

Premenstrual Tension-Y1	Violent Relationship-Y1	Frequency Count	%
never/rarely	No	2709	92.4
	Yes	222	7.6
		<hr/>	<hr/>
		2931	100
sometimes	No	1490	93.8
	Yes	99	6.2
		<hr/>	<hr/>
		1589	100
often	No	830	91.1
	Yes	81	8.9
		<hr/>	<hr/>
		911	100

% Younger cohort at Survey 1 who are living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y1	Premenstrual Tension-Y1	Frequency Count	Percent of Total Frequency
No	never/rarely	672	45.5
	sometimes	385	26.1
	often	209	14.1
Yes	never/rarely	105	7.1
	sometimes	58	3.9
	often	48	3.3
		=====	=====
		1477	100
		=====	=====

% Younger cohort at Survey 1 who are living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y1	Premenstrual Tension-Y1	Frequency Count	%
No	never/rarely	672	53.1
	sometimes	385	30.4
	often	209	16.5
		1266	100
Yes	never/rarely	105	49.7
	sometimes	58	27.4
	often	48	22.9
		211	100

% Younger cohort at Survey 1 who are living with a partner:
 occurrence of PMT in past 12 months by ever been in a violent relationship

Premenstrual Tension-Y1	Violent Relationship-Y1	Frequency Count	%
never/rarely	No	672	86.5
	Yes	105	13.5
		777	100
sometimes	No	385	87.0
	Yes	58	13.0
		443	100
often	No	209	81.2
	Yes	48	18.8
		257	100

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y2	Premenstrual Tension-Y2	Frequency Count	Percent of Total Frequency
No	never/rarely	2203	58.3
	sometimes	737	19.5
	often	492	13.0
Yes	never/rarely	213	5.6
	sometimes	71	1.9
	often	61	1.6
		=====	=====
		3777	100
		=====	=====

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y2	Premenstrual Tension-Y2	Frequency Count	%
No	never/rarely	2203	64.2
	sometimes	737	21.5
	often	492	14.3
		3432	100
Yes	never/rarely	213	61.7
	sometimes	71	20.5
	often	61	17.8
		345	100

% Younger cohort at Survey 2 who are not living with a partner:
 occurrence of PMT in past 12 months by ever been in a violent relationship

Premenstrual Tension-Y2	Violent Relationship-Y2	Frequency Count	%
never/rarely	No	2203	91.2
	Yes	213	8.8
		<hr/>	<hr/>
		2416	100
sometimes	No	737	91.2
	Yes	71	8.8
		<hr/>	<hr/>
		808	100
often	No	492	88.9
	Yes	61	11.1
		<hr/>	<hr/>
		553	100

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y2	Premenstrual Tension-Y2	Frequency Count	Percent of Total Frequency
No	never/rarely	2206	60.8
	sometimes	631	17.4
	often	427	11.7
Yes	never/rarely	219	6.0
	sometimes	86	2.4
	often	62	1.7
		=====	=====
		3630	100
		=====	=====

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y2	Premenstrual Tension-Y2	Frequency Count	%
No	never/rarely	2206	67.6
	sometimes	631	19.3
	often	427	13.1
		3264	100
Yes	never/rarely	219	59.7
	sometimes	86	23.6
	often	62	16.8
		367	100

% Younger cohort at Survey 2 who are living with a partner:
occurrence of PMT in past 12 months by ever been in a violent relationship

Premenstrual Tension-Y2	Violent Relationship-Y2	Frequency Count	%
never/rarely	No	2206	91.0
	Yes	219	9.0
		<hr/>	<hr/>
		2425	100
sometimes	No	631	88.0
	Yes	86	12.0
		<hr/>	<hr/>
		717	100
often	No	427	87.4
	Yes	62	12.6
		<hr/>	<hr/>
		488	100

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y3	Premenstrual Tension-Y3	Frequency Count	Percent of Total Frequency
No	never/rarely	1635	54.6
	sometimes	664	22.2
	often	331	11.1
Yes	never/rarely	207	6.9
	sometimes	88	2.9
	often	68	2.3
		=====	=====
		2992	100
		=====	=====

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y3	Premenstrual Tension-Y3	Frequency Count	%
No	never/rarely	1635	62.2
	sometimes	664	25.3
	often	331	12.6
		2630	100
Yes	never/rarely	207	57.1
	sometimes	88	24.2
	often	68	18.7
		362	100

% Younger cohort at Survey 3 who are not living with a partner:
 occurrence of PMT in past 12 months by ever been in a violent relationship

Premenstrual Tension-Y3	Violent Relationship-Y3	Frequency Count	%
never/rarely	No	1635	88.8
	Yes	207	11.2
		<hr/>	<hr/>
		1841	100
sometimes	No	664	88.3
	Yes	88	11.7
		<hr/>	<hr/>
		752	100
often	No	331	83.1
	Yes	68	16.9
		<hr/>	<hr/>
		398	100

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y3	Premenstrual Tension-Y3	Frequency Count	Percent of Total Frequency
No	never/rarely	2810	62.0
	sometimes	905	20.0
	often	407	9.0
Yes	never/rarely	254	5.6
	sometimes	92	2.0
	often	62	1.4
		=====	=====
		4530	100
		=====	=====

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by occurrence of PMT in past 12 months

Violent Relationship-Y3	Premenstrual Tension-Y3	Frequency Count	%
No	never/rarely	2810	68.2
	sometimes	905	22.0
	often	407	9.9
		4121	100
Yes	never/rarely	254	62.2
	sometimes	92	22.5
	often	62	15.3
		409	100

% Younger cohort at Survey 3 who are living with a partner:
 occurrence of PMT in past 12 months by ever been in a violent relationship

Premenstrual Tension-Y3	Violent Relationship-Y3	Frequency Count	%
never/rarely	No	2810	91.7
	Yes	254	8.3
		<hr/>	<hr/>
		3064	100
sometimes	No	905	90.8
	Yes	92	9.2
		<hr/>	<hr/>
		997	100
often	No	407	86.7
	Yes	62	13.3
		<hr/>	<hr/>
		469	100

RELATIONSHIP VIOLENCE BY FAMILY DOCTOR - Y1,Y2,Y3

% Younger cohort at Survey 1 who are not living with a partner:
 ever been in a violent relationship by no. visits to a GP in past 12 months

Violent Relationship-Y1	Family Doctor Visits-Y1	Frequency Count	Percent of Total Frequency
No	0-2 visits	2083	38.4
	3-6 visits	2279	42.0
	7+ visits	665	12.3
Yes	0-2 visits	96	1.8
	3-6 visits	214	3.9
	7+ visits	93	1.7
		=====	=====
		5431	100
		=====	=====

% Younger cohort at Survey 1 who are not living with a partner:
ever been in a violent relationship by no. visits to a GP in past 12 months

Violent Relationship-Y1	Family Doctor Visits-Y1	Frequency Count	%
No	0-2 visits	2083	41.4
	3-6 visits	2279	45.3
	7+ visits	665	13.2
		<hr/> 5028	<hr/> 100
Yes	0-2 visits	96	23.7
	3-6 visits	214	53.1
	7+ visits	93	23.2
		<hr/> 403	<hr/> 100

% Younger cohort at Survey 1 who are not living with a partner:
no. visits to GP in past 12 months by ever been in a violent relationship

Family Doctor Visits-Y1	Violent Relationship-Y1	Frequency Count	%
0-2 visits	No	2083	95.6
	Yes	96	4.4
		<hr/>	<hr/>
		2178	100
3-6 visits	No	2279	91.4
	Yes	214	8.6
		<hr/>	<hr/>
		2493	100
7+ visits	No	665	87.7
	Yes	93	12.3
		<hr/>	<hr/>
		759	100

% Younger cohort at Survey 1 who are living with a partner:
 ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y1	Family Doctor Visits-Y1	Frequency Count	Percent of Total Frequency
No	0-2 visits	377	25.5
	3-6 visits	610	41.3
	7+ visits	280	18.9
Yes	0-2 visits	36	2.4
	3-6 visits	99	6.7
	7+ visits	75	5.1
		=====	=====
		1477	100
		=====	=====

% Younger cohort at Survey 1 who are living with a partner:
 ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y1	Family Doctor Visits-Y1	Frequency Count	%
No	0-2 visits	377	29.8
	3-6 visits	610	48.2
	7+ visits	280	22.1
		<hr/>	<hr/>
		1267	100
Yes	0-2 visits	36	17.1
	3-6 visits	99	47.1
	7+ visits	75	35.8
		<hr/>	<hr/>
		210	100

% Younger cohort at Survey 1 who are living with a partner:
no. visits to GP in past 12 months by ever been in a violent relationship

Family Doctor Visits-Y1	Violent Relationship-Y1	Frequency Count	%
0-2 visits	No	377	91.3
	Yes	36	8.7
		<hr/>	<hr/>
		413	100
3-6 visits	No	610	86.0
	Yes	99	14.0
		<hr/>	<hr/>
		709	100
7+ visits	No	280	78.8
	Yes	75	21.2
		<hr/>	<hr/>
		355	100

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y2	Family Doctor Visits-Y2	Frequency Count	Percent of Total Frequency
No	0-2 visits	829	21.9
	3-6 visits	2199	58.2
	7+ visits	404	10.7
Yes	0-2 visits	44	1.2
	3-6 visits	236	6.3
	7+ visits	65	1.7
		=====	=====
		3777	100
		=====	=====

% Younger cohort at Survey 2 who are not living with a partner:
ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y2	Family Doctor Visits-Y2	Frequency Count	%
No	0-2 visits	829	24.1
	3-6 visits	2199	64.1
	7+ visits	404	11.8
		<hr/>	<hr/>
		3432	100
Yes	0-2 visits	44	12.7
	3-6 visits	236	68.5
	7+ visits	65	18.8
		<hr/>	<hr/>
		345	100

% Younger cohort at Survey 2 who are not living with a partner:
no. visits to GP in past 12 months by ever been in a violent relationship

Family Doctor Visits-Y2	Violent Relationship-Y2	Frequency Count	%
0-2 visits	No	829	95.0
	Yes	44	5.0
		873	100
3-6 visits	No	2199	90.3
	Yes	236	9.7
		2436	100
7+ visits	No	404	86.2
	Yes	65	13.8
		469	100

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y2	Family Doctor Visits-Y2	Frequency Count	Percent of Total Frequency
No	0-2 visits	485	13.4
	3-6 visits	2298	63.4
	7+ visits	476	13.1
Yes	0-2 visits	43	1.2
	3-6 visits	241	6.6
	7+ visits	84	2.3
		=====	=====
		3627	100
		=====	=====

% Younger cohort at Survey 2 who are living with a partner:
ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y2	Family Doctor Visits-Y2	Frequency Count	%
No	0-2 visits	485	14.9
	3-6 visits	2298	70.5
	7+ visits	476	14.6
		<hr/>	<hr/>
		3259	100
Yes	0-2 visits	43	11.7
	3-6 visits	241	65.6
	7+ visits	84	22.7
		<hr/>	<hr/>
		367	100

% Younger cohort at Survey 2 who are living with a partner:
no. visits to GP in past 12 months by ever been in a violent relationship

Family Doctor Visits-Y2	Violent Relationship-Y2	Frequency Count	%
0-2 visits	No	485	91.9
	Yes	43	8.1
		528	100
3-6 visits	No	2298	90.5
	Yes	241	9.5
		2539	100
7+ visits	No	476	85.1
	Yes	84	14.9
		559	100

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y3	Family Doctor Visits-Y3	Frequency Count	Percent of Total Frequency
No	0-2 visits	731	24.5
	3-6 visits	1612	54.0
	7+ visits	280	9.4
Yes	0-2 visits	61	2.1
	3-6 visits	228	7.6
	7+ visits	72	2.4
		=====	=====
		2985	100
		=====	=====

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y3	Family Doctor Visits-Y3	Frequency Count	%
No	0-2 visits	731	27.9
	3-6 visits	1612	61.4
	7+ visits	280	10.7
		<hr/>	<hr/>
		2623	100
Yes	0-2 visits	61	17.0
	3-6 visits	228	63.2
	7+ visits	72	19.8
		<hr/>	<hr/>
		361	100

% Younger cohort at Survey 3 who are not living with a partner:
no. visits to GP in past 12 months by ever been in a violent relationship

Family Doctor Visits-Y3	Violent Relationship-Y3	Frequency Count	%
0-2 visits	No	731	92.2
	Yes	61	7.8
		<hr/>	<hr/>
		793	100
3-6 visits	No	1612	87.6
	Yes	228	12.4
		<hr/>	<hr/>
		1840	100
7+ visits	No	280	79.6
	Yes	72	20.4
		<hr/>	<hr/>
		352	100

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y3	Family Doctor Visits-Y3	Frequency Count	Percent of Total Frequency
No	0-2 visits	956	21.1
	3-6 visits	2728	60.2
	7+ visits	439	9.7
Yes	0-2 visits	63	1.4
	3-6 visits	272	6.0
	7+ visits	74	1.6
		=====	=====
		4532	100
		=====	=====

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by no. visits to GP in past 12 months

Violent Relationship-Y3	Family Doctor Visits-Y3	Frequency Count	%
No	0-2 visits	956	23.2
	3-6 visits	2728	66.1
	7+ visits	439	10.7
		<hr/> 4123	<hr/> 100
Yes	0-2 visits	63	15.3
	3-6 visits	272	66.5
	7+ visits	74	18.2
		<hr/> 409	<hr/> 100

% Younger cohort at Survey 3 who are living with a partner:
no. visits to GP in past 12 months by ever been in a violent relationship

Family Doctor Visits-Y3	Violent Relationship-Y3	Frequency Count	%
0-2 visits	No	956	93.9
	Yes	63	6.1
		<hr/>	<hr/>
		1019	100
3-6 visits	No	2728	90.9
	Yes	272	9.1
		<hr/>	<hr/>
		3000	100
7+ visits	No	439	85.5
	Yes	74	14.5
		<hr/>	<hr/>
		514	100

RELATIONSHIP VIOLENCE BY DEPRESSION - Y2,Y3

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-Y2	Depression-Y2	Frequency Count	Percent of Total Frequency
No	No	2304	62.8
	Yes	1033	28.1
Yes	No	168	4.6
	Yes	167	4.5
		=====	=====
		3672	100
		=====	=====

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-Y2	Depression-Y2	Frequency Count	%
No	No	2304	69.0
	Yes	1033	31.0
		<hr/> 3338	<hr/> 100
Yes	No	168	50.2
	Yes	167	49.8
		<hr/> 335	<hr/> 100

% Younger cohort at Survey 2 who are not living with a partner:
 symptoms of depression in past week by ever been in a violent relationship

Depression-Y2	Violent Relationship-Y2	Frequency Count	%
No	No	2304	93.2
	Yes	168	6.8
		<hr/> 2472	<hr/> 100
Yes	No	1033	86.1
	Yes	167	13.9
		<hr/> 1200	<hr/> 100

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-Y2	Depression-Y2	Frequency Count	Percent of Total Frequency
No	No	2445	68.9
	Yes	744	20.9
Yes	No	202	5.7
	Yes	160	4.5
		=====	=====
		3550	100
		=====	=====

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-Y2	Depression-Y2	Frequency Count	%
No	No	2445	76.7
	Yes	744	23.3
		<hr/> 3189	<hr/> 100
Yes	No	202	55.8
	Yes	160	44.2
		<hr/> 361	<hr/> 100

% Younger cohort at Survey 2 who are living with a partner:
 symptoms of depression in past week by ever been in a violent relationship

Depression-Y2	Violent Relationship-Y2	Frequency Count	%
No	No	2445	92.4
	Yes	202	7.6
		<hr/> 2647	<hr/> 100
Yes	No	744	82.3
	Yes	160	17.7
		<hr/> 903	<hr/> 100

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-Y3	Depression-Y3	Frequency Count	Percent of Total Frequency
No	No	1857	63.1
	Yes	731	24.9
Yes	No	178	6.1
	Yes	175	6.0
		=====	=====
		2942	100
		=====	=====

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-Y3	Depression-Y3	Frequency Count	%
No	No	1857	71.7
	Yes	731	28.3
		<hr/> 2589	<hr/> 100
Yes	No	178	50.4
	Yes	175	49.6
		<hr/> 354	<hr/> 100

% Younger cohort at Survey 3 who are not living with a partner:
 symptoms of depression in past week by ever been in a violent relationship

Depression-Y3	Violent Relationship-Y3	Frequency Count	%
No	No	1857	91.2
	Yes	178	8.8
		<hr/>	<hr/>
		2036	100
Yes	No	731	80.7
	Yes	175	19.3
		<hr/>	<hr/>
		907	100

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-Y3	Depression-Y3	Frequency Count	Percent of Total Frequency
No	No	3238	72.3
	Yes	833	18.6
Yes	No	267	6.0
	Yes	141	3.1
		=====	=====
		4480	100
		=====	=====

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-Y3	Depression-Y3	Frequency Count	%
No	No	3238	79.5
	Yes	833	20.5
		<hr/>	<hr/>
		4072	100
Yes	No	267	65.5
	Yes	141	34.5
		<hr/>	<hr/>
		408	100

% Younger cohort at Survey 3 who are living with a partner:
 symptoms of depression in past week by ever been in a violent relationship

Depression-Y3	Violent Relationship-Y3	Frequency Count	%
No	No	3238	92.4
	Yes	267	7.6
		<hr/>	<hr/>
		3505	100
Yes	No	833	85.5
	Yes	141	14.5
		<hr/>	<hr/>
		974	100

RELATIONSHIP VIOLENCE BY STRESS WITH OWN HEALTH - Y1,Y2,Y3

% Younger cohort at Survey 1 who are not living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y1	Self-health Stress-Y1	Frequency Count	Percent of Total Frequency
No	no stress	2286	42.2
	some stress	2461	45.4
	very stressed	266	4.9
Yes	no stress	132	2.4
	some stress	224	4.1
	very stressed	46	0.8
		=====	=====
		5416	100
		=====	=====

% Younger cohort at Survey 1 who are not living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y1	Self-health Stress-Y1	Frequency Count	%
No	no stress	2286	45.6
	some stress	2461	49.1
	very stressed	266	5.3
		<hr/>	<hr/>
		5014	100
Yes	no stress	132	32.8
	some stress	224	55.8
	very stressed	46	11.4
		<hr/>	<hr/>
		402	100

% Younger cohort at Survey 1 who are not living with a partner:
 self-health stress felt past 12 months by ever been in a violent relationship

Self-health Stress-Y1	Violent Relationship-Y1	Frequency Count	%
no stress	No	2286	94.5
	Yes	132	5.5
		<hr/>	<hr/>
		2418	100
some stress	No	2461	91.6
	Yes	224	8.4
		<hr/>	<hr/>
		2686	100
very stressed	No	266	85.3
	Yes	46	14.7
		<hr/>	<hr/>
		312	100

% Younger cohort at Survey 1 who are living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y1	Self-health Stress-Y1	Frequency Count	Percent of Total Frequency
No	no stress	539	36.5
	some stress	645	43.7
	very stressed	82	5.6
Yes	no stress	67	4.5
	some stress	116	7.8
	very stressed	27	1.8
		=====	=====
		1475	100
		=====	=====

% Younger cohort at Survey 1 who are living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y1	Self-health Stress-Y1	Frequency Count	%
No	no stress	539	42.5
	some stress	645	50.9
	very stressed	82	6.5
		<hr/> 1266	<hr/> 100
Yes	no stress	67	31.9
	some stress	116	55.2
	very stressed	27	12.9
		<hr/> 209	<hr/> 100

% Younger cohort at Survey 1 who are living with a partner:
 self-health stress felt past 12 months by ever been in a violent relationship

Self-health Stress-Y1	Violent Relationship-Y1	Frequency Count	%
no stress	No	539	89.0
	Yes	67	11.0
		<hr/>	<hr/>
		605	100
some stress	No	645	84.8
	Yes	116	15.2
		<hr/>	<hr/>
		761	100
very stressed	No	82	75.4
	Yes	27	24.6
		<hr/>	<hr/>
		109	100

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y2	Self-health Stress-Y2	Frequency Count	Percent of Total Frequency
No	no stress	1303	34.8
	some stress	1812	48.3
	very stressed	292	7.8
Yes	no stress	92	2.4
	some stress	196	5.2
	very stressed	55	1.5
		=====	=====
		3749	100
		=====	=====

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y2	Self-health Stress-Y2	Frequency Count	%
No	no stress	1303	38.3
	some stress	1812	53.2
	very stressed	292	8.6
		<hr/>	<hr/>
		3406	100
Yes	no stress	92	26.8
	some stress	196	57.2
	very stressed	55	16.1
		<hr/>	<hr/>
		343	100

% Younger cohort at Survey 2 who are not living with a partner:
 self-health stress felt past 12 months by ever been in a violent relationship

Self-health Stress-Y2	Violent Relationship-Y2	Frequency Count	%
no stress	No	1303	93.4
	Yes	92	6.6
		<hr/>	<hr/>
		1395	100
some stress	No	1812	90.2
	Yes	196	9.8
		<hr/>	<hr/>
		2008	100
very stressed	No	292	84.1
	Yes	55	15.9
		<hr/>	<hr/>
		347	100

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y2	Self-health Stress-Y2	Frequency Count	Percent of Total Frequency
No	no stress	1320	36.5
	some stress	1681	46.5
	very stressed	254	7.0
Yes	no stress	102	2.8
	some stress	213	5.9
	very stressed	48	1.3
		=====	=====
		3617	100
		=====	=====

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y2	Self-health Stress-Y2	Frequency Count	%
No	no stress	1320	40.6
	some stress	1681	51.7
	very stressed	254	7.8
		<hr/>	<hr/>
		3254	100
Yes	no stress	102	28.1
	some stress	213	58.8
	very stressed	48	13.2
		<hr/>	<hr/>
		363	100

% Younger cohort at Survey 2 who are living with a partner:
 self-health stress felt past 12 months by ever been in a violent relationship

Self-health Stress-Y2	Violent Relationship-Y2	Frequency Count	%
no stress	No	1320	92.8
	Yes	102	7.2
		<hr/>	<hr/>
		1422	100
some stress	No	1681	88.7
	Yes	213	11.3
		<hr/>	<hr/>
		1894	100
very stressed	No	254	84.1
	Yes	48	15.9
		<hr/>	<hr/>
		301	100

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y3	Self-health Stress-Y3	Frequency Count	Percent of Total Frequency
No	no stress	900	30.2
	some stress	1507	50.6
	very stressed	210	7.1
Yes	no stress	85	2.8
	some stress	224	7.5
	very stressed	52	1.7
		=====	=====
		2977	100
		=====	=====

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y3	Self-health Stress-Y3	Frequency Count	%
No	no stress	900	34.4
	some stress	1507	57.6
	very stressed	210	8.0
		<hr/>	<hr/>
		2617	100
Yes	no stress	85	23.5
	some stress	224	62.1
	very stressed	52	14.4
		<hr/>	<hr/>
		360	100

% Younger cohort at Survey 3 who are not living with a partner:
 self-health stress felt past 12 months by ever been in a violent relationship

Self-health Stress-Y3	Violent Relationship-Y3	Frequency Count	%
no stress	No	900	91.4
	Yes	85	8.6
		984	100
some stress	No	1507	87.1
	Yes	224	12.9
		1731	100
very stressed	No	210	80.2
	Yes	52	19.8
		262	100

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y3	Self-health Stress-Y3	Frequency Count	Percent of Total Frequency
No	no stress	1527	33.8
	some stress	2328	51.5
	very stressed	259	5.7
Yes	no stress	112	2.5
	some stress	257	5.7
	very stressed	37	0.8
		=====	=====
		4519	100
		=====	=====

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by self-health stress felt past 12 months

Violent Relationship-Y3	Self-health Stress-Y3	Frequency Count	%
No	no stress	1527	37.1
	some stress	2328	56.6
	very stressed	259	6.3
		4113	100
Yes	no stress	112	27.6
	some stress	257	63.2
	very stressed	37	9.2
		406	100

% Younger cohort at Survey 3 who are living with a partner:
 self-health stress felt past 12 months by ever been in a violent relationship

Self-health Stress-Y3	Violent Relationship-Y3	Frequency Count	%
no stress	No	1527	93.2
	Yes	112	6.8
		<hr/>	<hr/>
		1639	100
some stress	No	2328	90.1
	Yes	257	9.9
		<hr/>	<hr/>
		2584	100
very stressed	No	259	87.4
	Yes	37	12.6
		<hr/>	<hr/>
		296	100

RELATIONSHIP VIOLENCE BY ACCESS TO COUNSELLING - Y2,Y3

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-Y2	Access to Counselling-Y2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1508	40.2
	fair, poor	447	11.9
	don't know	1453	38.8
Yes	excellent, very good, good	169	4.5
	fair, poor	72	1.9
	don't know	100	2.7
		=====	=====
		3749	100
		=====	=====

% Younger cohort at Survey 2 who are not living with a partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-Y2	Access to Counselling-Y2	Frequency Count	%
No	excellent, very good, good	1508	44.3
	fair, poor	447	13.1
	don't know	1453	42.6
		<hr/>	<hr/>
		3408	100
Yes	excellent, very good, good	169	49.7
	fair, poor	72	21.0
	don't know	100	29.3
		<hr/>	<hr/>
		341	100

% Younger cohort at Survey 2 who are not living with a partner:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-Y2	Violent Relationship-Y2	Frequency Count	%
excellent, very good, good	No	1508	89.9
	Yes	169	10.1
		<hr/> 1677	<hr/> 100
fair, poor	No	447	86.2
	Yes	72	13.8
		<hr/> 518	<hr/> 100
don't know	No	1453	93.6
	Yes	100	6.4
		<hr/> 1553	<hr/> 100

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-Y2	Access to Counselling-Y2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1466	40.8
	fair, poor	418	11.6
	don't know	1347	37.5
Yes	excellent, very good, good	167	4.6
	fair, poor	70	2.0
	don't know	127	3.5
		=====	=====
		3596	100
		=====	=====

% Younger cohort at Survey 2 who are living with a partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-Y2	Access to Counselling-Y2	Frequency Count	%
No	excellent, very good, good	1466	45.4
	fair, poor	418	12.9
	don't know	1347	41.7
		<hr/>	<hr/>
		3232	100
Yes	excellent, very good, good	167	45.7
	fair, poor	70	19.3
	don't know	127	35.0
		<hr/>	<hr/>
		364	100

% Younger cohort at Survey 2 who are living with a partner:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-Y2	Violent Relationship-Y2	Frequency Count	%
excellent, very good, good	No	1466	89.8
	Yes	167	10.2
		<hr/>	<hr/>
		1633	100
fair, poor	No	418	85.6
	Yes	70	14.4
		<hr/>	<hr/>
		489	100
don't know	No	1347	91.4
	Yes	127	8.6
		<hr/>	<hr/>
		1475	100

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-Y3	Access to Counselling-Y3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1135	38.2
	fair, poor	358	12.0
	don't know	1117	37.6
Yes	excellent, very good, good	180	6.1
	fair, poor	87	2.9
	don't know	93	3.1
		=====	=====
		2970	100
		=====	=====

% Younger cohort at Survey 3 who are not living with a partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-Y3	Access to Counselling-Y3	Frequency Count	%
No	excellent, very good, good	1135	43.5
	fair, poor	358	13.7
	don't know	1117	42.8
		<hr/>	<hr/>
		2610	100
Yes	excellent, very good, good	180	50.0
	fair, poor	87	24.1
	don't know	93	25.8
		<hr/>	<hr/>
		360	100

% Younger cohort at Survey 3 who are not living with a partner:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-Y3	Violent Relationship-Y3	Frequency Count	%
excellent, very good, good	No	1135	86.3
	Yes	180	13.7
		<hr/>	<hr/>
		1316	100
fair, poor	No	358	80.4
	Yes	87	19.6
		<hr/>	<hr/>
		445	100
don't know	No	1117	92.3
	Yes	93	7.7
		<hr/>	<hr/>
		1210	100

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-Y3	Access to Counselling-Y3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1792	39.6
	fair, poor	499	11.0
	don't know	1826	40.4
Yes	excellent, very good, good	199	4.4
	fair, poor	86	1.9
	don't know	123	2.7
		=====	=====
		4526	100
		=====	=====

% Younger cohort at Survey 3 who are living with a partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-Y3	Access to Counselling-Y3	Frequency Count	%
No	excellent, very good, good	1792	43.5
	fair, poor	499	12.1
	don't know	1826	44.4
		<hr/>	<hr/>
		4117	100
Yes	excellent, very good, good	199	48.7
	fair, poor	86	21.1
	don't know	123	30.1
		<hr/>	<hr/>
		409	100

% Younger cohort at Survey 3 who are living with a partner:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-Y3	Violent Relationship-Y3	Frequency Count	%
excellent, very good, good	No	1792	90.0
	Yes	199	10.0
		<hr/> 1991	<hr/> 100
fair, poor	No	499	85.2
	Yes	86	14.8
		<hr/> 585	<hr/> 100
don't know	No	1826	93.7
	Yes	123	6.3
		<hr/> 1950	<hr/> 100

PHYSICAL VIOLENCE BY FAMILY DOCTOR VISITS - Y1,Y2,Y3

% Younger cohort at Survey 1 by experienced physical violence in past 12 months and no. visits to GP in past 12 months

Physical Violence-Y1	Family Doctor Visits-Y1	Frequency Count	Percent of Total Frequency
No	0-2 visits	2580	33.5
	3-6 visits	2985	38.8
	7+ visits	986	12.8
Yes	0-2 visits	313	4.1
	3-6 visits	588	7.6
	7+ visits	241	3.1
		=====	=====
		7693	100
		=====	=====

% Younger cohort at Survey 1 by experienced physical violence in past 12 months and no. visits to GP in past 12 months

Physical Violence-Y1	Family Doctor Visits-Y1	Frequency Count	%
No	0-2 visits	2580	39.4
	3-6 visits	2985	45.6
	7+ visits	986	15.1
		<hr/>	<hr/>
		6551	100
Yes	0-2 visits	313	27.4
	3-6 visits	588	51.5
	7+ visits	241	21.1
		<hr/>	<hr/>
		1142	100

% Younger cohort at Survey 1 by no. of visits to GP in past 12 months and experienced physical violence in past 12 months

Family Doctor Visits-Y1	Physical Violence-Y1	Frequency Count	%
0-2 visits	No	2580	89.2
	Yes	313	10.8
		<hr/>	<hr/>
		2893	100
3-6 visits	No	2985	83.5
	Yes	588	16.5
		<hr/>	<hr/>
		3574	100
7+ visits	No	986	80.4
	Yes	241	19.6
		<hr/>	<hr/>
		1226	100

% Younger cohort at Survey 2 by experienced physical violence in past 12 months and no. visits to GP in past 12 months

Physical Violence-Y2	Family Doctor Visits-Y2	Frequency Count	Percent of Total Frequency
No	0-2 visits	1379	18.0
	3-6 visits	4836	63.0
	7+ visits	949	12.4
Yes	0-2 visits	68	0.9
	3-6 visits	329	4.3
	7+ visits	113	1.5
		=====	=====
		7674	100
		=====	=====

% Younger cohort at Survey 2 by experienced physical violence in past 12 months and no. visits to GP in past 12 months

Physical Violence-Y2	Family Doctor Visits-Y2	Frequency Count	%
No	0-2 visits	1379	19.2
	3-6 visits	4836	67.5
	7+ visits	949	13.2
		<hr/> 7164	<hr/> 100
Yes	0-2 visits	68	13.3
	3-6 visits	329	64.5
	7+ visits	113	22.2
		<hr/> 510	<hr/> 100

% Younger cohort at Survey 2 by no. of visits to GP in past 12 months and experienced physical violence in past 12 months

Family Doctor Visits-Y2	Physical Violence-Y2	Frequency Count	%
0-2 visits	No	1379	95.3
	Yes	68	4.7
		<hr/>	<hr/>
		1447	100
3-6 visits	No	4836	93.6
	Yes	329	6.4
		<hr/>	<hr/>
		5165	100
7+ visits	No	949	89.3
	Yes	113	10.7
		<hr/>	<hr/>
		1063	100

% Younger cohort at Survey 3 by experienced physical violence in past 12 months and no. visits to GP in past 12 months

Physical Violence-Y3	Family Doctor Visits-Y3	Frequency Count	Percent of Total Frequency
No	0-2 visits	1783	23.1
	3-6 visits	4715	61.1
	7+ visits	800	10.4
Yes	0-2 visits	79	1.0
	3-6 visits	244	3.2
	7+ visits	92	1.2
		=====	=====
		7713	100
		=====	=====

% Younger cohort at Survey 3 by experienced physical violence in past 12 months and no. visits to GP in past 12 months

Physical Violence-Y3	Family Doctor Visits-Y3	Frequency Count	%
No	0-2 visits	1783	24.4
	3-6 visits	4715	64.6
	7+ visits	800	11.0
		<hr/>	<hr/>
		7298	100
Yes	0-2 visits	79	19.0
	3-6 visits	244	58.8
	7+ visits	92	22.2
		<hr/>	<hr/>
		415	100

% Younger cohort at Survey 3 by no. of visits to GP in past 12 months and experienced physical violence in past 12 months

Family Doctor Visits-Y3	Physical Violence-Y3	Frequency Count	%
0-2 visits	No	1783	95.8
	Yes	79	4.2
		<hr/>	<hr/>
		1861	100
3-6 visits	No	4715	95.1
	Yes	244	4.9
		<hr/>	<hr/>
		4959	100
7+ visits	No	800	89.7
	Yes	92	10.3
		<hr/>	<hr/>
		892	100

SEXUAL VIOLENCE BY ACCESS TO WOMEN'S HEALTH/FAMILY PLANNING CENTRES - Y2,Y3
 % Younger cohort at Survey 2 by ever experienced sexual violence and access to
 Women's Health Centre/Family Planning Centre

Sexual Violence-Y2	Access to Family Planning Centre-Y2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	3236	42.4
	fair, poor	1096	14.3
	don't know	3194	41.8
Yes	excellent, very good, good	54	0.7
	fair, poor	19	0.3
	don't know	39	0.5
		=====	=====
		7637	100
		=====	=====

% Younger cohort at Survey 2 by ever experienced sexual violence and access to Women's Health Centre/Family Planning Centre

Sexual Violence-Y2	Access to Family Planning Centre-Y2	Frequency Count	%
No	excellent, very good, good	3236	43.0
	fair, poor	1096	14.6
	don't know	3194	42.4
		<hr/>	<hr/>
		7525	100
Yes	excellent, very good, good	54	47.9
	fair, poor	19	17.4
	don't know	39	34.7
		<hr/>	<hr/>
		112	100

% Younger cohort at Survey 2 by access to Women's Health Centre/Family Planning Centre and ever experienced sexual violence

Access to Family Planning Centre-Y2	Sexual Violence-Y2	Frequency Count	%
excellent, very good, good	No	3236	98.4
	Yes	54	1.6
		<hr/>	<hr/>
		3289	100
fair, poor	No	1096	98.3
	Yes	19	1.7
		<hr/>	<hr/>
		1115	100
don't know	No	3194	98.8
	Yes	39	1.2
		<hr/>	<hr/>
		3233	100

% Younger cohort at Survey 3 by ever experienced sexual violence and access to Women's Health Centre/Family Planning Centre

Sexual Violence-Y3	Access to Family Planning Centre-Y2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	3249	42.5
	fair, poor	1099	14.4
	don't know	3220	42.2
Yes	excellent, very good, good	36	0.5
	fair, poor	15	0.2
	don't know	19	0.2
		=====	=====
		7638	100
		=====	=====

% Younger cohort at Survey 3 by ever experienced sexual violence and access to Women's Health Centre/Family Planning Centre

Sexual Violence-Y3	Access to Family Planning Centre-Y2	Frequency Count	%
No	excellent, very good, good	3249	42.9
	fair, poor	1099	14.5
	don't know	3220	42.5
		<hr/>	<hr/>
		7568	100
Yes	excellent, very good, good	36	51.8
	fair, poor	15	21.5
	don't know	19	26.7
		<hr/>	<hr/>
		70	100

% Younger cohort at Survey 3 by access to Women's Health Centre/Family Planning Centre and ever experienced sexual violence

Access to Family Planning Centre-Y2	Sexual Violence-Y3	Frequency Count	%
excellent, very good, good	No	3249	98.9
	Yes	36	1.1
		<hr/>	<hr/>
		3286	100
fair, poor	No	1099	98.6
	Yes	15	1.4
		<hr/>	<hr/>
		1114	100
don't know	No	3220	99.4
	Yes	19	0.6
		<hr/>	<hr/>
		3239	100

SECTION 3: MID-AGE COHORT DATA

AREA BY HYSTERECTOMY M1, M2, M3

% Mid-age cohort at Survey 1 by area of residence and ever having had a hysterectomy

Area-M1	Hysterectomy -M1	Frequency Count	Percent of Total Frequency
Urban	No	3026	28.3
	Yes	770	7.2
Large rural centre	No	1199	11.2
	Yes	339	3.2
Small rural centre	No	1181	11.0
	Yes	373	3.5
Other rural/Remote	No	2952	27.6
	Yes	865	8.1
		=====	=====
		10705	100
		=====	=====

% Mid-age cohort at Survey 1 by area of residence and ever having had a hysterectomy

Area-M1	Hysterectomy -M1	Frequency Count	%
Urban	No	3026	79.7
	Yes	770	20.3
		<hr/>	<hr/>
		3796	100
Large rural centre	No	1199	78.0
	Yes	339	22.0
		<hr/>	<hr/>
		1538	100
Small rural centre	No	1181	76.0
	Yes	373	24.0
		<hr/>	<hr/>
		1554	100
Other rural/Remote	No	2952	77.3
	Yes	865	22.7
		<hr/>	<hr/>
		3817	100

% Mid-age cohort at Survey 1 by ever having had a hysterectomy and area of residence

Hysterectomy -M1	Area-M1	Frequency Count	%
No	Urban	3026	36.2
	Large rural centre	1199	14.3
	Small rural centre	1181	14.1
	Other rural/Remote	2952	35.3
		8358	100
Yes	Urban	770	32.8
	Large rural centre	339	14.4
	Small rural centre	373	15.9
	Other rural/Remote	865	36.9
		2347	100

% Mid-age cohort at Survey 2 by area of residence and ever having had a hysterectomy

Area-M2	Hysterectomy -M2	Frequency Count	Percent of Total Frequency
Urban	No	3022	28.3
	Yes	893	8.4
Large rural centre	No	1118	10.5
	Yes	371	3.5
Small rural centre	No	1105	10.3
	Yes	440	4.1
Other rural/Remote	No	2788	26.1
	Yes	946	8.9
		=====	=====
		10683	100
		=====	=====

% Mid-age cohort at Survey 2 by area of residence and ever having had a hysterectomy

Area-M2	Hysterectomy -M2	Frequency Count	%
Urban	No	3022	77.2
	Yes	893	22.8
		<hr/>	<hr/>
		3915	100
Large rural centre	No	1118	75.1
	Yes	371	24.9
		<hr/>	<hr/>
		1489	100
Small rural centre	No	1105	71.5
	Yes	440	28.5
		<hr/>	<hr/>
		1545	100
Other rural/Remote	No	2788	74.7
	Yes	946	25.3
		<hr/>	<hr/>
		3734	100

% Mid-age cohort at Survey 2 by ever having had a hysterectomy and area of residence

Hysterectomy -M2	Area-M2	Frequency Count	%
No	Urban	3022	37.6
	Large rural centre	1118	13.9
	Small rural centre	1105	13.8
	Other rural/Remote	2788	34.7
		<hr/>	<hr/>
		8033	100
Yes	Urban	893	33.7
	Large rural centre	371	14.0
	Small rural centre	440	16.6
	Other rural/Remote	946	35.7
		<hr/>	<hr/>
		2650	100

% Mid-age cohort at Survey 3 by area of residence and ever having had a hysterectomy

Area-M3	Hysterectomy -M3	Frequency Count	Percent of Total Frequency
Urban	No	2854	27.7
	Yes	1039	10.1
Large rural centre	No	1002	9.7
	Yes	417	4.1
Small rural centre	No	996	9.7
	Yes	476	4.6
Other rural/Remote	No	2484	24.1
	Yes	1023	9.9
		=====	=====
		10291	100
		=====	=====

% Mid-age cohort at Survey 3 by area of residence and ever having had a hysterectomy

Area-M3	Hysterectomy -M3	Frequency Count	%
Urban	No	2854	73.3
	Yes	1039	26.7
		<hr/>	<hr/>
		3893	100
Large rural centre	No	1002	70.6
	Yes	417	29.4
		<hr/>	<hr/>
		1419	100
Small rural centre	No	996	67.7
	Yes	476	32.3
		<hr/>	<hr/>
		1472	100
Other rural/Remote	No	2484	70.8
	Yes	1023	29.2
		<hr/>	<hr/>
		3507	100

% Mid-age cohort at Survey 3 by ever having had a hysterectomy and area of residence

Hysterectomy -M3	Area-M3	Frequency Count	%
No	Urban	2854	38.9
	Large rural centre	1002	13.7
	Small rural centre	996	13.6
	Other rural/Remote	2484	33.9
		<hr/>	<hr/>
		7336	100
Yes	Urban	1039	35.2
	Large rural centre	417	14.1
	Small rural centre	476	16.1
	Other rural/Remote	1023	34.6
		<hr/>	<hr/>
		2955	100

AREA BY OOPHORECTOMY M1, M2, M3

% Mid-age cohort at Survey 1 by area of residence and ever having had an oophorectomy

Area-M1	Oophorectomy -M1	Frequency Count	Percent of Total Frequency
Urban	No	3581	33.6
	Yes	207	1.9
Large rural centre	No	1428	13.4
	Yes	100	0.9
Small rural centre	No	1442	13.5
	Yes	104	1.0
Other rural/Remote	No	3559	33.4
	Yes	245	2.3
		=====	=====
		10666	100
		=====	=====

% Mid-age cohort at Survey 1 by area of residence and ever having had an oophorectomy

Area-M1	Oophorectomy -M1	Frequency Count	%
Urban	No	3581	94.5
	Yes	207	5.5
		<hr/>	<hr/>
		3788	100
Large rural centre	No	1428	93.5
	Yes	100	6.5
		<hr/>	<hr/>
		1528	100
Small rural centre	No	1442	93.3
	Yes	104	6.7
		<hr/>	<hr/>
		1546	100
Other rural/Remote	No	3559	93.6
	Yes	245	6.4
		<hr/>	<hr/>
		3804	100

% Mid-age cohort at Survey 1 by ever having had an oophorectomy and area of residence

Oophorectomy -M1	Area-M1	Frequency Count	%
No	Urban	3581	35.8
	Large rural centre	1428	14.3
	Small rural centre	1442	14.4
	Other rural/Remote	3559	35.6
		10010	100
Yes	Urban	207	31.6
	Large rural centre	100	15.2
	Small rural centre	104	15.9
	Other rural/Remote	245	37.3
		656	100

% Mid-age cohort at Survey 2 by area of residence and ever having had an oophorectomy

Area-M2	Oophorectomy -M2	Frequency Count	Percent of Total Frequency
Urban	No	3631	34.0
	Yes	284	2.7
Large rural centre	No	1356	12.7
	Yes	133	1.2
Small rural centre	No	1404	13.1
	Yes	141	1.3
Other rural/Remote	No	3415	32.0
	Yes	319	3.0
		=====	=====
		10683	100
		=====	=====

% Mid-age cohort at Survey 2 by area of residence and ever having had an oophorectomy

Area-M2	Oophorectomy -M2	Frequency Count	%
Urban	No	3631	92.7
	Yes	284	7.3
		<hr/> 3915	<hr/> 100
Large rural centre	No	1356	91.1
	Yes	133	8.9
		<hr/> 1489	<hr/> 100
Small rural centre	No	1404	90.9
	Yes	141	9.1
		<hr/> 1545	<hr/> 100
Other rural/Remote	No	3415	91.5
	Yes	319	8.5
		<hr/> 3734	<hr/> 100

% Mid-age cohort at Survey 2 by ever having had an oophorectomy and area of residence

Oophorectomy -M2	Area-M2	Frequency Count	%
No	Urban	3631	37.0
	Large rural centre	1356	13.8
	Small rural centre	1404	14.3
	Other rural/Remote	3415	34.8
		<hr/>	<hr/>
		9806	100
Yes	Urban	284	32.4
	Large rural centre	133	15.2
	Small rural centre	141	16.1
	Other rural/Remote	319	36.4
		<hr/>	<hr/>
		877	100

% Mid-age cohort at Survey 3 by area of residence and ever having had an oophorectomy

Area-M3	Oophorectomy -M3	Frequency Count	Percent of Total Frequency
Urban	No	3507	34.4
	Yes	343	3.4
Large rural centre	No	1245	12.2
	Yes	159	1.6
Small rural centre	No	1287	12.6
	Yes	164	1.6
Other rural/Remote	No	3131	30.7
	Yes	354	3.5
		=====	=====
		10190	100
		=====	=====

% Mid-age cohort at Survey 3 by area of residence and ever having had an oophorectomy

Area-M3	Oophorectomy -M3	Frequency Count	%
Urban	No	3507	91.1
	Yes	343	8.9
		<hr/> 3850	<hr/> 100
Large rural centre	No	1245	88.7
	Yes	159	11.3
		<hr/> 1404	<hr/> 100
Small rural centre	No	1287	88.7
	Yes	164	11.3
		<hr/> 1451	<hr/> 100
Other rural/Remote	No	3131	89.8
	Yes	354	10.2
		<hr/> 3485	<hr/> 100

% Mid-age cohort at Survey 3 by ever having had an oophorectomy and area of residence

Oophorectomy -M3	Area-M3	Frequency Count	%
No	Urban	3507	38.2
	Large rural centre	1245	13.6
	Small rural centre	1287	14.0
	Other rural/Remote	3131	34.1
		9170	100
Yes	Urban	343	33.6
	Large rural centre	159	15.6
	Small rural centre	164	16.1
	Other rural/Remote	354	34.7
		1020	100

AREA BY PROLAPSE REPAIR M1, M2, M3

% Mid-age cohort at Survey 1 by area of residence and ever having had prolapse repair

Area-M1	Prolapse Repair-M1	Frequency Count	Percent of Total Frequency
Urban	No	3508	32.9
	Yes	277	2.6
Large rural centre	No	1405	13.2
	Yes	130	1.2
Small rural centre	No	1411	13.2
	Yes	142	1.3
Other rural/Remote	No	3430	32.1
	Yes	374	3.5
		=====	=====
		10677	100
		=====	=====

% Mid-age cohort at Survey 1 by area of residence and ever having had prolapse repair

Area-M1	Prolapse Repair-M1	Frequency Count	%
Urban	No	3508	92.7
	Yes	277	7.3
		<hr/> 3785	<hr/> 100
Large rural centre	No	1405	91.5
	Yes	130	8.5
		<hr/> 1535	<hr/> 100
Small rural centre	No	1411	90.9
	Yes	142	9.1
		<hr/> 1553	<hr/> 100
Other rural/Remote	No	3430	90.2
	Yes	374	9.8
		<hr/> 3804	<hr/> 100

% Mid-age cohort at Survey 1 by ever having had prolapse repair and area of residence

Prolapse Repair-M1	Area-M1	Frequency Count	%
No	Urban	3508	36.0
	Large rural centre	1405	14.4
	Small rural centre	1411	14.5
	Other rural/Remote	3430	35.2
		<hr/>	<hr/>
		9754	100
Yes	Urban	277	30.0
	Large rural centre	130	14.1
	Small rural centre	142	15.4
	Other rural/Remote	374	40.5
		<hr/>	<hr/>
		923	100

% Mid-age cohort at Survey 2 by area of residence and ever having had prolapse repair

Area-M2	Prolapse Repair-M2	Frequency Count	Percent of Total Frequency
Urban	No	3560	33.3
	Yes	355	3.3
Large rural centre	No	1340	12.5
	Yes	149	1.4
Small rural centre	No	1372	12.8
	Yes	173	1.6
Other rural/Remote	No	3293	30.8
	Yes	441	4.1
		=====	=====
		10683	100
		=====	=====

% Mid-age cohort at Survey 2 by area of residence and ever having had prolapse repair

Area-M2	Prolapse Repair-M2	Frequency Count	%
Urban	No	3560	90.9
	Yes	355	9.1
		<hr/> 3915	<hr/> 100
Large rural centre	No	1340	90.0
	Yes	149	10.0
		<hr/> 1489	<hr/> 100
Small rural centre	No	1372	88.8
	Yes	173	11.2
		<hr/> 1545	<hr/> 100
Other rural/Remote	No	3293	88.2
	Yes	441	11.8
		<hr/> 3734	<hr/> 100

% Mid-age cohort at Survey 2 by ever having had prolapse repair and area of residence

Prolapse Repair-M2	Area-M2	Frequency Count	%
No	Urban	3560	37.2
	Large rural centre	1340	14.0
	Small rural centre	1372	14.3
	Other rural/Remote	3293	34.4
		<hr/>	<hr/>
		9565	100
Yes	Urban	355	31.8
	Large rural centre	149	13.3
	Small rural centre	173	15.5
	Other rural/Remote	441	39.4
		<hr/>	<hr/>
		1118	100

% Mid-age cohort at Survey 3 by area of residence and ever having had prolapse repair

Area-M3	Prolapse Repair-M3	Frequency Count	Percent of Total Frequency
Urban	No	3448	33.8
	Yes	409	4.0
Large rural centre	No	1234	12.1
	Yes	166	1.6
Small rural centre	No	1266	12.4
	Yes	190	1.9
Other rural/Remote	No	3002	29.4
	Yes	480	4.7
		=====	=====
		10195	100
		=====	=====

% Mid-age cohort at Survey 3 by area of residence and ever having had prolapse repair

Area-M3	Prolapse Repair-M3	Frequency Count	%
Urban	No	3448	89.4
	Yes	409	10.6
		<hr/> 3857	<hr/> 100
Large rural centre	No	1234	88.1
	Yes	166	11.9
		<hr/> 1400	<hr/> 100
Small rural centre	No	1266	87.0
	Yes	190	13.0
		<hr/> 1456	<hr/> 100
Other rural/Remote	No	3002	86.2
	Yes	480	13.8
		<hr/> 3482	<hr/> 100

% Mid-age cohort at Survey 3 by ever having had prolapse repair and area of residence

Prolapse Repair-M3	Area-M3	Frequency Count	%
No	Urban	3448	38.5
	Large rural centre	1234	13.8
	Small rural centre	1266	14.1
	Other rural/Remote	3002	33.5
		<hr/>	<hr/>
		8950	100
Yes	Urban	409	32.9
	Large rural centre	166	13.3
	Small rural centre	190	15.3
	Other rural/Remote	480	38.6
		<hr/>	<hr/>
		1245	100

AREA BY ENDOMETRIAL ABLATION M1,M2,M3

% Mid-age cohort at Survey 1 by area of residence and ever having had endometrial ablation

Area-M1	Endometrial Ablation-M1	Frequency Count	Percent of Total Frequency
Urban	No	3569	33.9
	Yes	172	1.6
Large rural centre	No	1448	13.8
	Yes	69	0.7
Small rural centre	No	1444	13.7
	Yes	78	0.7
Other rural/Remote	No	3584	34.0
	Yes	165	1.6
		=====	=====
		10529	100
		=====	=====

% Mid-age cohort at Survey 1 by area of residence and ever having had endometrial ablation

Area-M1	Endometrial Ablation-M1	Frequency Count	%
Urban	No	3569	95.4
	Yes	172	4.6
		<hr/> 3741	<hr/> 100
Large rural centre	No	1448	95.5
	Yes	69	4.5
		<hr/> 1517	<hr/> 100
Small rural centre	No	1444	94.9
	Yes	78	5.1
		<hr/> 1522	<hr/> 100
Other rural/Remote	No	3584	95.6
	Yes	165	4.4
		<hr/> 3749	<hr/> 100

% Mid-age cohort at Survey 1 by ever having had endometrial ablation and area of residence

Endometrial Ablation-M1	Area-M1	Frequency Count	%
No	Urban	3569	35.5
	Large rural centre	1448	14.4
	Small rural centre	1444	14.4
	Other rural/Remote	3584	35.7
		<hr/>	<hr/>
		10045	100
Yes	Urban	172	35.5
	Large rural centre	69	14.3
	Small rural centre	78	16.1
	Other rural/Remote	165	34.1
		<hr/>	<hr/>
		484	100

% Mid-age cohort at Survey 2 by area of residence and ever having had endometrial ablation

Area-M2	Endometrial Ablation-M2	Frequency Count	Percent of Total Frequency
Urban	No	3624	33.9
	Yes	291	2.7
Large rural centre	No	1379	12.9
	Yes	110	1.0
Small rural centre	No	1412	13.2
	Yes	133	1.2
Other rural/Remote	No	3454	32.3
	Yes	280	2.6
		=====	=====
		10683	100
		=====	=====

% Mid-age cohort at Survey 2 by area of residence and ever having had endometrial ablation

Area-M2	Endometrial Ablation-M2	Frequency Count	%
Urban	No	3624	92.6
	Yes	291	7.4
		<hr/> 3915	<hr/> 100
Large rural centre	No	1379	92.6
	Yes	110	7.4
		<hr/> 1489	<hr/> 100
Small rural centre	No	1412	91.4
	Yes	133	8.6
		<hr/> 1545	<hr/> 100
Other rural/Remote	No	3454	92.5
	Yes	280	7.5
		<hr/> 3734	<hr/> 100

% Mid-age cohort at Survey 2 by ever having had endometrial ablation and area of residence

Endometrial Ablation-M2	Area-M2	Frequency Count	%
No	Urban	3624	36.7
	Large rural centre	1379	14.0
	Small rural centre	1412	14.3
	Other rural/Remote	3454	35.0
		<hr/>	<hr/>
		9869	100
Yes	Urban	291	35.7
	Large rural centre	110	13.5
	Small rural centre	133	16.3
	Other rural/Remote	280	34.4
		<hr/>	<hr/>
		814	100

% Mid-age cohort at Survey 3 by area of residence and ever having had endometrial ablation

Area-M3	Endometrial Ablation-M3	Frequency Count	Percent of Total Frequency
Urban	No	3513	34.5
	Yes	330	3.2
Large rural centre	No	1274	12.5
	Yes	129	1.3
Small rural centre	No	1296	12.7
	Yes	159	1.6
Other rural/Remote	No	3165	31.1
	Yes	312	3.1
		=====	=====
		10178	100
		=====	=====

% Mid-age cohort at Survey 3 by area of residence and ever having had endometrial ablation

Area-M3	Endometrial Ablation-M3	Frequency Count	%
Urban	No	3513	91.4
	Yes	330	8.6
		<hr/> 3843	<hr/> 100
Large rural centre	No	1274	90.8
	Yes	129	9.2
		<hr/> 1403	<hr/> 100
Small rural centre	No	1296	89.1
	Yes	159	10.9
		<hr/> 1455	<hr/> 100
Other rural/Remote	No	3165	91.0
	Yes	312	9.0
		<hr/> 3477	<hr/> 100

% Mid-age cohort at Survey 3 by ever having had endometrial ablation and area of residence

Endometrial Ablation-M3	Area-M3	Frequency Count	%
No	Urban	3513	38.0
	Large rural centre	1274	13.8
	Small rural centre	1296	14.0
	Other rural/Remote	3165	34.2
		<hr/>	<hr/>
		9248	100
Yes	Urban	330	35.5
	Large rural centre	129	13.9
	Small rural centre	159	17.1
	Other rural/Remote	312	33.5
		<hr/>	<hr/>
		930	100

AREA BY TUBAL LIGATION M1, M2, M3

% Mid-age cohort at Survey 1 by area of residence and ever having had tubal ligation

Area-M1	Tubal Ligation-M1	Frequency Count	Percent of Total Frequency
Urban	No	2773	25.9
	Yes	1020	9.5
Large rural centre	No	1084	10.1
	Yes	450	4.2
Small rural centre	No	1082	10.1
	Yes	473	4.4
Other rural/Remote	No	2555	23.9
	Yes	1267	11.8
		=====	=====
		10704	100
		=====	=====

% Mid-age cohort at Survey 1 by area of residence and ever having had tubal ligation

Area-M1	Tubal Ligation-M1	Frequency Count	%
Urban	No	2773	73.1
	Yes	1020	26.9
		<hr/> 3793	<hr/> 100
Large rural centre	No	1084	70.7
	Yes	450	29.3
		<hr/> 1534	<hr/> 100
Small rural centre	No	1082	69.6
	Yes	473	30.4
		<hr/> 1555	<hr/> 100
Other rural/Remote	No	2555	66.8
	Yes	1267	33.2
		<hr/> 3822	<hr/> 100

% Mid-age cohort at Survey 1 by ever having had tubal ligation and area of residence

Tubal Ligation-M1	Area-M1	Frequency Count	%
No	Urban	2773	37.0
	Large rural centre	1084	14.5
	Small rural centre	1082	14.4
	Other rural/Remote	2555	34.1
		<hr/>	<hr/>
		7494	100
Yes	Urban	1020	31.8
	Large rural centre	450	14.0
	Small rural centre	473	14.7
	Other rural/Remote	1267	39.5
		<hr/>	<hr/>
		3210	100

% Mid-age cohort at Survey 2 by area of residence and ever having had tubal ligation

Area-M2	Tubal Ligation-M2	Frequency Count	Percent of Total Frequency
Urban	No	2414	22.6
	Yes	1501	14.1
Large rural centre	No	878	8.2
	Yes	611	5.7
Small rural centre	No	888	8.3
	Yes	657	6.1
Other rural/Remote	No	2012	18.8
	Yes	1722	16.1
		=====	=====
		10683	100
		=====	=====

% Mid-age cohort at Survey 2 by area of residence and ever having had tubal ligation

Area-M2	Tubal Ligation-M2	Frequency Count	%
Urban	No	2414	61.7
	Yes	1501	38.3
		3915	100
Large rural centre	No	878	59.0
	Yes	611	41.0
		1489	100
Small rural centre	No	888	57.5
	Yes	657	42.5
		1545	100
Other rural/Remote	No	2012	53.9
	Yes	1722	46.1
		3734	100

% Mid-age cohort at Survey 2 by ever having had tubal ligation and area of residence

Tubal Ligation-M2	Area-M2	Frequency Count	%
No	Urban	2414	39.0
	Large rural centre	878	14.2
	Small rural centre	888	14.3
	Other rural/Remote	2012	32.5
		<hr/>	<hr/>
		6192	100
Yes	Urban	1501	33.4
	Large rural centre	611	13.6
	Small rural centre	657	14.6
	Other rural/Remote	1722	38.3
		<hr/>	<hr/>
		4491	100

% Mid-age cohort at Survey 3 by area of residence and ever having had tubal ligation

Area-M3	Tubal Ligation-M3	Frequency Count	Percent of Total Frequency
Urban	No	2368	22.9
	Yes	1527	14.8
Large rural centre	No	819	7.9
	Yes	604	5.8
Small rural centre	No	830	8.0
	Yes	650	6.3
Other rural/Remote	No	1864	18.0
	Yes	1674	16.2
		=====	=====
		10336	100
		=====	=====

% Mid-age cohort at Survey 3 by area of residence and ever having had tubal ligation

Area-M3	Tubal Ligation-M3	Frequency Count	%
Urban	No	2368	60.8
	Yes	1527	39.2
		<hr/> 3895	<hr/> 100
Large rural centre	No	819	57.6
	Yes	604	42.4
		<hr/> 1423	<hr/> 100
Small rural centre	No	830	56.1
	Yes	650	43.9
		<hr/> 1480	<hr/> 100
Other rural/Remote	No	1864	52.7
	Yes	1674	47.3
		<hr/> 3538	<hr/> 100

% Mid-age cohort at Survey 3 by ever having had tubal ligation and area of residence

Tubal Ligation-M3	Area-M3	Frequency Count	%
No	Urban	2368	40.3
	Large rural centre	819	13.9
	Small rural centre	830	14.1
	Other rural/Remote	1864	31.7
		5881	100
Yes	Urban	1527	34.3
	Large rural centre	604	13.6
	Small rural centre	650	14.6
	Other rural/Remote	1674	37.6
		4455	100

FAMILY STATUS BY LEAKING URINE M1,M2,M3

% Mid-age cohort at Survey 1 by living arrangements and experienced leaking urine in the past 12 months

Family Status-M1	Leaking Urine-M1	Frequency Count	Percent of Total Frequency
live alone	never/rarely	667	6.5
	sometimes	86	0.8
	often	28	0.3
self, partner, no children	never/rarely	2000	19.6
	sometimes	382	3.7
	often	145	1.4
self, partner, with children	never/rarely	4646	45.5
	sometimes	916	9.0
	often	339	3.3
self, no partner, children	never/rarely	664	6.5
	sometimes	134	1.3
	often	35	0.3
self and others, no partner or children	never/rarely	124	1.2
	sometimes	22	0.2
	often	14	0.1
		=====	=====
		10202	100
		=====	=====

% Mid-age cohort at Survey 1 by living arrangements and experienced leaking urine in the past 12 months

Family Status-M1	Leaking Urine-M1	Frequency Count	%
live alone	never/rarely	667	85.3
	sometimes	86	11.1
	often	28	3.6
		781	100
self, partner, no children	never/rarely	2000	79.1
	sometimes	382	15.1
	often	145	5.7
		2527	100
self, partner, with children	never/rarely	4646	78.7
	sometimes	916	15.5
	often	339	5.7
		5902	100
self, no partner, children	never/rarely	664	79.7
	sometimes	134	16.1
	often	35	4.2
		833	100
self and others, no partner or children	never/rarely	124	77.4
	sometimes	22	14.0
	often	14	8.6
		160	100

% Mid-age cohort at Survey 1 by experienced leaking urine in the past 12 months and living arrangements

Leaking Urine-M1	Family Status-M1	Frequency Count	%
never/rarely	live alone	667	8.2
	self, partner, no children	2000	24.7
	self, partner, with children	4646	57.4
	self, no partner, children	664	8.2
	self and others, no partner or children	124	1.5
		8100	100
sometimes	live alone	86	5.6
	self, partner, no children	382	24.8
	self, partner, with children	916	59.5
	self, no partner, children	134	8.7
	self and others, no partner or children	22	1.5
		1541	100
often	live alone	28	5.0
	self, partner, no children	145	25.8
	self, partner, with children	339	60.5
	self, no partner, children	35	6.3
	self and others, no partner or children	14	2.4
		561	100

% Mid-age cohort at Survey 2 by living arrangements and experienced leaking urine in the past 12 months

Family Status-M2	Leaking Urine-M2	Frequency Count	Percent of Total Frequency
live alone	never/rarely	545	5.4
	sometimes	124	1.2
	often	35	0.3
self, partner, no children	never/rarely	2318	23.1
	sometimes	598	6.0
	often	207	2.1
self, partner, with children	never/rarely	3760	37.5
	sometimes	924	9.2
	often	305	3.0
self, no partner, children	never/rarely	746	7.4
	sometimes	203	2.0
	often	63	0.6
self and others, no partner or children	never/rarely	168	1.7
	sometimes	35	0.3
	often	9	0.1
		=====	=====
		10040	100
		=====	=====

% Mid-age cohort at Survey 2 by living arrangements and experienced leaking urine in the past 12 months

Family Status-M2	Leaking Urine-M2	Frequency Count	%
live alone	never/rarely	545	77.4
	sometimes	124	17.7
	often	35	4.9
		704	100
self, partner, no children	never/rarely	2318	74.2
	sometimes	598	19.2
	often	207	6.6
		3123	100
self, partner, with children	never/rarely	3760	75.4
	sometimes	924	18.5
	often	305	6.1
		4990	100
self, no partner, children	never/rarely	746	73.8
	sometimes	203	20.0
	often	63	6.2
		1011	100
self and others, no partner or children	never/rarely	168	79.3
	sometimes	35	16.4
	often	9	4.3
		212	100

% Mid-age cohort at Survey 2 by experienced leaking urine in the past 12 months and living arrangements

Leaking Urine-M2	Family Status-M2	Frequency Count	%
never/rarely	live alone	545	7.2
	self, partner, no children	2318	30.8
	self, partner, with children	3760	49.9
	self, no partner, children	746	9.9
	self and others, no partner or children	168	2.2
		7537	100
sometimes	live alone	124	6.6
	self, partner, no children	598	31.7
	self, partner, with children	924	49.1
	self, no partner, children	203	10.8
	self and others, no partner or children	35	1.8
		1884	100
often	live alone	35	5.6
	self, partner, no children	207	33.4
	self, partner, with children	305	49.4
	self, no partner, children	63	10.1
	self and others, no partner or children	9	1.5
		619	100

% Mid-age cohort at Survey 3 by living arrangements and experienced leaking urine in the past 12 months

Family Status-M3	Leaking Urine-M3	Frequency Count	Percent of Total Frequency
live alone	never/rarely	766	7.5
	sometimes	133	1.3
	often	53	0.5
self, partner, no children	never/rarely	3458	33.8
	sometimes	672	6.6
	often	265	2.6
self, partner, with children	never/rarely	2956	28.9
	sometimes	590	5.8
	often	184	1.8
self, no partner, children	never/rarely	736	7.2
	sometimes	121	1.2
	often	47	0.5
self and others, no partner or children	never/rarely	213	2.1
	sometimes	22	0.2
	often	11	0.1
		=====	=====
		10227	100
		=====	=====

% Mid-age cohort at Survey 3 by living arrangements and experienced leaking urine in the past 12 months

Family Status-M3	Leaking Urine-M3	Frequency Count	%
live alone	never/rarely	766	80.4
	sometimes	133	14.0
	often	53	5.6
		952	100
self, partner, no children	never/rarely	3458	78.7
	sometimes	672	15.3
	often	265	6.0
		4395	100
self, partner, with children	never/rarely	2956	79.3
	sometimes	590	15.8
	often	184	4.9
		3731	100
self, no partner, children	never/rarely	736	81.5
	sometimes	121	13.4
	often	47	5.2
		903	100
self and others, no partner or children	never/rarely	213	86.6
	sometimes	22	8.8
	often	11	4.6
		246	100

% Mid-age cohort at Survey 3 by experienced leaking urine in the past 12 months and living arrangements

Leaking Urine-M3	Family Status-M3	Frequency Count	%
never/rarely	live alone	766	9.4
	self, partner, no children	3458	42.5
	self, partner, with children	2956	36.4
	self, no partner, children	736	9.1
	self and others, no partner or children	213	2.6
		8130	100
sometimes	live alone	133	8.7
	self, partner, no children	672	43.7
	self, partner, with children	590	38.4
	self, no partner, children	121	7.9
	self and others, no partner or children	22	1.4
		1537	100
often	live alone	53	9.5
	self, partner, no children	265	47.3
	self, partner, with children	184	32.9
	self, no partner, children	47	8.3
	self and others, no partner or children	11	2.0
		561	100

FAMILY STATUS BY PERIOD PROBLEMS M1, M2, M3

% Mid-age cohort at Survey 1 by living arrangements and experienced period problems in the past 12 months

Family Status-M1	Period Problems-M1	Frequency Count	Percent of Total Frequency
live alone	never/rarely	449	4.4
	sometimes	162	1.6
	often	170	1.7
self, partner, no children	never/rarely	1392	13.7
	sometimes	613	6.0
	often	508	5.0
self, partner, with children	never/rarely	3166	31.2
	sometimes	1498	14.7
	often	1219	12.0
self, no partner, children	never/rarely	450	4.4
	sometimes	215	2.1
	often	163	1.6
self and others, no partner or children	never/rarely	99	1.0
	sometimes	41	0.4
	often	19	0.2
		=====	=====
		10164	100
		=====	=====

% Mid-age cohort at Survey 1 by living arrangements and experienced period problems in the past 12 months

Family Status-M1	Period Problems-M1	Frequency Count	%
live alone	never/rarely	449	57.5
	sometimes	162	20.7
	often	170	21.8
		781	100
self, partner, no children	never/rarely	1392	55.4
	sometimes	613	24.4
	often	508	20.2
		2513	100
self, partner, with children	never/rarely	3166	53.8
	sometimes	1498	25.5
	often	1219	20.7
		5883	100
self, no partner, children	never/rarely	450	54.4
	sometimes	215	25.9
	often	163	19.7
		828	100
self and others, no partner or children	never/rarely	99	62.0
	sometimes	41	25.8
	often	19	12.2
		159	100

% Mid-age cohort at Survey 1 by experienced period problems in the past 12 months and living arrangements

Period Problems-M1	Family Status-M1	Frequency Count	%
never/rarely	live alone	449	8.1
	self, partner, no children	1392	25.1
	self, partner, with children	3166	57.0
	self, no partner, children	450	8.1
	self and others, no partner or children	99	1.8
		5556	100
sometimes	live alone	162	6.4
	self, partner, no children	613	24.2
	self, partner, with children	1498	59.2
	self, no partner, children	215	8.5
	self and others, no partner or children	41	1.6
		2528	100
often	live alone	170	8.2
	self, partner, no children	508	24.4
	self, partner, with children	1219	58.6
	self, no partner, children	163	7.8
	self and others, no partner or children	19	0.9
		2081	100

% Mid-age cohort at Survey 2 by living arrangements and experienced period problems in the past 12 months

Family Status-M2	Period Problems-M2	Frequency Count	Percent of Total Frequency
live alone	never/rarely	431	4.3
	sometimes	153	1.5
	often	119	1.2
self, partner, no children	never/rarely	1917	19.3
	sometimes	652	6.6
	often	515	5.2
self, partner, with children	never/rarely	2692	27.1
	sometimes	1240	12.5
	often	1008	10.1
self, no partner, children	never/rarely	591	5.9
	sometimes	197	2.0
	often	214	2.2
self and others, no partner or children	never/rarely	138	1.4
	sometimes	40	0.4
	often	33	0.3
		=====	=====
		9940	100
		=====	=====

% Mid-age cohort at Survey 2 by living arrangements and experienced period problems in the past 12 months

Family Status-M2	Period Problems-M2	Frequency Count	%
live alone	never/rarely	431	61.3
	sometimes	153	21.8
	often	119	16.9
		702	100
self, partner, no children	never/rarely	1917	62.2
	sometimes	652	21.1
	often	515	16.7
		3084	100
self, partner, with children	never/rarely	2692	54.5
	sometimes	1240	25.1
	often	1008	20.4
		4940	100
self, no partner, children	never/rarely	591	59.0
	sometimes	197	19.7
	often	214	21.4
		1003	100
self and others, no partner or children	never/rarely	138	65.5
	sometimes	40	18.8
	often	33	15.7
		211	100

% Mid-age cohort at Survey 2 by experienced period problems in the past 12 months and living arrangements

Period Problems-M2	Family Status-M2	Frequency Count	%
never/rarely	live alone	431	7.5
	self, partner, no children	1917	33.2
	self, partner, with children	2692	46.7
	self, no partner, children	591	10.2
	self and others, no partner or children	138	2.4
		5770	100
sometimes	live alone	153	6.7
	self, partner, no children	652	28.6
	self, partner, with children	1240	54.4
	self, no partner, children	197	8.7
	self and others, no partner or children	40	1.7
		2282	100
often	live alone	119	6.3
	self, partner, no children	515	27.3
	self, partner, with children	1008	53.4
	self, no partner, children	214	11.3
	self and others, no partner or children	33	1.8
		1889	100

% Mid-age cohort at Survey 3 by living arrangements and experienced period problems in the past 12 months

Family Status-M3	Period Problems-M3	Frequency Count	Percent of Total Frequency
live alone	never/rarely	762	7.5
	sometimes	83	0.8
	often	90	0.9
self, partner, no children	never/rarely	3412	33.7
	sometimes	498	4.9
	often	465	4.6
self, partner, with children	never/rarely	2664	26.3
	sometimes	546	5.4
	often	475	4.7
self, no partner, children	never/rarely	698	6.9
	sometimes	98	1.0
	often	95	0.9
self and others, no partner or children	never/rarely	202	2.0
	sometimes	16	0.2
	often	24	0.2
		=====	=====
		10129	100
		=====	=====

% Mid-age cohort at Survey 3 by living arrangements and experienced period problems in the past 12 months

Family Status-M3	Period Problems-M3	Frequency Count	%
live alone	never/rarely	762	81.5
	sometimes	83	8.9
	often	90	9.6
		935	100
self, partner, no children	never/rarely	3412	78.0
	sometimes	498	11.4
	often	465	10.6
		4375	100
self, partner, with children	never/rarely	2664	72.3
	sometimes	546	14.8
	often	475	12.9
		3685	100
self, no partner, children	never/rarely	698	78.3
	sometimes	98	11.0
	often	95	10.7
		891	100
self and others, no partner or children	never/rarely	202	83.5
	sometimes	16	6.4
	often	24	10.1
		242	100

% Mid-age cohort at Survey 3 by experienced period problems in the past 12 months and living arrangements

Period Problems-M3	Family Status-M3	Frequency Count	%
never/rarely	live alone	762	9.8
	self, partner, no children	3412	44.1
	self, partner, with children	2664	34.4
	self, no partner, children	698	9.0
	self and others, no partner or children	202	2.6
		7739	100
sometimes	live alone	83	6.7
	self, partner, no children	498	40.2
	self, partner, with children	546	44.0
	self, no partner, children	98	7.9
	self and others, no partner or children	16	1.3
		1241	100
often	live alone	90	7.8
	self, partner, no children	465	40.4
	self, partner, with children	475	41.3
	self, no partner, children	95	8.3
	self and others, no partner or children	24	2.1
		1149	100

FAMILY STATUS BY LOW IRON LEVEL M1, M2, M3

% Mid-age cohort at Survey 1 by living arrangements and ever diagnosed with low iron level

Family Status-M1	Low Iron Level-M1	Frequency Count	Percent of Total Frequency
live alone	No	534	5.2
	Yes	244	2.4
self, partner, no children	No	1715	16.8
	Yes	821	8.1
self, partner, with children	No	3943	38.7
	Yes	1949	19.1
self, no partner, children	No	584	5.7
	Yes	249	2.4
self and others, no partner or children	No	107	1.0
	Yes	53	0.5
		=====	=====
		10199	100
		=====	=====

% Mid-age cohort at Survey 1 by living arrangements and ever diagnosed with low iron level

Family Status-M1	Low Iron Level-M1	Frequency Count	%
live alone	No	534	68.7
	Yes	244	31.3
		778	100
self, partner, no children	No	1715	67.6
	Yes	821	32.4
		2536	100
self, partner, with children	No	3943	66.9
	Yes	1949	33.1
		5892	100
self, no partner, children	No	584	70.1
	Yes	249	29.9
		833	100
self and others, no partner or children	No	107	66.6
	Yes	53	33.4
		160	100

% Mid-age cohort at Survey 1 by ever diagnosed with low iron level and living arrangements

Low Iron Level-M1	Family Status-M1	Frequency Count	%
No	live alone	534	7.8
	self, partner, no children	1715	24.9
	self, partner, with children	3943	57.3
	self, no partner, children	584	8.5
	self and others, no partner or children	107	1.5
		6883	100
Yes	live alone	244	7.4
	self, partner, no children	821	24.8
	self, partner, with children	1949	58.8
	self, no partner, children	249	7.5
	self and others, no partner or children	53	1.6
		3316	100

% Mid-age cohort at Survey 2 by living arrangements and ever diagnosed with low iron level

Family Status-M2	Low Iron Level-M2	Frequency Count	Percent of Total Frequency
live alone	No	461	4.5
	Yes	251	2.5
self, partner, no children	No	1985	19.5
	Yes	1185	11.6
self, partner, with children	No	3125	30.7
	Yes	1924	18.9
self, no partner, children	No	614	6.0
	Yes	419	4.1
self and others, no partner or children	No	128	1.3
	Yes	87	0.9
		=====	=====
		10180	100
		=====	=====

% Mid-age cohort at Survey 2 by living arrangements and ever diagnosed with low iron level

Family Status-M2	Low Iron Level-M2	Frequency Count	%
live alone	No	461	64.7
	Yes	251	35.3
		713	100
self, partner, no children	No	1985	62.6
	Yes	1185	37.4
		3170	100
self, partner, with children	No	3125	61.9
	Yes	1924	38.1
		5049	100
self, no partner, children	No	614	59.4
	Yes	419	40.6
		1033	100
self and others, no partner or children	No	128	59.5
	Yes	87	40.5
		215	100

% Mid-age cohort at Survey 2 by ever diagnosed with low iron level and living arrangements

Low Iron Level-M2	Family Status-M2	Frequency Count	%
No	live alone	461	7.3
	self, partner, no children	1985	31.4
	self, partner, with children	3125	49.5
	self, no partner, children	614	9.7
	self and others, no partner or children	128	2.0
		6313	100
Yes	live alone	251	6.5
	self, partner, no children	1185	30.6
	self, partner, with children	1924	49.8
	self, no partner, children	419	10.8
	self and others, no partner or children	87	2.2
		3867	100

% Mid-age cohort at Survey 3 by living arrangements and ever diagnosed with low iron level

Family Status-M3	Low Iron Level-M3	Frequency Count	Percent of Total Frequency
live alone	No	572	5.4
	Yes	399	3.8
self, partner, no children	No	2744	26.0
	Yes	1801	17.1
self, partner, with children	No	2226	21.1
	Yes	1591	15.1
self, no partner, children	No	554	5.3
	Yes	392	3.7
self and others, no partner or children	No	147	1.4
	Yes	111	1.1
		=====	=====
		10536	100
		=====	=====

% Mid-age cohort at Survey 3 by living arrangements and ever diagnosed with low iron level

Family Status-M3	Low Iron Level-M3	Frequency Count	%
live alone	No	572	58.9
	Yes	399	41.1
		<hr/>	<hr/>
		971	100
self, partner, no children	No	2744	60.4
	Yes	1801	39.6
		<hr/>	<hr/>
		4545	100
self, partner, with children	No	2226	58.3
	Yes	1591	41.7
		<hr/>	<hr/>
		3817	100
self, no partner, children	No	554	58.6
	Yes	392	41.4
		<hr/>	<hr/>
		945	100
self and others, no partner or children	No	147	57.0
	Yes	111	43.0
		<hr/>	<hr/>
		258	100

% Mid-age cohort at Survey 3 by ever diagnosed with low iron level and living arrangements

Low Iron Level-M3	Family Status-M3	Frequency Count	%
No	live alone	572	9.2
	self, partner, no children	2744	44.0
	self, partner, with children	2226	35.7
	self, no partner, children	554	8.9
	self and others, no partner or children	147	2.4
			6242
Yes	live alone	399	9.3
	self, partner, no children	1801	41.9
	self, partner, with children	1591	37.1
	self, no partner, children	392	9.1
	self and others, no partner or children	111	2.6
			4294

PAID WORK BY STRESS WITH OWN HEALTH M2,M3

% Mid-age cohort at Survey 2 for sole person household:

hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	34	5.0
	some stress	64	9.4
	very stressed	24	3.6
1-34 hours	no stress	62	9.1
	some stress	85	12.5
	very stressed	9	1.3
35+ hours	no stress	230	33.9
	some stress	145	21.3
	very stressed	27	3.9
		=====	=====
		680	100
		=====	=====

% Mid-age cohort at Survey 2 for sole person household:
hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	%
no hours	no stress	34	27.9
	some stress	64	52.1
	very stressed	24	19.9
		123	100
1-34 hours	no stress	62	39.6
	some stress	85	54.8
	very stressed	9	5.5
		155	100
35+ hours	no stress	230	57.3
	some stress	145	36.1
	very stressed	27	6.6
		402	100

% Mid-age cohort at Survey 2 for sole person household:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	34	10.5
	1-34 hours	62	18.9
	35+ hours	230	70.6
		326	100
some stress	no hours	64	21.7
	1-34 hours	85	29.0
	35+ hours	145	49.3
		294	100
very stressed	no hours	24	41.0
	1-34 hours	9	14.4
	35+ hours	27	44.6
		60	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	379	12.7
	some stress	284	9.5
	very stressed	44	1.5
1-34 hours	no stress	587	19.7
	some stress	388	13.1
	very stressed	45	1.5
35+ hours	no stress	666	22.4
	some stress	517	17.4
	very stressed	67	2.3
		=====	=====
		2976	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	%
no hours	no stress	379	53.6
	some stress	284	40.2
	very stressed	44	6.2
		706	100
1-34 hours	no stress	587	57.5
	some stress	388	38.1
	very stressed	45	4.4
		1020	100
35+ hours	no stress	666	53.3
	some stress	517	41.4
	very stressed	67	5.4
		1250	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	379	23.2
	1-34 hours	587	36.0
	35+ hours	666	40.8
		1631	100
some stress	no hours	284	23.9
	1-34 hours	388	32.7
	35+ hours	517	43.5
		1189	100
very stressed	no hours	44	28.2
	1-34 hours	45	28.8
	35+ hours	67	43.1
		156	100

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	581	12.1
	some stress	427	8.9
	very stressed	90	1.9
1-34 hours	no stress	1106	22.9
	some stress	833	17.3
	very stressed	75	1.6
35+ hours	no stress	949	19.7
	some stress	711	14.7
	very stressed	48	1.0
		=====	=====
		4821	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	%
no hours	no stress	581	52.9
	some stress	427	38.9
	very stressed	90	8.2
		1098	100
1-34 hours	no stress	1106	54.9
	some stress	833	41.4
	very stressed	75	3.7
		2014	100
35+ hours	no stress	949	55.6
	some stress	711	41.6
	very stressed	48	2.8
		1708	100

% Mid-age cohort at Survey 2 where living with partner and children:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	581	22.0
	1-34 hours	1106	42.0
	35+ hours	949	36.0
		2636	100
some stress	no hours	427	21.7
	1-34 hours	833	42.3
	35+ hours	711	36.1
		1971	100
very stressed	no hours	90	42.0
	1-34 hours	75	35.3
	35+ hours	48	22.7
		214	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	75	7.8
	some stress	84	8.7
	very stressed	27	2.8
1-34 hours	no stress	163	16.9
	some stress	138	14.3
	very stressed	5	0.6
35+ hours	no stress	253	26.2
	some stress	200	20.8
	very stressed	19	2.0
		=====	=====
		965	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	%
no hours	no stress	75	40.5
	some stress	84	45.0
	very stressed	27	14.5
		186	100
1-34 hours	no stress	163	53.3
	some stress	138	44.9
	very stressed	5	1.8
		307	100
35+ hours	no stress	253	53.5
	some stress	200	42.4
	very stressed	19	4.0
		472	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	75	15.3
	1-34 hours	163	33.2
	35+ hours	253	51.4
		491	100
some stress	no hours	84	19.8
	1-34 hours	138	32.7
	35+ hours	200	47.5
		422	100
very stressed	no hours	27	52.2
	1-34 hours	5	10.7
	35+ hours	19	37.1
		51	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	17	8.2
	some stress	15	7.4
	very stressed	10	4.9
1-34 hours	no stress	21	10.2
	some stress	13	6.5
	very stressed	3	1.6
35+ hours	no stress	61	30.0
	some stress	61	30.0
	very stressed	2	1.2
		=====	=====
		202	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M2	Self-health Stress-M2	Frequency Count	%
no hours	no stress	17	40.1
	some stress	15	36.1
	very stressed	10	23.8
		41	100
1-34 hours	no stress	21	55.4
	some stress	13	35.7
	very stressed	3	8.9
		37	100
35+ hours	no stress	61	49.0
	some stress	61	49.0
	very stressed	2	2.0
		124	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	17	17.0
	1-34 hours	21	21.0
	35+ hours	61	62.0
		<hr/> 98	<hr/> 100
some stress	no hours	15	16.8
	1-34 hours	13	14.9
	35+ hours	61	68.3
		<hr/> 89	<hr/> 100
very stressed	no hours	10	63.2
	1-34 hours	3	21.2
	35+ hours	2	15.6
		<hr/> 16	<hr/> 100

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	56	5.9
	some stress	118	12.5
	very stressed	53	5.6
1-34 hours	no stress	110	11.7
	some stress	107	11.4
	very stressed	20	2.1
35+ hours	no stress	241	25.6
	some stress	212	22.4
	very stressed	27	2.8
		=====	=====
		943	100
		=====	=====

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	%
no hours	no stress	56	24.6
	some stress	118	52.0
	very stressed	53	23.3
		227	100
1-34 hours	no stress	110	46.4
	some stress	107	45.2
	very stressed	20	8.4
		237	100
35+ hours	no stress	241	50.3
	some stress	212	44.1
	very stressed	27	5.5
		479	100

% Mid-age cohort at Survey 3 for sole person household:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	56	13.7
	1-34 hours	110	27.1
	35+ hours	241	59.2
		407	100
some stress	no hours	118	27.0
	1-34 hours	107	24.6
	35+ hours	212	48.4
		437	100
very stressed	no hours	53	53.3
	1-34 hours	20	20.0
	35+ hours	27	26.7
		99	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	737	16.8
	some stress	674	15.3
	very stressed	108	2.5
1-34 hours	no stress	731	16.6
	some stress	593	13.5
	very stressed	50	1.1
35+ hours	no stress	837	19.0
	some stress	615	14.0
	very stressed	48	1.1
		=====	=====
		4394	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	%
no hours	no stress	737	48.5
	some stress	674	44.4
	very stressed	108	7.1
		1520	100
1-34 hours	no stress	731	53.2
	some stress	593	43.2
	very stressed	50	3.7
		1374	100
35+ hours	no stress	837	55.8
	some stress	615	41.0
	very stressed	48	3.2
		1500	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	737	32.0
	1-34 hours	731	31.7
	35+ hours	837	36.3
		2305	100
some stress	no hours	674	35.8
	1-34 hours	593	31.5
	35+ hours	615	32.7
		1883	100
very stressed	no hours	108	52.3
	1-34 hours	50	24.3
	35+ hours	48	23.4
		207	100

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	503	13.8
	some stress	521	14.2
	very stressed	65	1.8
1-34 hours	no stress	733	20.0
	some stress	547	14.9
	very stressed	43	1.2
35+ hours	no stress	630	17.2
	some stress	578	15.8
	very stressed	38	1.0
		=====	=====
		3657	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	%
no hours	no stress	503	46.2
	some stress	521	47.8
	very stressed	65	5.9
		1088	100
1-34 hours	no stress	733	55.4
	some stress	547	41.3
	very stressed	43	3.2
		1322	100
35+ hours	no stress	630	50.6
	some stress	578	46.4
	very stressed	38	3.1
		1246	100

% Mid-age cohort at Survey 3 where living with partner and children:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	503	27.0
	1-34 hours	733	39.3
	35+ hours	630	33.8
		1866	100
some stress	no hours	521	31.7
	1-34 hours	547	33.2
	35+ hours	578	35.1
		1645	100
very stressed	no hours	65	44.4
	1-34 hours	43	29.4
	35+ hours	38	26.3
		146	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	72	7.9
	some stress	116	12.7
	very stressed	33	3.7
1-34 hours	no stress	117	12.9
	some stress	128	14.0
	very stressed	23	2.5
35+ hours	no stress	217	23.8
	some stress	189	20.7
	very stressed	16	1.8
		=====	=====
		911	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	%
no hours	no stress	72	32.5
	some stress	116	52.4
	very stressed	33	15.1
		221	100
1-34 hours	no stress	117	43.7
	some stress	128	47.7
	very stressed	23	8.6
		268	100
35+ hours	no stress	217	51.4
	some stress	189	44.8
	very stressed	16	3.8
		422	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	72	17.7
	1-34 hours	117	28.9
	35+ hours	217	53.5
		<hr/>	<hr/>
		406	100
some stress	no hours	116	26.7
	1-34 hours	128	29.6
	35+ hours	189	43.7
		<hr/>	<hr/>
		433	100
very stressed	no hours	33	46.0
	1-34 hours	23	31.6
	35+ hours	16	22.3
		<hr/>	<hr/>
		73	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	15	5.9
	some stress	40	15.9
	very stressed	5	2.2
1-34 hours	no stress	40	15.8
	some stress	22	8.8
	very stressed	12	4.8
35+ hours	no stress	63	25.3
	some stress	45	17.8
	very stressed	9	3.5
		=====	=====
		251	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by self-health stress level felt in the past 12 months

Paid Work-M3	Self-health Stress-M3	Frequency Count	%
no hours	no stress	15	24.8
	some stress	40	66.2
	very stressed	5	9.0
		60	100
1-34 hours	no stress	40	53.6
	some stress	22	30.0
	very stressed	12	16.4
		74	100
35+ hours	no stress	63	54.2
	some stress	45	38.3
	very stressed	9	7.5
		117	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
self-health stress level felt in the past 12 months by hours of paid work/week

Self-health Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	15	12.6
	1-34 hours	40	33.6
	35+ hours	63	53.8
		118	100
some stress	no hours	40	37.3
	1-34 hours	22	20.8
	35+ hours	45	42.0
		107	100
very stressed	no hours	5	20.6
	1-34 hours	12	46.2
	35+ hours	9	33.2
		26	100

PAID WORK BY STRESS WITH WORK OR STUDY M2, M3

% Mid-age cohort at Survey 2 for sole person household:

hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	79	11.3
	some stress	29	4.2
	very stressed	19	2.7
1-34 hours	no stress	46	6.5
	some stress	86	12.4
	very stressed	25	3.6
35+ hours	no stress	95	13.6
	some stress	208	29.9
	very stressed	110	15.7
		=====	=====
		697	100
		=====	=====

% Mid-age cohort at Survey 2 for sole person household:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	%
no hours	no stress	79	62.1
	some stress	29	23.1
	very stressed	19	14.9
		127	100
1-34 hours	no stress	46	29.1
	some stress	86	55.0
	very stressed	25	15.9
		157	100
35+ hours	no stress	95	23.0
	some stress	208	50.5
	very stressed	110	26.6
		413	100

% Mid-age cohort at Survey 2 for sole person household:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	79	35.9
	1-34 hours	46	20.8
	35+ hours	95	43.3
		219	100
some stress	no hours	29	9.0
	1-34 hours	86	26.6
	35+ hours	208	64.3
		324	100
very stressed	no hours	19	12.3
	1-34 hours	25	16.2
	35+ hours	110	71.5
		153	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	580	18.9
	some stress	103	3.4
	very stressed	46	1.5
1-34 hours	no stress	494	16.1
	some stress	469	15.3
	very stressed	83	2.7
35+ hours	no stress	303	9.9
	some stress	712	23.2
	very stressed	281	9.1
		=====	=====
		3070	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	%
no hours	no stress	580	79.6
	some stress	103	14.1
	very stressed	46	6.3
		729	100
1-34 hours	no stress	494	47.2
	some stress	469	44.9
	very stressed	83	7.9
		1046	100
35+ hours	no stress	303	23.4
	some stress	712	55.0
	very stressed	281	21.7
		1295	100

% Mid-age cohort at Survey 2 where living with partner, no children:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	580	42.1
	1-34 hours	494	35.9
	35+ hours	303	22.0
		1377	100
some stress	no hours	103	8.0
	1-34 hours	469	36.5
	35+ hours	712	55.4
		1284	100
very stressed	no hours	46	11.2
	1-34 hours	83	20.2
	35+ hours	281	68.5
		409	100

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	874	17.7
	some stress	210	4.3
	very stressed	45	0.9
1-34 hours	no stress	880	17.8
	some stress	962	19.5
	very stressed	212	4.3
35+ hours	no stress	429	8.7
	some stress	1001	20.3
	very stressed	318	6.5
		=====	=====
		4932	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	%
no hours	no stress	874	77.3
	some stress	210	18.6
	very stressed	45	4.0
		1129	100
1-34 hours	no stress	880	42.9
	some stress	962	46.8
	very stressed	212	10.3
		2054	100
35+ hours	no stress	429	24.5
	some stress	1001	57.3
	very stressed	318	18.2
		1748	100

% Mid-age cohort at Survey 2 where living with partner and children:
 work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	874	40.0
	1-34 hours	880	40.3
	35+ hours	429	19.7
		2183	100
some stress	no hours	210	9.7
	1-34 hours	962	44.3
	35+ hours	1001	46.1
		2174	100
very stressed	no hours	45	7.9
	1-34 hours	212	36.8
	35+ hours	318	55.3
		576	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	138	13.9
	some stress	30	3.1
	very stressed	25	2.5
1-34 hours	no stress	136	13.7
	some stress	134	13.5
	very stressed	47	4.7
35+ hours	no stress	81	8.2
	some stress	311	31.2
	very stressed	92	9.2
		=====	=====
		994	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	%
no hours	no stress	138	71.3
	some stress	30	15.7
	very stressed	25	13.0
		194	100
1-34 hours	no stress	136	42.9
	some stress	134	42.4
	very stressed	47	14.7
		317	100
35+ hours	no stress	81	16.8
	some stress	311	64.2
	very stressed	92	19.0
		484	100

% Mid-age cohort at Survey 2 where living with children, no partner:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	138	38.8
	1-34 hours	136	38.2
	35+ hours	81	22.9
		<hr/>	<hr/>
		355	100
some stress	no hours	30	6.4
	1-34 hours	134	28.3
	35+ hours	311	65.3
		<hr/>	<hr/>
		476	100
very stressed	no hours	25	15.4
	1-34 hours	47	28.5
	35+ hours	92	56.2
		<hr/>	<hr/>
		164	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	29	14.0
	some stress	8	3.8
	very stressed	6	2.7
1-34 hours	no stress	16	7.6
	some stress	12	5.6
	very stressed	10	4.9
35+ hours	no stress	28	13.5
	some stress	61	29.1
	very stressed	39	18.8
		=====	=====
		209	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M2	Work Study Stress-M2	Frequency Count	%
no hours	no stress	29	68.2
	some stress	8	18.5
	very stressed	6	13.3
		43	100
1-34 hours	no stress	16	42.1
	some stress	12	31.1
	very stressed	10	26.8
		38	100
35+ hours	no stress	28	22.0
	some stress	61	47.4
	very stressed	39	30.6
		128	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	29	39.8
	1-34 hours	16	21.8
	35+ hours	28	38.5
		73	100
some stress	no hours	8	9.8
	1-34 hours	12	14.6
	35+ hours	61	75.5
		81	100
very stressed	no hours	6	10.3
	1-34 hours	10	18.4
	35+ hours	39	71.3
		55	100

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	157	16.1
	some stress	47	4.9
	very stressed	31	3.2
1-34 hours	no stress	93	9.6
	some stress	117	12.0
	very stressed	34	3.5
35+ hours	no stress	139	14.3
	some stress	237	24.4
	very stressed	116	11.9
		=====	=====
		971	100
		=====	=====

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	%
no hours	no stress	157	66.6
	some stress	47	20.1
	very stressed	31	13.3
		235	100
1-34 hours	no stress	93	38.2
	some stress	117	47.9
	very stressed	34	13.9
		244	100
35+ hours	no stress	139	28.2
	some stress	237	48.2
	very stressed	116	23.6
		492	100

% Mid-age cohort at Survey 3 for sole person household:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	157	40.3
	1-34 hours	93	24.0
	35+ hours	139	35.7
		389	100
some stress	no hours	47	11.8
	1-34 hours	117	29.1
	35+ hours	237	59.1
		401	100
very stressed	no hours	31	17.2
	1-34 hours	34	18.7
	35+ hours	116	64.0
		181	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	1175	26.0
	some stress	281	6.2
	very stressed	105	2.3
1-34 hours	no stress	661	14.6
	some stress	634	14.0
	very stressed	120	2.7
35+ hours	no stress	426	9.4
	some stress	864	19.1
	very stressed	249	5.5
		===== 4516 =====	===== 100 =====

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	%
no hours	no stress	1175	75.3
	some stress	281	18.0
	very stressed	105	6.7
		1561	100
1-34 hours	no stress	661	46.7
	some stress	634	44.8
	very stressed	120	8.5
		1416	100
35+ hours	no stress	426	27.7
	some stress	864	56.1
	very stressed	249	16.2
		1539	100

% Mid-age cohort at Survey 3 where living with partner, no children:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	1175	52.0
	1-34 hours	661	29.2
	35+ hours	426	18.8
		2262	100
some stress	no hours	281	15.8
	1-34 hours	634	35.6
	35+ hours	864	48.6
		1779	100
very stressed	no hours	105	22.1
	1-34 hours	120	25.4
	35+ hours	249	52.6
		474	100

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	859	22.8
	some stress	206	5.5
	very stressed	66	1.7
1-34 hours	no stress	599	15.9
	some stress	646	17.1
	very stressed	115	3.0
35+ hours	no stress	317	8.4
	some stress	764	20.2
	very stressed	202	5.4
		=====	=====
		3774	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	%
no hours	no stress	859	75.9
	some stress	206	18.2
	very stressed	66	5.8
		1131	100
1-34 hours	no stress	599	44.0
	some stress	646	47.5
	very stressed	115	8.5
		1360	100
35+ hours	no stress	317	24.7
	some stress	764	59.5
	very stressed	202	15.7
		1283	100

% Mid-age cohort at Survey 3 where living with partner and children:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	859	48.4
	1-34 hours	599	33.7
	35+ hours	317	17.9
		1775	100
some stress	no hours	206	12.8
	1-34 hours	646	40.0
	35+ hours	764	47.3
		1616	100
very stressed	no hours	66	17.2
	1-34 hours	115	30.0
	35+ hours	202	52.8
		383	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	161	17.0
	some stress	45	4.7
	very stressed	26	2.7
1-34 hours	no stress	110	11.6
	some stress	134	14.2
	very stressed	36	3.8
35+ hours	no stress	79	8.3
	some stress	260	27.5
	very stressed	97	10.2
		=====	=====
		947	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	%
no hours	no stress	161	69.5
	some stress	45	19.3
	very stressed	26	11.2
		231	100
1-34 hours	no stress	110	39.3
	some stress	134	47.9
	very stressed	36	12.7
		280	100
35+ hours	no stress	79	18.1
	some stress	260	59.8
	very stressed	97	22.2
		436	100

% Mid-age cohort at Survey 3 where living with children, no partner:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	161	46.0
	1-34 hours	110	31.5
	35+ hours	79	22.5
		<hr/> 350	<hr/> 100
some stress	no hours	45	10.2
	1-34 hours	134	30.6
	35+ hours	260	59.3
		<hr/> 439	<hr/> 100
very stressed	no hours	26	16.4
	1-34 hours	36	22.6
	35+ hours	97	61.0
		<hr/> 158	<hr/> 100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	48	19.1
	some stress	8	3.0
	very stressed	4	1.7
1-34 hours	no stress	25	10.0
	some stress	36	14.0
	very stressed	15	5.9
35+ hours	no stress	34	13.3
	some stress	52	20.4
	very stressed	32	12.5
		=====	=====
		253	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by work/study stress level felt in the past 12 months

Paid Work-M3	Work Study Stress-M3	Frequency Count	%
no hours	no stress	48	80.2
	some stress	8	12.5
	very stressed	4	7.3
		60	100
1-34 hours	no stress	25	33.3
	some stress	36	46.9
	very stressed	15	19.8
		76	100
35+ hours	no stress	34	28.8
	some stress	52	44.2
	very stressed	32	27.0
		117	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
work/study stress level felt in the past 12 months by hours of paid work/week

Work Study Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	48	45.1
	1-34 hours	25	23.5
	35+ hours	34	31.4
		108	100
some stress	no hours	8	8.0
	1-34 hours	36	37.5
	35+ hours	52	54.6
		95	100
very stressed	no hours	4	8.7
	1-34 hours	15	29.4
	35+ hours	32	62.0
		51	100

PAID WORK BY STRESS WITH MONEY M2, M3

% Mid-age cohort at Survey 2 for sole person household:

hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	23	3.3
	some stress	68	9.8
	very stressed	35	5.1
1-34 hours	no stress	39	5.6
	some stress	89	12.9
	very stressed	27	4.0
35+ hours	no stress	170	24.6
	some stress	194	28.0
	very stressed	45	6.5
		=====	=====
		691	100
		=====	=====

% Mid-age cohort at Survey 2 for sole person household:
hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	%
no hours	no stress	23	18.3
	some stress	68	53.8
	very stressed	35	27.9
		126	100
1-34 hours	no stress	39	25.0
	some stress	89	57.4
	very stressed	27	17.6
		156	100
35+ hours	no stress	170	41.6
	some stress	194	47.4
	very stressed	45	11.0
		409	100

% Mid-age cohort at Survey 2 for sole person household:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	23	10.0
	1-34 hours	39	16.8
	35+ hours	170	73.2
		232	100
some stress	no hours	68	19.4
	1-34 hours	89	25.5
	35+ hours	194	55.2
		351	100
very stressed	no hours	35	32.8
	1-34 hours	27	25.4
	35+ hours	45	41.7
		108	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	342	11.3
	some stress	309	10.2
	very stressed	70	2.3
1-34 hours	no stress	489	16.1
	some stress	467	15.4
	very stressed	74	2.5
35+ hours	no stress	603	19.9
	some stress	560	18.5
	very stressed	112	3.7
		=====	=====
		3027	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	%
no hours	no stress	342	47.4
	some stress	309	42.9
	very stressed	70	9.7
		721	100
1-34 hours	no stress	489	47.4
	some stress	467	45.3
	very stressed	74	7.2
		1030	100
35+ hours	no stress	603	47.3
	some stress	560	43.9
	very stressed	112	8.8
		1275	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	342	23.9
	1-34 hours	489	34.1
	35+ hours	603	42.1
		1434	100
some stress	no hours	309	23.2
	1-34 hours	467	35.0
	35+ hours	560	41.9
		1336	100
very stressed	no hours	70	27.2
	1-34 hours	74	29.1
	35+ hours	112	43.8
		256	100

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	481	9.9
	some stress	511	10.5
	very stressed	119	2.5
1-34 hours	no stress	906	18.6
	some stress	933	19.2
	very stressed	186	3.8
35+ hours	no stress	767	15.8
	some stress	821	16.9
	very stressed	136	2.8
		===== 4860 =====	===== 100 =====

% Mid-age cohort at Survey 2 where living with partner and children:
hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	%
no hours	no stress	481	43.3
	some stress	511	46.0
	very stressed	119	10.7
		1112	100
1-34 hours	no stress	906	44.7
	some stress	933	46.1
	very stressed	186	9.2
		2025	100
35+ hours	no stress	767	44.5
	some stress	821	47.6
	very stressed	136	7.9
		1723	100

% Mid-age cohort at Survey 2 where living with partner and children:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	481	22.3
	1-34 hours	906	42.1
	35+ hours	767	35.6
		2154	100
some stress	no hours	511	22.6
	1-34 hours	933	41.2
	35+ hours	821	36.2
		2265	100
very stressed	no hours	119	27.1
	1-34 hours	186	42.2
	35+ hours	136	30.8
		441	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	49	5.0
	some stress	71	7.2
	very stressed	72	7.3
1-34 hours	no stress	85	8.7
	some stress	149	15.1
	very stressed	75	7.7
35+ hours	no stress	103	10.5
	some stress	309	31.4
	very stressed	70	7.1
		=====	=====
		983	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	%
no hours	no stress	49	25.5
	some stress	71	36.9
	very stressed	72	37.5
		192	100
1-34 hours	no stress	85	27.6
	some stress	149	48.1
	very stressed	75	24.3
		309	100
35+ hours	no stress	103	21.4
	some stress	309	64.1
	very stressed	70	14.5
		482	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	49	20.7
	1-34 hours	85	35.9
	35+ hours	103	43.4
		237	100
some stress	no hours	71	13.4
	1-34 hours	149	28.1
	35+ hours	309	58.5
		529	100
very stressed	no hours	72	33.2
	1-34 hours	75	34.6
	35+ hours	70	32.2
		217	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	11	5.2
	some stress	20	9.9
	very stressed	10	4.9
1-34 hours	no stress	13	6.3
	some stress	19	9.2
	very stressed	6	2.8
35+ hours	no stress	52	24.9
	some stress	66	31.8
	very stressed	10	5.0
		=====	=====
		208	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M2	Money Stress-M2	Frequency Count	%
no hours	no stress	11	26.2
	some stress	20	49.4
	very stressed	10	24.5
		42	100
1-34 hours	no stress	13	34.4
	some stress	19	50.5
	very stressed	6	15.1
		38	100
35+ hours	no stress	52	40.4
	some stress	66	51.5
	very stressed	10	8.2
		128	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	11	14.3
	1-34 hours	13	17.2
	35+ hours	52	68.4
		76	100
some stress	no hours	20	19.4
	1-34 hours	19	18.1
	35+ hours	66	62.5
		106	100
very stressed	no hours	10	38.5
	1-34 hours	6	21.7
	35+ hours	10	39.7
		26	100

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	46	4.9
	some stress	108	11.5
	very stressed	70	7.4
1-34 hours	no stress	74	7.9
	some stress	125	13.3
	very stressed	40	4.2
35+ hours	no stress	180	19.2
	some stress	251	26.7
	very stressed	47	5.0
		=====	=====
		941	100
		=====	=====

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	%
no hours	no stress	46	20.5
	some stress	108	48.4
	very stressed	70	31.1
		223	100
1-34 hours	no stress	74	31.1
	some stress	125	52.3
	very stressed	40	16.6
		239	100
35+ hours	no stress	180	37.7
	some stress	251	52.5
	very stressed	47	9.8
		478	100

% Mid-age cohort at Survey 3 for sole person household:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	46	15.2
	1-34 hours	74	24.7
	35+ hours	180	60.0
		301	100
some stress	no hours	108	22.3
	1-34 hours	125	25.8
	35+ hours	251	51.8
		484	100
very stressed	no hours	70	44.6
	1-34 hours	40	25.5
	35+ hours	47	29.9
		156	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	716	16.5
	some stress	636	14.7
	very stressed	136	3.1
1-34 hours	no stress	658	15.2
	some stress	602	13.9
	very stressed	102	2.3
35+ hours	no stress	724	16.7
	some stress	666	15.3
	very stressed	101	2.3
		=====	=====
		4340	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	%
no hours	no stress	716	48.1
	some stress	636	42.8
	very stressed	136	9.1
		1488	100
1-34 hours	no stress	658	48.3
	some stress	602	44.2
	very stressed	102	7.5
		1361	100
35+ hours	no stress	724	48.6
	some stress	666	44.7
	very stressed	101	6.8
		1491	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	716	34.1
	1-34 hours	658	31.3
	35+ hours	724	34.5
		2098	100
some stress	no hours	636	33.4
	1-34 hours	602	31.6
	35+ hours	666	35.0
		1904	100
very stressed	no hours	136	40.2
	1-34 hours	102	30.1
	35+ hours	101	29.7
		339	100

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	485	13.3
	some stress	464	12.8
	very stressed	105	2.9
1-34 hours	no stress	608	16.7
	some stress	619	17.1
	very stressed	106	2.9
35+ hours	no stress	502	13.8
	some stress	640	17.6
	very stressed	103	2.8
		=====	=====
		3632	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	%
no hours	no stress	485	46.0
	some stress	464	44.0
	very stressed	105	10.0
		1054	100
1-34 hours	no stress	608	45.6
	some stress	619	46.4
	very stressed	106	8.0
		1333	100
35+ hours	no stress	502	40.3
	some stress	640	51.5
	very stressed	103	8.2
		1245	100

% Mid-age cohort at Survey 3 where living with partner and children:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	485	30.4
	1-34 hours	608	38.1
	35+ hours	502	31.5
		1594	100
some stress	no hours	464	26.9
	1-34 hours	619	35.9
	35+ hours	640	37.2
		1724	100
very stressed	no hours	105	33.5
	1-34 hours	106	33.8
	35+ hours	103	32.7
		314	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	59	6.4
	some stress	106	11.6
	very stressed	58	6.3
1-34 hours	no stress	70	7.7
	some stress	145	15.8
	very stressed	56	6.1
35+ hours	no stress	115	12.6
	some stress	249	27.3
	very stressed	57	6.2
		=====	=====
		914	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	%
no hours	no stress	59	26.5
	some stress	106	47.6
	very stressed	58	25.9
		222	100
1-34 hours	no stress	70	25.9
	some stress	145	53.5
	very stressed	56	20.6
		270	100
35+ hours	no stress	115	27.4
	some stress	249	59.1
	very stressed	57	13.5
		421	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	59	24.1
	1-34 hours	70	28.6
	35+ hours	115	47.2
		244	100
some stress	no hours	106	21.2
	1-34 hours	145	28.9
	35+ hours	249	49.9
		500	100
very stressed	no hours	58	33.8
	1-34 hours	56	32.7
	35+ hours	57	33.5
		170	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	20	8.0
	some stress	22	8.9
	very stressed	15	6.2
1-34 hours	no stress	19	7.9
	some stress	35	14.4
	very stressed	17	6.8
35+ hours	no stress	56	22.8
	some stress	60	24.7
	very stressed	1	0.4
		=====	=====
		244	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
hours of paid work/week by money stress level felt in the past 12 months

Paid Work-M3	Money Stress-M3	Frequency Count	%
no hours	no stress	20	34.8
	some stress	22	38.5
	very stressed	15	26.7
		56	100
1-34 hours	no stress	19	27.2
	some stress	35	49.5
	very stressed	17	23.3
		71	100
35+ hours	no stress	56	47.6
	some stress	60	51.6
	very stressed	1	0.7
		117	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 money stress level felt in the past 12 months by hours of paid work/week

Money Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	20	20.7
	1-34 hours	19	20.4
	35+ hours	56	58.9
		94	100
some stress	no hours	22	18.5
	1-34 hours	35	30.0
	35+ hours	60	51.5
		117	100
very stressed	no hours	15	46.3
	1-34 hours	17	51.0
	35+ hours	1	2.7
		32	100

PAID WORK BY STRESS WITH REALATIONSHIPS M2, M3

% Mid-age cohort at Survey 2 for sole person household:

hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	69	9.9
	some stress	51	7.3
	very stressed	7	1.0
1-34 hours	no stress	82	11.8
	some stress	71	10.3
	very stressed	3	0.5
35+ hours	no stress	261	37.6
	some stress	141	20.4
	very stressed	8	1.2
		=====	=====
		694	100
		=====	=====

% Mid-age cohort at Survey 2 for sole person household:
hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	%
no hours	no stress	69	54.5
	some stress	51	40.1
	very stressed	7	5.4
		126	100
1-34 hours	no stress	82	52.4
	some stress	71	45.5
	very stressed	3	2.2
		157	100
35+ hours	no stress	261	63.5
	some stress	141	34.4
	very stressed	8	2.0
		411	100

% Mid-age cohort at Survey 2 for sole person household:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	69	16.7
	1-34 hours	82	19.9
	35+ hours	261	63.3
		<hr/>	<hr/>
		412	100
some stress	no hours	51	19.3
	1-34 hours	71	27.0
	35+ hours	141	53.7
		<hr/>	<hr/>
		263	100
very stressed	no hours	7	36.7
	1-34 hours	3	18.4
	35+ hours	8	45.0
		<hr/>	<hr/>
		19	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	359	11.8
	some stress	349	11.4
	very stressed	15	0.5
1-34 hours	no stress	499	16.4
	some stress	528	17.3
	very stressed	13	0.4
35+ hours	no stress	642	21.0
	some stress	629	20.6
	very stressed	15	0.5
		=====	=====
		3049	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	%
no hours	no stress	359	49.6
	some stress	349	48.3
	very stressed	15	2.1
		<hr/>	<hr/>
		723	100
1-34 hours	no stress	499	48.0
	some stress	528	50.8
	very stressed	13	1.3
		<hr/>	<hr/>
		1040	100
35+ hours	no stress	642	49.9
	some stress	629	48.9
	very stressed	15	1.1
		<hr/>	<hr/>
		1286	100

% Mid-age cohort at Survey 2 where living with partner, no children:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	359	23.9
	1-34 hours	499	33.3
	35+ hours	642	42.8
		1500	100
some stress	no hours	349	23.2
	1-34 hours	528	35.1
	35+ hours	629	41.8
		1507	100
very stressed	no hours	15	35.4
	1-34 hours	13	30.3
	35+ hours	15	34.2
		43	100

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	478	9.7
	some stress	628	12.8
	very stressed	18	0.4
1-34 hours	no stress	687	14.0
	some stress	1316	26.8
	very stressed	41	0.8
35+ hours	no stress	651	13.3
	some stress	1069	21.8
	very stressed	22	0.4
		=====	=====
		4910	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	%
no hours	no stress	478	42.5
	some stress	628	55.9
	very stressed	18	1.6
		1124	100
1-34 hours	no stress	687	33.6
	some stress	1316	64.4
	very stressed	41	2.0
		2044	100
35+ hours	no stress	651	37.4
	some stress	1069	61.4
	very stressed	22	1.2
		1742	100

% Mid-age cohort at Survey 2 where living with partner and children:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	478	26.3
	1-34 hours	687	37.8
	35+ hours	651	35.9
		1816	100
some stress	no hours	628	20.8
	1-34 hours	1316	43.7
	35+ hours	1069	35.5
		3013	100
very stressed	no hours	18	22.4
	1-34 hours	41	50.8
	35+ hours	22	26.8
		81	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	94	9.5
	some stress	88	8.9
	very stressed	9	0.9
1-34 hours	no stress	149	15.1
	some stress	157	15.9
	very stressed	8	0.8
35+ hours	no stress	211	21.3
	some stress	263	26.6
	very stressed	9	0.9
		=====	=====
		989	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	%
no hours	no stress	94	49.0
	some stress	88	46.1
	very stressed	9	4.8
		192	100
1-34 hours	no stress	149	47.5
	some stress	157	50.0
	very stressed	8	2.5
		314	100
35+ hours	no stress	211	43.7
	some stress	263	54.4
	very stressed	9	1.8
		482	100

% Mid-age cohort at Survey 2 where living with children, no partner:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	94	20.7
	1-34 hours	149	32.9
	35+ hours	211	46.4
		455	100
some stress	no hours	88	17.4
	1-34 hours	157	30.9
	35+ hours	263	51.7
		508	100
very stressed	no hours	9	35.9
	1-34 hours	8	29.9
	35+ hours	9	34.2
		26	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	Percent of Total Frequency
no hours	no stress	21	10.1
	some stress	20	9.8
	very stressed	1	0.4
1-34 hours	no stress	27	12.7
	some stress	11	5.2
35+ hours	no stress	85	40.9
	some stress	43	20.6
	very stressed	0	0.2
		=====	=====
		208	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M2	Relationship Stress-M2	Frequency Count	%
no hours	no stress	21	49.6
	some stress	20	48.4
	very stressed	1	2.0
		42	100
1-34 hours	no stress	27	70.8
	some stress	11	29.2
		37	100
35+ hours	no stress	85	66.3
	some stress	43	33.3
	very stressed	0	0.3
		128	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M2	Paid Work-M2	Frequency Count	%
no stress	no hours	21	15.8
	1-34 hours	27	20.0
	35+ hours	85	64.2
		133	100
some stress	no hours	20	27.6
	1-34 hours	11	14.7
	35+ hours	43	57.7
		74	100
very stressed	no hours	1	65.5
	35+ hours	0	34.5
		1	100

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	122	12.6
	some stress	106	10.9
	very stressed	6	0.6
1-34 hours	no stress	169	17.5
	some stress	74	7.6
	very stressed	1	0.1
35+ hours	no stress	329	34.0
	some stress	159	16.5
	very stressed	1	0.1
		=====	=====
		967	100
		=====	=====

% Mid-age cohort at Survey 3 for sole person household:
hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	%
no hours	no stress	122	52.3
	some stress	106	45.3
	very stressed	6	2.4
		<hr/>	<hr/>
		234	100
1-34 hours	no stress	169	69.4
	some stress	74	30.3
	very stressed	1	0.4
		<hr/>	<hr/>
		244	100
35+ hours	no stress	329	67.2
	some stress	159	32.6
	very stressed	1	0.2
		<hr/>	<hr/>
		490	100

% Mid-age cohort at Survey 3 for sole person household:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	122	19.7
	1-34 hours	169	27.3
	35+ hours	329	53.0
		621	100
some stress	no hours	106	31.2
	1-34 hours	74	21.8
	35+ hours	159	47.0
		339	100
very stressed	no hours	6	75.0
	1-34 hours	1	11.7
	35+ hours	1	13.4
		7	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	833	18.5
	some stress	700	15.6
	very stressed	22	0.5
1-34 hours	no stress	711	15.8
	some stress	677	15.1
	very stressed	21	0.5
35+ hours	no stress	789	17.6
	some stress	732	16.3
	very stressed	12	0.3
		=====	=====
		4495	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	%
no hours	no stress	833	53.6
	some stress	700	45.0
	very stressed	22	1.4
		1554	100
1-34 hours	no stress	711	50.5
	some stress	677	48.0
	very stressed	21	1.5
		1408	100
35+ hours	no stress	789	51.5
	some stress	732	47.7
	very stressed	12	0.8
		1533	100

% Mid-age cohort at Survey 3 where living with partner, no children:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	833	35.7
	1-34 hours	711	30.5
	35+ hours	789	33.8
		2332	100
some stress	no hours	700	33.2
	1-34 hours	677	32.1
	35+ hours	732	34.7
		2108	100
very stressed	no hours	22	39.4
	1-34 hours	21	38.6
	35+ hours	12	22.0
		55	100

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	485	12.9
	some stress	623	16.6
	very stressed	13	0.3
1-34 hours	no stress	522	13.9
	some stress	826	22.0
	very stressed	9	0.2
35+ hours	no stress	492	13.1
	some stress	771	20.5
	very stressed	17	0.5
		=====	=====
		3758	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	%
no hours	no stress	485	43.3
	some stress	623	55.6
	very stressed	13	1.2
		<hr/>	<hr/>
		1121	100
1-34 hours	no stress	522	38.5
	some stress	826	60.8
	very stressed	9	0.7
		<hr/>	<hr/>
		1357	100
35+ hours	no stress	492	38.4
	some stress	771	60.2
	very stressed	17	1.4
		<hr/>	<hr/>
		1280	100

% Mid-age cohort at Survey 3 where living with partner and children:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	485	32.3
	1-34 hours	522	34.8
	35+ hours	492	32.8
		1499	100
some stress	no hours	623	28.1
	1-34 hours	826	37.2
	35+ hours	771	34.7
		2220	100
very stressed	no hours	13	33.0
	1-34 hours	9	22.8
	35+ hours	17	44.2
		39	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	111	11.7
	some stress	118	12.5
	very stressed	2	0.2
1-34 hours	no stress	138	14.6
	some stress	134	14.2
	very stressed	7	0.8
35+ hours	no stress	213	22.6
	some stress	215	22.8
	very stressed	5	0.6
		=====	=====
		943	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	%
no hours	no stress	111	48.0
	some stress	118	51.2
	very stressed	2	0.8
		<hr/>	<hr/>
		230	100
1-34 hours	no stress	138	49.2
	some stress	134	48.1
	very stressed	7	2.7
		<hr/>	<hr/>
		279	100
35+ hours	no stress	213	49.1
	some stress	215	49.7
	very stressed	5	1.2
		<hr/>	<hr/>
		434	100

% Mid-age cohort at Survey 3 where living with children, no partner:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	111	24.0
	1-34 hours	138	29.8
	35+ hours	213	46.2
		461	100
some stress	no hours	118	25.2
	1-34 hours	134	28.7
	35+ hours	215	46.0
		468	100
very stressed	no hours	2	12.9
	1-34 hours	7	50.8
	35+ hours	5	36.3
		15	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	Percent of Total Frequency
no hours	no stress	36	14.3
	some stress	23	9.3
	very stressed	0	0.2
1-34 hours	no stress	44	17.3
	some stress	29	11.4
	very stressed	3	1.4
35+ hours	no stress	79	31.0
	some stress	36	14.3
	very stressed	2	1.0
		=====	=====
		253	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
hours of paid work/week by relationship stress level felt in the past 12 months

Paid Work-M3	Relationship Stress-M3	Frequency Count	%
no hours	no stress	36	60.3
	some stress	23	39.0
	very stressed	0	0.7
		60	100
1-34 hours	no stress	44	57.6
	some stress	29	37.9
	very stressed	3	4.5
		76	100
35+ hours	no stress	79	67.0
	some stress	36	30.9
	very stressed	2	2.1
		117	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
relationship stress level felt in the past 12 months by hours of paid work/week

Relationship Stress-M3	Paid Work-M3	Frequency Count	%
no stress	no hours	36	22.8
	1-34 hours	44	27.6
	35+ hours	79	49.6
		158	100
some stress	no hours	23	26.5
	1-34 hours	29	32.5
	35+ hours	36	41.0
		88	100
very stressed	no hours	0	6.9
	1-34 hours	3	54.5
	35+ hours	2	38.6
		6	100

PAID WORK BY DEPRESSION M2, M3

% Mid-age cohort at Survey 2 for sole person household:

hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	Percent of Total Frequency
no hours	No	64	9.4
	Yes	61	9.0
1-34 hours	No	99	14.6
	Yes	51	7.5
35+ hours	No	302	44.4
	Yes	102	15.1
		=====	=====
		679	100
		=====	=====

% Mid-age cohort at Survey 2 for sole person household:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	%
no hours	No	64	51.0
	Yes	61	49.0
		124	100
1-34 hours	No	99	66.0
	Yes	51	34.0
		151	100
35+ hours	No	302	74.7
	Yes	102	25.3
		404	100

% Mid-age cohort at Survey 2 for sole person household:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M2	Paid Work-M2	Frequency Count	%
No	no hours	64	13.7
	1-34 hours	99	21.4
	35+ hours	302	64.9
		<hr/> 465	<hr/> 100
Yes	no hours	61	28.4
	1-34 hours	51	23.9
	35+ hours	102	47.7
		<hr/> 214	<hr/> 100

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	Percent of Total Frequency
no hours	No	534	17.7
	Yes	184	6.1
1-34 hours	No	852	28.2
	Yes	174	5.8
35+ hours	No	981	32.5
	Yes	294	9.7
		=====	=====
		3019	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	%
no hours	No	534	74.3
	Yes	184	25.7
		<hr/>	<hr/>
		719	100
1-34 hours	No	852	83.0
	Yes	174	17.0
		<hr/>	<hr/>
		1026	100
35+ hours	No	981	77.0
	Yes	294	23.0
		<hr/>	<hr/>
		1275	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M2	Paid Work-M2	Frequency Count	%
No	no hours	534	22.6
	1-34 hours	852	36.0
	35+ hours	981	41.4
		2367	100
Yes	no hours	184	28.3
	1-34 hours	174	26.7
	35+ hours	294	45.0
		652	100

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	Percent of Total Frequency
no hours	No	826	17.0
	Yes	286	5.9
1-34 hours	No	1620	33.3
	Yes	405	8.3
35+ hours	No	1394	28.6
	Yes	336	6.9
		=====	=====
		4867	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	%
no hours	No	826	74.3
	Yes	286	25.7
		<hr/>	<hr/>
		1112	100
1-34 hours	No	1620	80.0
	Yes	405	20.0
		<hr/>	<hr/>
		2025	100
35+ hours	No	1394	80.6
	Yes	336	19.4
		<hr/>	<hr/>
		1730	100

% Mid-age cohort at Survey 2 where living with partner and children:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M2	Paid Work-M2	Frequency Count	%
No	no hours	826	21.5
	1-34 hours	1620	42.2
	35+ hours	1394	36.3
		<hr/>	<hr/>
		3840	100
Yes	no hours	286	27.9
	1-34 hours	405	39.5
	35+ hours	336	32.7
		<hr/>	<hr/>
		1027	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	Percent of Total Frequency
no hours	No	113	11.5
	Yes	76	7.8
1-34 hours	No	213	21.8
	Yes	100	10.2
35+ hours	No	363	37.0
	Yes	115	11.7
		=====	=====
		980	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	%
no hours	No	113	59.6
	Yes	76	40.4
		<hr/>	<hr/>
		189	100
1-34 hours	No	213	68.1
	Yes	100	31.9
		<hr/>	<hr/>
		313	100
35+ hours	No	363	76.0
	Yes	115	24.0
		<hr/>	<hr/>
		478	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M2	Paid Work-M2	Frequency Count	%
No	no hours	113	16.4
	1-34 hours	213	31.0
	35+ hours	363	52.7
		<hr/> 689	<hr/> 100
Yes	no hours	76	26.3
	1-34 hours	100	34.3
	35+ hours	115	39.5
		<hr/> 291	<hr/> 100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	Percent of Total Frequency
no hours	No	23	11.2
	Yes	19	9.2
1-34 hours	No	30	14.7
	Yes	7	3.6
35+ hours	No	89	43.1
	Yes	37	18.0
		===== 207	===== 100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M2	Depression-M2	Frequency Count	%
no hours	No	23	54.9
	Yes	19	45.1
		42	100
1-34 hours	No	30	80.4
	Yes	7	19.6
		38	100
35+ hours	No	89	70.5
	Yes	37	29.5
		126	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M2	Paid Work-M2	Frequency Count	%
No	no hours	23	16.3
	1-34 hours	30	21.3
	35+ hours	89	62.4
		<hr/> 143	<hr/> 100
Yes	no hours	19	29.9
	1-34 hours	7	11.7
	35+ hours	37	58.4
		<hr/> 64	<hr/> 100

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	Percent of Total Frequency
no hours	No	100	10.8
	Yes	121	13.1
1-34 hours	No	167	18.1
	Yes	65	7.1
35+ hours	No	383	41.4
	Yes	88	9.6
		=====	=====
		925	100
		=====	=====

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	%
no hours	No	100	45.1
	Yes	121	54.9
		221	100
1-34 hours	No	167	71.9
	Yes	65	28.1
		232	100
35+ hours	No	383	81.3
	Yes	88	18.7
		471	100

% Mid-age cohort at Survey 3 for sole person household:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M3	Paid Work-M3	Frequency Count	%
No	no hours	100	15.4
	1-34 hours	167	25.7
	35+ hours	383	58.9
		650	100
Yes	no hours	121	44.2
	1-34 hours	65	23.7
	35+ hours	88	32.1
		275	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	Percent of Total Frequency
no hours	No	1134	26.0
	Yes	361	8.3
1-34 hours	No	1133	26.0
	Yes	236	5.4
35+ hours	No	1254	28.8
	Yes	240	5.5
		===== 4358 =====	===== 100 =====

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	%
no hours	No	1134	75.8
	Yes	361	24.2
		<hr/>	<hr/>
		1496	100
1-34 hours	No	1133	82.8
	Yes	236	17.2
		<hr/>	<hr/>
		1369	100
35+ hours	No	1254	84.0
	Yes	240	16.0
		<hr/>	<hr/>
		1493	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M3	Paid Work-M3	Frequency Count	%
No	no hours	1134	32.2
	1-34 hours	1133	32.2
	35+ hours	1254	35.6
		3521	100
Yes	no hours	361	43.2
	1-34 hours	236	28.2
	35+ hours	240	28.6
		837	100

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	Percent of Total Frequency
no hours	No	837	23.2
	Yes	240	6.6
1-34 hours	No	1072	29.6
	Yes	230	6.4
35+ hours	No	987	27.3
	Yes	250	6.9
		=====	=====
		3616	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	%
no hours	No	837	77.7
	Yes	240	22.3
		1077	100
1-34 hours	No	1072	82.4
	Yes	230	17.6
		1301	100
35+ hours	No	987	79.8
	Yes	250	20.2
		1237	100

% Mid-age cohort at Survey 3 where living with partner and children:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M3	Paid Work-M3	Frequency Count	%
No	no hours	837	28.9
	1-34 hours	1072	37.0
	35+ hours	987	34.1
		<hr/>	<hr/>
		2896	100
Yes	no hours	240	33.3
	1-34 hours	230	31.9
	35+ hours	250	34.8
		<hr/>	<hr/>
		720	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	Percent of Total Frequency
no hours	No	134	14.7
	Yes	86	9.4
1-34 hours	No	197	21.6
	Yes	77	8.5
35+ hours	No	299	32.9
	Yes	118	13.0
		=====	=====
		910	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	%
no hours	No	134	60.9
	Yes	86	39.1
		<hr/>	<hr/>
		219	100
1-34 hours	No	197	71.9
	Yes	77	28.1
		<hr/>	<hr/>
		274	100
35+ hours	No	299	71.7
	Yes	118	28.3
		<hr/>	<hr/>
		417	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M3	Paid Work-M3	Frequency Count	%
No	no hours	134	21.2
	1-34 hours	197	31.2
	35+ hours	299	47.6
		<hr/>	<hr/>
		630	100
Yes	no hours	86	30.5
	1-34 hours	77	27.4
	35+ hours	118	42.0
		<hr/>	<hr/>
		281	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	Percent of Total Frequency
no hours	No	34	14.3
	Yes	23	9.7
1-34 hours	No	55	23.4
	Yes	14	6.1
35+ hours	No	80	34.0
	Yes	30	12.6
		=====	=====
		235	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by symptoms of depression felt in the past week

Paid Work-M3	Depression-M3	Frequency Count	%
no hours	No	34	59.6
	Yes	23	40.4
		56	100
1-34 hours	No	55	79.2
	Yes	14	20.8
		69	100
35+ hours	No	80	72.9
	Yes	30	27.1
		110	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 symptoms of depression felt in the past week by hours of paid work/week

Depression-M3	Paid Work-M3	Frequency Count	%
No	no hours	34	19.9
	1-34 hours	55	32.6
	35+ hours	80	47.5
		<hr/>	<hr/>
		169	100
Yes	no hours	23	34.0
	1-34 hours	14	21.5
	35+ hours	30	44.4
		<hr/>	<hr/>
		67	100

PAID WORK BY ANXIETY M2, M3

% Mid-age cohort at Survey 2 for sole person household:

hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
no hours	never/rarely	70	10.2
	sometimes/often	55	8.0
1-34 hours	never/rarely	98	14.2
	sometimes/often	57	8.2
35+ hours	never/rarely	299	43.6
	sometimes/often	109	15.8
		=====	=====
		687	100
		=====	=====

% Mid-age cohort at Survey 2 for sole person household:
hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	%
no hours	never/rarely	70	56.1
	sometimes/often	55	43.9
		<hr/>	<hr/>
		125	100
1-34 hours	never/rarely	98	63.3
	sometimes/often	57	36.7
		<hr/>	<hr/>
		154	100
35+ hours	never/rarely	299	73.4
	sometimes/often	109	26.6
		<hr/>	<hr/>
		408	100

% Mid-age cohort at Survey 2 for sole person household:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M2	Paid Work-M2	Frequency Count	%
never/rarely	no hours	70	15.0
	1-34 hours	98	20.9
	35+ hours	299	64.1
		<hr/>	<hr/>
		467	100
sometimes/often	no hours	55	24.9
	1-34 hours	57	25.8
	35+ hours	109	49.4
		<hr/>	<hr/>
		220	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
no hours	never/rarely	515	17.0
	sometimes/often	207	6.8
1-34 hours	never/rarely	743	24.5
	sometimes/often	289	9.6
35+ hours	never/rarely	890	29.4
	sometimes/often	383	12.7
		=====	=====
		3028	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	%
no hours	never/rarely	515	71.3
	sometimes/often	207	28.7
		722	100
1-34 hours	never/rarely	743	72.0
	sometimes/often	289	28.0
		1032	100
35+ hours	never/rarely	890	69.9
	sometimes/often	383	30.1
		1274	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M2	Paid Work-M2	Frequency Count	%
never/rarely	no hours	515	24.0
	1-34 hours	743	34.6
	35+ hours	890	41.4
		2148	100
sometimes/often	no hours	207	23.5
	1-34 hours	289	32.9
	35+ hours	383	43.6
		880	100

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
no hours	never/rarely	734	15.1
	sometimes/often	375	7.7
1-34 hours	never/rarely	1472	30.2
	sometimes/often	560	11.5
35+ hours	never/rarely	1246	25.6
	sometimes/often	485	10.0
		===== 4874 =====	===== 100 =====

% Mid-age cohort at Survey 2 where living with partner and children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	%
no hours	never/rarely	734	66.2
	sometimes/often	375	33.8
		1110	100
1-34 hours	never/rarely	1472	72.4
	sometimes/often	560	27.6
		2033	100
35+ hours	never/rarely	1246	72.0
	sometimes/often	485	28.0
		1731	100

% Mid-age cohort at Survey 2 where living with partner and children:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M2	Paid Work-M2	Frequency Count	%
never/rarely	no hours	734	21.3
	1-34 hours	1472	42.6
	35+ hours	1246	36.1
		<hr/>	<hr/>
		3453	100
sometimes/often	no hours	375	26.4
	1-34 hours	560	39.4
	35+ hours	485	34.1
		<hr/>	<hr/>
		1421	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
no hours	never/rarely	116	11.9
	sometimes/often	73	7.5
1-34 hours	never/rarely	195	20.0
	sometimes/often	114	11.7
35+ hours	never/rarely	350	35.9
	sometimes/often	128	13.1
		=====	=====
		974	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	%
no hours	never/rarely	116	61.4
	sometimes/often	73	38.6
		<hr/>	<hr/>
		188	100
1-34 hours	never/rarely	195	63.1
	sometimes/often	114	36.9
		<hr/>	<hr/>
		309	100
35+ hours	never/rarely	350	73.3
	sometimes/often	128	26.7
		<hr/>	<hr/>
		477	100

% Mid-age cohort at Survey 2 where living with children, no partner:
symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M2	Paid Work-M2	Frequency Count	%
never/rarely	no hours	116	17.5
	1-34 hours	195	29.5
	35+ hours	350	53.0
		<hr/>	<hr/>
		660	100
sometimes/often	no hours	73	23.1
	1-34 hours	114	36.3
	35+ hours	128	40.6
		<hr/>	<hr/>
		314	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
no hours	never/rarely	25	12.3
	sometimes/often	16	7.7
1-34 hours	never/rarely	29	13.9
	sometimes/often	9	4.4
35+ hours	never/rarely	86	41.4
	sometimes/often	42	20.4
		=====	=====
		207	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M2	Anxiety-M2	Frequency Count	%
no hours	never/rarely	25	61.3
	sometimes/often	16	38.7
		41	100
1-34 hours	never/rarely	29	75.8
	sometimes/often	9	24.2
		38	100
35+ hours	never/rarely	86	67.0
	sometimes/often	42	33.0
		128	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M2	Paid Work-M2	Frequency Count	%
never/rarely	no hours	25	18.2
	1-34 hours	29	20.5
	35+ hours	86	61.3
		140	100
sometimes/often	no hours	16	23.8
	1-34 hours	9	13.6
	35+ hours	42	62.6
		67	100

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
no hours	never/rarely/sometimes	215	22.9
	often	16	1.6
1-34 hours	never/rarely/sometimes	231	24.5
	often	6	0.7
35+ hours	never/rarely/sometimes	466	49.4
	often	8	0.9
		=====	=====
		943	100
		=====	=====

% Mid-age cohort at Survey 3 for sole person household:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	%
no hours	never/rarely/sometimes	215	93.3
	often	16	6.7
		231	100
1-34 hours	never/rarely/sometimes	231	97.4
	often	6	2.6
		237	100
35+ hours	never/rarely/sometimes	466	98.3
	often	8	1.7
		474	100

% Mid-age cohort at Survey 3 for sole person household:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M3	Paid Work-M3	Frequency Count	%
never/rarely/sometimes	no hours	215	23.6
	1-34 hours	231	25.3
	35+ hours	466	51.1
		913	100
often	no hours	16	51.8
	1-34 hours	6	20.6
	35+ hours	8	27.6
		30	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
no hours	never/rarely/sometimes	1477	33.7
	often	45	1.0
1-34 hours	never/rarely/sometimes	1349	30.8
	often	24	0.5
35+ hours	never/rarely/sometimes	1458	33.3
	often	26	0.6
		=====	=====
		4380	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	%
no hours	never/rarely/sometimes	1477	97.0
	often	45	3.0
		1523	100
1-34 hours	never/rarely/sometimes	1349	98.3
	often	24	1.7
		1373	100
35+ hours	never/rarely/sometimes	1458	98.2
	often	26	1.8
		1485	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M3	Paid Work-M3	Frequency Count	%
never/rarely/sometimes	no hours	1477	34.5
	1-34 hours	1349	31.5
	35+ hours	1458	34.0
		4285	100
often	no hours	45	47.5
	1-34 hours	24	24.8
	35+ hours	26	27.7
		95	100

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
no hours	never/rarely/sometimes	1065	28.9
	often	32	0.9
1-34 hours	never/rarely/sometimes	1305	35.5
	often	22	0.6
35+ hours	never/rarely/sometimes	1237	33.6
	often	20	0.5
		=====	=====
		3682	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	%
no hours	never/rarely/sometimes	1065	97.1
	often	32	2.9
		<hr/> 1097	<hr/> 100
1-34 hours	never/rarely/sometimes	1305	98.3
	often	22	1.7
		<hr/> 1327	<hr/> 100
35+ hours	never/rarely/sometimes	1237	98.4
	often	20	1.6
		<hr/> 1257	<hr/> 100

% Mid-age cohort at Survey 3 where living with partner and children:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M3	Paid Work-M3	Frequency Count	%
never/rarely/sometimes	no hours	1065	29.5
	1-34 hours	1305	36.2
	35+ hours	1237	34.3
		3607	100
often	no hours	32	43.1
	1-34 hours	22	29.7
	35+ hours	20	27.1
		74	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
no hours	never/rarely/sometimes	211	23.4
	often	12	1.3
1-34 hours	never/rarely/sometimes	255	28.2
	often	9	1.0
35+ hours	never/rarely/sometimes	413	45.7
	often	4	0.4
		=====	=====
		904	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	%
no hours	never/rarely/sometimes	211	94.8
	often	12	5.2
		223	100
1-34 hours	never/rarely/sometimes	255	96.7
	often	9	3.3
		264	100
35+ hours	never/rarely/sometimes	413	99.1
	often	4	0.9
		417	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M3	Paid Work-M3	Frequency Count	%
never/rarely/sometimes	no hours	211	24.0
	1-34 hours	255	29.0
	35+ hours	413	47.0
		<hr/> 880	<hr/> 100
often	no hours	12	48.3
	1-34 hours	9	35.8
	35+ hours	4	15.9
		<hr/> 24	<hr/> 100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
no hours	never/rarely/sometimes	48	20.2
	often	8	3.5
1-34 hours	never/rarely/sometimes	71	29.6
	often	0	0.2
35+ hours	never/rarely/sometimes	107	44.6
	often	4	1.8
		=====	=====
		239	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 hours of paid work/week by symptoms of anxiety felt in the past 12 months

Paid Work-M3	Anxiety-M3	Frequency Count	%
no hours	never/rarely/sometimes	48	85.2
	often	8	14.8
		57	100
1-34 hours	never/rarely/sometimes	71	99.4
	often	0	0.6
		71	100
35+ hours	never/rarely/sometimes	107	96.0
	often	4	4.0
		111	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 symptoms of anxiety felt in the past 12 months by hours of paid work/week

Anxiety-M3	Paid Work-M3	Frequency Count	%
never/rarely/sometimes	no hours	48	21.4
	1-34 hours	71	31.4
	35+ hours	107	47.3
		226	100
often	no hours	8	63.4
	1-34 hours	0	3.3
	35+ hours	4	33.3
		13	100

RELATIONSHIP VIOLENCE BY DEPRESSION M2, M3

% Mid-age cohort at Survey 2 for a sole person household:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	Percent of Total Frequency
No	No	323	52.4
	Yes	112	18.2
Yes	No	97	15.7
	Yes	85	13.8
		=====	=====
		616	100
		=====	=====

% Mid-age cohort at Survey 2 for a sole person household:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	%
No	No	323	74.2
	Yes	112	25.8
		<hr/>	<hr/>
		434	100
Yes	No	97	53.3
	Yes	85	46.7
		<hr/>	<hr/>
		181	100

% Mid-age cohort at Survey 2 for a sole person household:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M2	Violent Relationship-M2	Frequency Count	%
No	No	323	77.0
	Yes	97	23.0
		<hr/>	<hr/>
		419	100
Yes	No	112	56.9
	Yes	85	43.1
		<hr/>	<hr/>
		197	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	Percent of Total Frequency
No	No	1903	68.6
	Yes	439	15.8
Yes	No	294	10.6
	Yes	137	4.9
		=====	=====
		2772	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	%
No	No	1903	81.3
	Yes	439	18.7
		<hr/> 2342	<hr/> 100
Yes	No	294	68.2
	Yes	137	31.8
		<hr/> 430	<hr/> 100

% Mid-age cohort at Survey 2 where living with partner, no children:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M2	Violent Relationship-M2	Frequency Count	%
No	No	1903	86.6
	Yes	294	13.4
		<hr/> 2196	<hr/> 100
Yes	No	439	76.2
	Yes	137	23.8
		<hr/> 576	<hr/> 100

% Mid-age cohort at Survey 2 where living with partner and children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	Percent of Total Frequency
No	No	3267	73.3
	Yes	780	17.5
Yes	No	269	6.0
	Yes	144	3.2
		=====	=====
		4459	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	%
No	No	3267	80.7
	Yes	780	19.3
		<hr/> 4047	<hr/> 100
Yes	No	269	65.2
	Yes	144	34.8
		<hr/> 413	<hr/> 100

% Mid-age cohort at Survey 2 where living with partner and children:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M2	Violent Relationship-M2	Frequency Count	%
No	No	3267	92.4
	Yes	269	7.6
		<hr/> 3536	<hr/> 100
Yes	No	780	84.5
	Yes	144	15.5
		<hr/> 923	<hr/> 100

% Mid-age cohort at Survey 2 where living with children, no partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	Percent of Total Frequency
No	No	453	52.2
	Yes	145	16.7
Yes	No	153	17.7
	Yes	117	13.4
		=====	=====
		868	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	%
No	No	453	75.7
	Yes	145	24.3
		<hr/>	<hr/>
		598	100
Yes	No	153	56.8
	Yes	117	43.2
		<hr/>	<hr/>
		270	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M2	Violent Relationship-M2	Frequency Count	%
No	No	453	74.7
	Yes	153	25.3
		<hr/> 606	<hr/> 100
Yes	No	145	55.4
	Yes	117	44.6
		<hr/> 262	<hr/> 100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	Percent of Total Frequency
No	No	109	59.8
	Yes	36	19.8
Yes	No	23	12.6
	Yes	14	7.7
		=====	=====
		182	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M2	Depression-M2	Frequency Count	%
No	No	109	75.1
	Yes	36	24.9
		<hr/>	<hr/>
		145	100
Yes	No	23	62.1
	Yes	14	37.9
		<hr/>	<hr/>
		37	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M2	Violent Relationship-M2	Frequency Count	%
No	No	109	82.6
	Yes	23	17.4
		<hr/> 132	<hr/> 100
Yes	No	36	72.0
	Yes	14	28.0
		<hr/> 50	<hr/> 100

% Mid-age cohort at Survey 3 for a sole person household:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	Percent of Total Frequency
No	No	446	50.9
	Yes	147	16.8
Yes	No	169	19.3
	Yes	114	13.0
		=====	=====
		876	100
		=====	=====

% Mid-age cohort at Survey 3 for a sole person household:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	%
No	No	446	75.2
	Yes	147	24.8
		<hr/>	<hr/>
		593	100
Yes	No	169	59.8
	Yes	114	40.2
		<hr/>	<hr/>
		283	100

% Mid-age cohort at Survey 3 for a sole person household:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M3	Violent Relationship-M3	Frequency Count	%
No	No	446	72.5
	Yes	169	27.5
		<u>615</u>	<u>100</u>
Yes	No	147	56.3
	Yes	114	43.7
		<u>261</u>	<u>100</u>

% Mid-age cohort at Survey 3 where living with partner, no children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	Percent of Total Frequency
No	No	2838	69.2
	Yes	579	14.1
Yes	No	485	11.8
	Yes	198	4.8
		===== 4100	===== 100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	%
No	No	2838	83.1
	Yes	579	16.9
		<hr/>	<hr/>
		3418	100
Yes	No	485	71.0
	Yes	198	29.0
		<hr/>	<hr/>
		683	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M3	Violent Relationship-M3	Frequency Count	%
No	No	2838	85.4
	Yes	485	14.6
		<hr/> 3323	<hr/> 100
Yes	No	579	74.5
	Yes	198	25.5
		<hr/> 777	<hr/> 100

% Mid-age cohort at Survey 3 where living with partner and children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	Percent of Total Frequency
No	No	2452	72.8
	Yes	518	15.4
Yes	No	256	7.6
	Yes	143	4.2
		=====	=====
		3370	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	%
No	No	2452	82.6
	Yes	518	17.4
		<hr/> 2970	<hr/> 100
Yes	No	256	64.2
	Yes	143	35.8
		<hr/> 399	<hr/> 100

% Mid-age cohort at Survey 3 where living with partner and children:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M3	Violent Relationship-M3	Frequency Count	%
No	No	2452	90.5
	Yes	256	9.5
		<hr/> 2708	<hr/> 100
Yes	No	518	78.4
	Yes	143	21.6
		<hr/> 661	<hr/> 100

% Mid-age cohort at Survey 3 where living with children, no partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	Percent of Total Frequency
No	No	435	51.6
	Yes	148	17.5
Yes	No	149	17.7
	Yes	111	13.2
		===== 844	===== 100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	%
No	No	435	74.6
	Yes	148	25.4
		<hr/>	<hr/>
		583	100
Yes	No	149	57.2
	Yes	111	42.8
		<hr/>	<hr/>
		261	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M3	Violent Relationship-M3	Frequency Count	%
No	No	435	74.5
	Yes	149	25.5
		<hr/> 584	<hr/> 100
Yes	No	148	57.0
	Yes	111	43.0
		<hr/> 259	<hr/> 100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	Percent of Total Frequency
No	No	111	52.9
	Yes	31	14.8
Yes	No	42	20.0
	Yes	26	12.3
		=====	=====
		209	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 ever been in a violent relationship by symptoms of depression in past week

Violent Relationship-M3	Depression-M3	Frequency Count	%
No	No	111	78.2
	Yes	31	21.8
		<hr/>	<hr/>
		141	100
Yes	No	42	61.9
	Yes	26	38.1
		<hr/>	<hr/>
		68	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 symptoms of depression in past week by ever been in a violent relationship

Depression-M3	Violent Relationship-M3	Frequency Count	%
No	No	111	72.5
	Yes	42	27.5
		<hr/> 152	<hr/> 100
Yes	No	31	54.5
	Yes	26	45.5
		<hr/> 57	<hr/> 100

RELATIONSHIP VIOLENCE BY ANXIETY M2, M3

% Mid-age cohort at Survey 2 for a sole person household:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
No	never/rarely	330	53.2
	sometimes/often	114	18.3
Yes	never/rarely	92	14.8
	sometimes/often	86	13.8
		=====	=====
		621	100
		=====	=====

% Mid-age cohort at Survey 2 for a sole person household:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	%
No	never/rarely	330	74.4
	sometimes/often	114	25.6
		444	100
Yes	never/rarely	92	51.8
	sometimes/often	86	48.2
		177	100

% Mid-age cohort at Survey 2 for a sole person household:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M2	Violent Relationship-M2	Frequency Count	%
never/rarely	No	330	78.3
	Yes	92	21.7
		422	100
sometimes/often	No	114	57.0
	Yes	86	43.0
		199	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
No	never/rarely	1721	61.7
	sometimes/often	639	22.9
Yes	never/rarely	276	9.9
	sometimes/often	153	5.5
		=====	=====
		2789	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	%
No	never/rarely	1721	72.9
	sometimes/often	639	27.1
		<hr/> 2360	<hr/> 100
Yes	never/rarely	276	64.3
	sometimes/often	153	35.7
		<hr/> 429	<hr/> 100

% Mid-age cohort at Survey 2 where living with partner, no children:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M2	Violent Relationship-M2	Frequency Count	%
never/rarely	No	1721	86.2
	Yes	276	13.8
		1997	100
sometimes/often	No	639	80.7
	Yes	153	19.3
		792	100

% Mid-age cohort at Survey 2 where living with partner and children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
No	never/rarely	2966	66.3
	sometimes/often	1092	24.4
Yes	never/rarely	226	5.1
	sometimes/often	186	4.2
		===== 4471	===== 100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	%
No	never/rarely	2966	73.1
	sometimes/often	1092	26.9
		4059	100
Yes	never/rarely	226	54.8
	sometimes/often	186	45.2
		413	100

% Mid-age cohort at Survey 2 where living with partner and children:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M2	Violent Relationship-M2	Frequency Count	%
never/rarely	No	2966	92.9
	Yes	226	7.1
		<hr/>	<hr/>
		3193	100
sometimes/often	No	1092	85.4
	Yes	186	14.6
		<hr/>	<hr/>
		1279	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
No	never/rarely	429	49.6
	sometimes/often	165	19.0
Yes	never/rarely	154	17.8
	sometimes/often	118	13.6
		=====	=====
		865	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	%
No	never/rarely	429	72.3
	sometimes/often	165	27.7
		<hr/>	<hr/>
		594	100
Yes	never/rarely	154	56.6
	sometimes/often	118	43.4
		<hr/>	<hr/>
		271	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M2	Violent Relationship-M2	Frequency Count	%
never/rarely	No	429	73.6
	Yes	154	26.4
		583	100
sometimes/often	No	165	58.3
	Yes	118	41.7
		282	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	Percent of Total Frequency
No	never/rarely	107	58.5
	sometimes/often	40	21.7
Yes	never/rarely	20	10.7
	sometimes/often	17	9.1
		=====	=====
		183	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M2	Anxiety-M2	Frequency Count	%
No	never/rarely	107	73.0
	sometimes/often	40	27.0
		147	100
Yes	never/rarely	20	54.0
	sometimes/often	17	46.0
		36	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M2	Violent Relationship-M2	Frequency Count	%
never/rarely	No	107	84.6
	Yes	20	15.4
		<hr/>	<hr/>
		126	100
sometimes/often	No	40	70.4
	Yes	17	29.6
		<hr/>	<hr/>
		56	100

% Mid-age cohort at Survey 3 for a sole person household:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
No	never	455	51.0
	rarely/sometimes/often	144	16.2
Yes	never	189	21.3
	rarely/sometimes/often	102	11.5
		=====	=====
		891	100
		=====	=====

% Mid-age cohort at Survey 3 for a sole person household:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	%
No	never	455	75.9
	rarely/sometimes/often	144	24.1
		599	100
Yes	never	189	64.9
	rarely/sometimes/often	102	35.1
		292	100

% Mid-age cohort at Survey 3 for a sole person household:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M3	Violent Relationship-M3	Frequency Count	%
never	No	455	70.6
	Yes	189	29.4
		<hr/>	<hr/>
		644	100
rarely/sometimes/often	No	144	58.4
	Yes	102	41.6
		<hr/>	<hr/>
		247	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
No	never	2758	66.9
	rarely/sometimes/often	684	16.6
Yes	never	477	11.6
	rarely/sometimes/often	202	4.9
		=====	=====
		4121	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	%
No	never	2758	80.1
	rarely/sometimes/often	684	19.9
		<u>3443</u>	<u>100</u>
Yes	never	477	70.3
	rarely/sometimes/often	202	29.7
		<u>679</u>	<u>100</u>

% Mid-age cohort at Survey 3 where living with partner, no children:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M3	Violent Relationship-M3	Frequency Count	%
never	No	2758	85.3
	Yes	477	14.7
		<hr/> 3235	<hr/> 100
rarely/sometimes/often	No	684	77.2
	Yes	202	22.8
		<hr/> 886	<hr/> 100

% Mid-age cohort at Survey 3 where living with partner and children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
No	never	2500	73.1
	rarely/sometimes/often	514	15.0
Yes	never	265	7.8
	rarely/sometimes/often	138	4.0
		=====	=====
		3418	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	%
No	never	2500	82.9
	rarely/sometimes/often	514	17.1
		<hr/> 3015	<hr/> 100
Yes	never	265	65.7
	rarely/sometimes/often	138	34.3
		<hr/> 404	<hr/> 100

% Mid-age cohort at Survey 3 where living with partner and children:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M3	Violent Relationship-M3	Frequency Count	%
never	No	2500	90.4
	Yes	265	9.6
		<hr/> 2766	<hr/> 100
rarely/sometimes/often	No	514	78.8
	Yes	138	21.2
		<hr/> 653	<hr/> 100

% Mid-age cohort at Survey 3 where living with partner and children:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Violent Relationship-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
No	never	463	55.0
	rarely/sometimes/often	128	15.1
Yes	never	167	19.8
	rarely/sometimes/often	85	10.1
		===== 843	===== 100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	%
No	never	463	78.4
	rarely/sometimes/often	128	21.6
		591	100
Yes	never	167	66.2
	rarely/sometimes/often	85	33.8
		252	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M3	Violent Relationship-M3	Frequency Count	%
never	No	463	73.5
	Yes	167	26.5
		<hr/>	<hr/>
		630	100
rarely/sometimes/often	No	128	59.9
	Yes	85	40.1
		<hr/>	<hr/>
		213	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	Percent of Total Frequency
No	never	115	54.7
	rarely/sometimes/often	31	15.0
Yes	never	38	18.0
	rarely/sometimes/often	26	12.3
		===== 210	===== 100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 violent relationship ever by symptoms of anxiety felt in the past 12 months

Violent Relationship-M3	Anxiety-M3	Frequency Count	%
No	never	115	78.5
	rarely/sometimes/often	31	21.5
		146	100
Yes	never	38	59.5
	rarely/sometimes/often	26	40.5
		64	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 symptoms of anxiety felt in the past 12 months by violent relationship ever

Anxiety-M3	Violent Relationship-M3	Frequency Count	%
never	No	115	75.2
	Yes	38	24.8
		<hr/> 153	<hr/> 100
rarely/sometimes/often	No	31	55.0
	Yes	26	45.0
		<hr/> 57	<hr/> 100

RELATIONSHIP VIOLENCE BY COUNSELLING M2, M3

% Mid-age cohort at Survey 2 for a sole person household:

ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	187	29.9
	fair, poor	34	5.5
	don't know	220	35.2
Yes	excellent, very good, good	76	12.2
	fair, poor	38	6.0
	don't know	70	11.2
		=====	=====
		625	100
		=====	=====

% Mid-age cohort at Survey 2 for a sole person household:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	%
No	excellent, very good, good	187	42.4
	fair, poor	34	7.8
	don't know	220	49.8
		<hr/>	<hr/>
		441	100
Yes	excellent, very good, good	76	41.4
	fair, poor	38	20.5
	don't know	70	38.1
		<hr/>	<hr/>
		184	100

% Mid-age cohort at Survey 2 for a sole person household:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M2	Violent Relationship-M2	Frequency Count	%
excellent, very good, good	No	187	71.1
	Yes	76	28.9
		263	100
fair, poor	No	34	47.8
	Yes	38	52.2
		72	100
don't know	No	220	75.8
	Yes	70	24.2
		290	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	869	30.9
	fair, poor	213	7.6
	don't know	1288	45.9
Yes	excellent, very good, good	153	5.4
	fair, poor	70	2.5
	don't know	216	7.7
		=====	=====
		2809	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	%
No	excellent, very good, good	869	36.7
	fair, poor	213	9.0
	don't know	1288	54.3
		<hr/>	<hr/>
		2371	100
Yes	excellent, very good, good	153	34.8
	fair, poor	70	15.9
	don't know	216	49.3
		<hr/>	<hr/>
		439	100

% Mid-age cohort at Survey 2 where living with partner, no children:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M2	Violent Relationship-M2	Frequency Count	%
excellent, very good, good	No	869	85.1
	Yes	153	14.9
		1022	100
fair, poor	No	213	75.3
	Yes	70	24.7
		283	100
don't know	No	1288	85.6
	Yes	216	14.4
		1504	100

% Mid-age cohort at Survey 2 where living with partner and children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1594	35.5
	fair, poor	362	8.1
	don't know	2123	47.3
Yes	excellent, very good, good	173	3.9
	fair, poor	54	1.2
	don't know	184	4.1
		=====	=====
		4490	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	%
No	excellent, very good, good	1594	39.1
	fair, poor	362	8.9
	don't know	2123	52.1
		<hr/>	<hr/>
		4078	100
Yes	excellent, very good, good	173	42.1
	fair, poor	54	13.2
	don't know	184	44.7
		<hr/>	<hr/>
		412	100

% Mid-age cohort at Survey 2 where living with partner and children:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M2	Violent Relationship-M2	Frequency Count	%
excellent, very good, good	No	1594	90.2
	Yes	173	9.8
		1767	100
fair, poor	No	362	87.0
	Yes	54	13.0
		416	100
don't know	No	2123	92.0
	Yes	184	8.0
		2307	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	271	31.2
	fair, poor	88	10.1
	don't know	236	27.1
Yes	excellent, very good, good	115	13.2
	fair, poor	58	6.7
	don't know	102	11.8
		=====	=====
		870	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	%
No	excellent, very good, good	271	45.6
	fair, poor	88	14.8
	don't know	236	39.6
		<hr/>	<hr/>
		595	100
Yes	excellent, very good, good	115	41.7
	fair, poor	58	21.2
	don't know	102	37.1
		<hr/>	<hr/>
		276	100

% Mid-age cohort at Survey 2 where living with children, no partner:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M2	Violent Relationship-M2	Frequency Count	%
excellent, very good, good	No	271	70.3
	Yes	115	29.7
		<hr/>	<hr/>
		386	100
fair, poor	No	88	60.0
	Yes	58	40.0
		<hr/>	<hr/>
		146	100
don't know	No	236	69.7
	Yes	102	30.3
		<hr/>	<hr/>
		338	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	66	35.8
	fair, poor	8	4.1
	don't know	73	39.8
Yes	excellent, very good, good	20	10.6
	fair, poor	5	2.6
	don't know	13	7.1
		=====	=====
		184	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M2	Access to Counselling-M2	Frequency Count	%
No	excellent, very good, good	66	44.9
	fair, poor	8	5.2
	don't know	73	49.9
		<hr/>	<hr/>
		147	100
Yes	excellent, very good, good	20	52.3
	fair, poor	5	12.7
	don't know	13	35.0
		<hr/>	<hr/>
		37	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M2	Violent Relationship-M2	Frequency Count	%
excellent, very good, good	No	66	77.1
	Yes	20	22.9
		86	100
fair, poor	No	8	61.6
	Yes	5	38.4
		12	100
don't know	No	73	84.8
	Yes	13	15.2
		87	100

% Mid-age cohort at Survey 3 for a sole person household:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	266	29.3
	fair, poor	71	7.8
	don't know	272	29.9
Yes	excellent, very good, good	150	16.6
	fair, poor	42	4.6
	don't know	106	11.7
		=====	=====
		908	100
		=====	=====

% Mid-age cohort at Survey 3 for a sole person household:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	%
No	excellent, very good, good	266	43.7
	fair, poor	71	11.7
	don't know	272	44.6
		609	100
Yes	excellent, very good, good	150	50.4
	fair, poor	42	14.0
	don't know	106	35.6
		299	100

% Mid-age cohort at Survey 3 for a sole person household:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M3	Violent Relationship-M3	Frequency Count	%
excellent, very good, good	No	266	63.9
	Yes	150	36.1
		417	100
fair, poor	No	71	62.9
	Yes	42	37.1
		113	100
don't know	No	272	71.9
	Yes	106	28.1
		378	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1290	30.7
	fair, poor	286	6.8
	don't know	1932	45.9
Yes	excellent, very good, good	282	6.7
	fair, poor	99	2.4
	don't know	320	7.6
		=====	=====
		4209	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	%
No	excellent, very good, good	1290	36.8
	fair, poor	286	8.2
	don't know	1932	55.1
		<hr/>	<hr/>
		3508	100
Yes	excellent, very good, good	282	40.2
	fair, poor	99	14.1
	don't know	320	45.7
		<hr/>	<hr/>
		701	100

% Mid-age cohort at Survey 3 where living with partner, no children:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M3	Violent Relationship-M3	Frequency Count	%
excellent, very good, good	No	1290	82.1
	Yes	282	17.9
		1572	100
fair, poor	No	286	74.3
	Yes	99	25.7
		385	100
don't know	No	1932	85.8
	Yes	320	14.2
		2252	100

% Mid-age cohort at Survey 3 where living with partner and children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1188	34.3
	fair, poor	252	7.3
	don't know	1612	46.5
Yes	excellent, very good, good	164	4.7
	fair, poor	62	1.8
	don't know	188	5.4
		=====	=====
		3466	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	%
No	excellent, very good, good	1188	38.9
	fair, poor	252	8.3
	don't know	1612	52.8
		<hr/>	<hr/>
		3052	100
Yes	excellent, very good, good	164	39.6
	fair, poor	62	14.9
	don't know	188	45.5
		<hr/>	<hr/>
		414	100

% Mid-age cohort at Survey 3 where living with partner and children:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M3	Violent Relationship-M3	Frequency Count	%
excellent, very good, good	No	1188	87.9
	Yes	164	12.1
		1352	100
fair, poor	No	252	80.4
	Yes	62	19.6
		314	100
don't know	No	1612	89.5
	Yes	188	10.5
		1800	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	300	34.5
	fair, poor	59	6.8
	don't know	242	27.9
Yes	excellent, very good, good	123	14.1
	fair, poor	44	5.1
	don't know	99	11.5
		=====	=====
		867	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	%
No	excellent, very good, good	300	49.8
	fair, poor	59	9.9
	don't know	242	40.3
		<hr/>	<hr/>
		601	100
Yes	excellent, very good, good	123	46.0
	fair, poor	44	16.7
	don't know	99	37.3
		<hr/>	<hr/>
		266	100

% Mid-age cohort at Survey 3 where living with children, no partner:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M3	Violent Relationship-M3	Frequency Count	%
excellent, very good, good	No	300	71.0
	Yes	123	29.0
		422	100
fair, poor	No	59	57.1
	Yes	44	42.9
		104	100
don't know	No	242	70.9
	Yes	99	29.1
		342	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	78	35.2
	fair, poor	9	3.9
	don't know	67	30.2
Yes	excellent, very good, good	29	13.1
	fair, poor	12	5.4
	don't know	27	12.3
		=====	=====
		221	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 ever been in a violent relationship by satisfaction with access to counselling

Violent Relationship-M3	Access to Counselling-M3	Frequency Count	%
No	excellent, very good, good	78	50.8
	fair, poor	9	5.6
	don't know	67	43.6
		<hr/>	<hr/>
		153	100
Yes	excellent, very good, good	29	42.6
	fair, poor	12	17.5
	don't know	27	39.9
		<hr/>	<hr/>
		68	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
satisfaction with access to counselling by ever been in a violent relationship

Access to Counselling-M3	Violent Relationship-M3	Frequency Count	%
excellent, very good, good	No	78	72.8
	Yes	29	27.2
		107	100
fair, poor	No	9	41.9
	Yes	12	58.1
		20	100
don't know	No	67	71.1
	Yes	27	28.9
		94	100

SEXUAL VIOLENCE BY ACCESS TO WOMEN'S HEALTH/FAMILY PLANNING CENTRE M2, M3

% Mid-age cohort at Survey 2 for a sole person household:

sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	255	36.4
	fair, poor	63	9.0
	don't know	374	53.5
Yes	excellent, very good, good	2	0.3
	fair, poor	0	0.1
	don't know	5	0.7
		=====	=====
		700	100
		=====	=====

% Mid-age cohort at Survey 2 for a sole person household:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	%
No	excellent, very good, good	255	36.8
	fair, poor	63	9.1
	don't know	374	54.1
		692	100
Yes	excellent, very good, good	2	31.4
	fair, poor	0	5.7
	don't know	5	62.9
		8	100

% Mid-age cohort at Survey 2 for a sole person household:
 access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M2	Sexual Violence-M2	Frequency Count	%
excellent, very good, good	No	255	99.1
	Yes	2	0.9
		257	100
fair, poor	No	63	99.3
	Yes	0	0.7
		63	100
don't know	No	374	98.7
	Yes	5	1.3
		379	100

% Mid-age cohort at Survey 2 where living with partner, no children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1161	36.9
	fair, poor	308	9.8
	don't know	1652	52.6
Yes	excellent, very good, good	7	0.2
	fair, poor	3	0.1
	don't know	11	0.4
		=====	=====
		3141	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	%
No	excellent, very good, good	1161	37.2
	fair, poor	308	9.9
	don't know	1652	52.9
		<hr/>	<hr/>
		3120	100
Yes	excellent, very good, good	7	34.5
	fair, poor	3	12.4
	don't know	11	53.1
		<hr/>	<hr/>
		21	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M2	Sexual Violence-M2	Frequency Count	%
excellent, very good, good	No	1161	99.4
	Yes	7	0.6
		1168	100
fair, poor	No	308	99.2
	Yes	3	0.8
		310	100
don't know	No	1652	99.3
	Yes	11	0.7
		1663	100

% Mid-age cohort at Survey 2 where living with partner and children:
 sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1946	38.8
	fair, poor	423	8.4
	don't know	2607	52.0
Yes	excellent, very good, good	14	0.3
	fair, poor	4	0.1
	don't know	21	0.4
		=====	=====
		5016	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	%
No	excellent, very good, good	1946	39.1
	fair, poor	423	8.5
	don't know	2607	52.4
		<hr/>	<hr/>
		4977	100
Yes	excellent, very good, good	14	36.0
	fair, poor	4	9.2
	don't know	21	54.9
		<hr/>	<hr/>
		39	100

% Mid-age cohort at Survey 2 where living with partner and children:
access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M2	Sexual Violence-M2	Frequency Count	%
excellent, very good, good	No	1946	99.3
	Yes	14	0.7
		<hr/> 1960	<hr/> 100
fair, poor	No	423	99.2
	Yes	4	0.8
		<hr/> 427	<hr/> 100
don't know	No	2607	99.2
	Yes	21	0.8
		<hr/> 2629	<hr/> 100

% Mid-age cohort at Survey 2 where living with children, no partner:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	419	41.0
	fair, poor	127	12.4
	don't know	471	46.0
Yes	fair, poor	0	0.0
	don't know	6	0.6
		=====	=====
		1023	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	%
No	excellent, very good, good	419	41.2
	fair, poor	127	12.5
	don't know	471	46.3
		<hr/> 1016	<hr/> 100
Yes	fair, poor	0	6.8
	don't know	6	93.2
		<hr/> 6	<hr/> 100

% Mid-age cohort at Survey 2 where living with children, no partner:
 access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M2	Sexual Violence-M2	Frequency Count	%
excellent, very good, good	No	419	100
		419	100
fair, poor	No	127	99.7
	Yes	0	0.3
		127	100
don't know	No	471	98.7
	Yes	6	1.3
		477	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	88	41.1
	fair, poor	30	13.8
	don't know	94	43.5
Yes	don't know	3	1.6
		=====	=====
		215	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M2	Family Planning Centre-M2	Frequency Count	%
No	excellent, very good, good	88	41.7
	fair, poor	30	14.0
	don't know	94	44.2
		211	100
Yes	don't know	3	100
		3	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M2	Sexual Violence-M2	Frequency Count	%
excellent, very good, good	No	88	100
		88	100
fair, poor	No	30	100
		30	100
don't know	No	94	96.5
	Yes	3	3.5
		97	100

% Mid-age cohort at Survey 3 for a sole person household:
 sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	395	40.9
	fair, poor	108	11.2
	don't know	457	47.3
Yes	excellent, very good, good	4	0.5
	don't know	1	0.1
		=====	=====
		966	100
		=====	=====

% Mid-age cohort at Survey 3 for a sole person household:
 sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	%
No	excellent, very good, good	395	41.1
	fair, poor	108	11.3
	don't know	457	47.6
		960	100
Yes	excellent, very good, good	4	75.5
	don't know	1	24.5
		6	100

% Mid-age cohort at Survey 3 for a sole person household:
 access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M3	Sexual Violence-M3	Frequency Count	%
excellent, very good, good	No	395	98.9
	Yes	4	1.1
		<hr/>	<hr/>
		399	100
fair, poor	No	108	100
		<hr/>	<hr/>
		108	100
don't know	No	457	99.7
	Yes	1	0.3
		<hr/>	<hr/>
		459	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1679	37.3
	fair, poor	482	10.7
	don't know	2311	51.4
Yes	excellent, very good, good	10	0.2
	fair, poor	9	0.2
	don't know	6	0.1
		=====	=====
		4495	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	%
No	excellent, very good, good	1679	37.5
	fair, poor	482	10.8
	don't know	2311	51.7
		<hr/> 4471	<hr/> 100
Yes	excellent, very good, good	10	40.9
	fair, poor	9	34.9
	don't know	6	24.2
		<hr/> 25	<hr/> 100

% Mid-age cohort at Survey 3 where living with partner, no children:
 access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M3	Sexual Violence-M3	Frequency Count	%
excellent, very good, good	No	1679	99.4
	Yes	10	0.6
		<hr/>	<hr/>
		1689	100
fair, poor	No	482	98.3
	Yes	9	1.7
		<hr/>	<hr/>
		490	100
don't know	No	2311	99.7
	Yes	6	0.3
		<hr/>	<hr/>
		2316	100

% Mid-age cohort at Survey 3 where living with partner and children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	1465	38.8
	fair, poor	321	8.5
	don't know	1974	52.2
Yes	excellent, very good, good	5	0.1
	fair, poor	1	0.0
	don't know	14	0.4
		=====	=====
		3781	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	%
No	excellent, very good, good	1465	39.0
	fair, poor	321	8.5
	don't know	1974	52.5
		<hr/> 3760	<hr/> 100
Yes	excellent, very good, good	5	26.7
	fair, poor	1	4.1
	don't know	14	69.3
		<hr/> 20	<hr/> 100

% Mid-age cohort at Survey 3 where living with partner and children:
access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M3	Sexual Violence-M3	Frequency Count	%
excellent, very good, good	No	1465	99.6
	Yes	5	0.4
		1471	100
fair, poor	No	321	99.7
	Yes	1	0.3
		322	100
don't know	No	1974	99.3
	Yes	14	0.7
		1988	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	405	43.6
	fair, poor	92	9.8
	don't know	431	46.4
Yes	excellent, very good, good	1	0.1
	don't know	1	0.1
		=====	=====
		931	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	%
No	excellent, very good, good	405	43.7
	fair, poor	92	9.9
	don't know	431	46.5
		<hr/> 928	<hr/> 100
Yes	excellent, very good, good	1	40.0
	don't know	1	60.0
		<hr/> 2	<hr/> 100

% Mid-age cohort at Survey 3 where living with children, no partner:
 access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M3	Sexual Violence-M3	Frequency Count	%
excellent, very good, good	No	405	99.8
	Yes	1	0.2
		406	100
fair, poor	No	92	100
		92	100
don't know	No	431	99.7
	Yes	1	0.3
		433	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	Percent of Total Frequency
No	excellent, very good, good	110	42.7
	fair, poor	22	8.7
	don't know	125	48.6
		=====	=====
		257	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
sexual violence ever by access to Women's Health/Family Planning Centre

Sexual Violence-M3	Family Planning Centre-M3	Frequency Count	%
No	excellent, very good, good	110	42.7
	fair, poor	22	8.7
	don't know	125	48.6
		257	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
access to Women's Health/Family Planning Centre and sexual violence ever

Family Planning Centre-M3	Sexual Violence-M3	Frequency Count	%
excellent, very good, good	No	110	100
		110	100
fair, poor	No	22	100
		22	100
don't know	No	125	100
		125	100

RELATIONSHIP VIOLENCE BY STRESS WITH OWN HEALTH M2, M3

% Mid-age cohort at Survey 2 for a sole person household:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
No	no stress	231	37.6
	some stress	174	28.3
	very stressed	32	5.2
Yes	no stress	66	10.8
	some stress	92	14.9
	very stressed	20	3.2
		=====	=====
		614	100
		=====	=====

% Mid-age cohort at Survey 2 for a sole person household:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	%
No	no stress	231	52.9
	some stress	174	39.8
	very stressed	32	7.3
		<hr/>	<hr/>
		436	100
Yes	no stress	66	37.3
	some stress	92	51.6
	very stressed	20	11.1
		<hr/>	<hr/>
		177	100

% Mid-age cohort at Survey 2 for a sole person household:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M2	Violent Relationship-M2	Frequency Count	%
no stress	No	231	77.7
	Yes	66	22.3
		<hr/>	<hr/>
		297	100
some stress	No	174	65.5
	Yes	92	34.5
		<hr/>	<hr/>
		265	100
very stressed	No	32	61.9
	Yes	20	38.1
		<hr/>	<hr/>
		51	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
No	no stress	1318	48.2
	some stress	892	32.6
	very stressed	110	4.0
Yes	no stress	193	7.1
	some stress	189	6.9
	very stressed	33	1.2
		=====	=====
		2735	100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner, no children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	%
No	no stress	1318	56.8
	some stress	892	38.5
	very stressed	110	4.7
		<hr/>	<hr/>
		2320	100
Yes	no stress	193	46.6
	some stress	189	45.5
	very stressed	33	7.9
		<hr/>	<hr/>
		415	100

% Mid-age cohort at Survey 2 where living with partner, no children:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M2	Violent Relationship-M2	Frequency Count	%
no stress	No	1318	87.2
	Yes	193	12.8
		<hr/>	<hr/>
		1512	100
some stress	No	892	82.5
	Yes	189	17.5
		<hr/>	<hr/>
		1081	100
very stressed	No	110	77.0
	Yes	33	23.0
		<hr/>	<hr/>
		142	100

% Mid-age cohort at Survey 2 where living with partner and children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
No	no stress	2264	51.2
	some stress	1606	36.3
	very stressed	154	3.5
Yes	no stress	175	4.0
	some stress	187	4.2
	very stressed	38	0.9
		===== 4424	===== 100
		=====	=====

% Mid-age cohort at Survey 2 where living with partner and children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	%
No	no stress	2264	56.3
	some stress	1606	39.9
	very stressed	154	3.8
		<hr/>	<hr/>
		4024	100
Yes	no stress	175	43.8
	some stress	187	46.8
	very stressed	38	9.4
		<hr/>	<hr/>
		400	100

% Mid-age cohort at Survey 2 where living with partner and children:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M2	Violent Relationship-M2	Frequency Count	%
no stress	No	2264	92.8
	Yes	175	7.2
		<hr/>	<hr/>
		2439	100
some stress	No	1606	89.6
	Yes	187	10.4
		<hr/>	<hr/>
		1793	100
very stressed	No	154	80.4
	Yes	38	19.6
		<hr/>	<hr/>
		192	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
No	no stress	326	37.8
	some stress	250	28.9
	very stressed	18	2.1
Yes	no stress	106	12.3
	some stress	135	15.6
	very stressed	27	3.2
		=====	=====
		863	100
		=====	=====

% Mid-age cohort at Survey 2 where living with children, no partner:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	%
No	no stress	326	55.0
	some stress	250	42.0
	very stressed	18	3.0
		<hr/>	<hr/>
		594	100
Yes	no stress	106	39.6
	some stress	135	50.2
	very stressed	27	10.2
		<hr/>	<hr/>
		269	100

% Mid-age cohort at Survey 2 where living with children, no partner:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M2	Violent Relationship-M2	Frequency Count	%
no stress	No	326	75.4
	Yes	106	24.6
		433	100
some stress	No	250	64.9
	Yes	135	35.1
		385	100
very stressed	No	18	39.3
	Yes	27	60.7
		45	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	Percent of Total Frequency
No	no stress	70	39.0
	some stress	63	35.0
	very stressed	9	5.1
Yes	no stress	14	7.8
	some stress	17	9.7
	very stressed	6	3.2
		=====	=====
		180	100
		=====	=====

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M2	Self-health Stress-M2	Frequency Count	%
No	no stress	70	49.3
	some stress	63	44.2
	very stressed	9	6.5
		143	100
Yes	no stress	14	37.7
	some stress	17	46.7
	very stressed	6	15.6
		37	100

% Mid-age cohort at Survey 2 where living with others, no partner or children:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M2	Violent Relationship-M2	Frequency Count	%
no stress	No	70	83.3
	Yes	14	16.7
		85	100
some stress	No	63	78.3
	Yes	17	21.7
		81	100
very stressed	No	9	61.3
	Yes	6	38.7
		15	100

% Mid-age cohort at Survey 3 for a sole person household:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
No	no stress	300	33.6
	some stress	253	28.3
	very stressed	51	5.7
Yes	no stress	82	9.2
	some stress	164	18.4
	very stressed	43	4.9
		=====	=====
		892	100
		=====	=====

% Mid-age cohort at Survey 3 for a sole person household:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	%
No	no stress	300	49.7
	some stress	253	41.9
	very stressed	51	8.4
		<hr/>	<hr/>
		603	100
Yes	no stress	82	28.3
	some stress	164	56.6
	very stressed	43	15.0
		<hr/>	<hr/>
		289	100

% Mid-age cohort at Survey 3 for a sole person household:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M3	Violent Relationship-M3	Frequency Count	%
no stress	No	300	78.5
	Yes	82	21.5
		<hr/>	<hr/>
		381	100
some stress	No	253	60.7
	Yes	164	39.3
		<hr/>	<hr/>
		416	100
very stressed	No	51	54.0
	Yes	43	46.0
		<hr/>	<hr/>
		94	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
No	no stress	1877	45.4
	some stress	1429	34.6
	very stressed	143	3.5
Yes	no stress	293	7.1
	some stress	349	8.5
	very stressed	44	1.1
		=====	=====
		4135	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner, no children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	%
No	no stress	1877	54.4
	some stress	1429	41.4
	very stressed	143	4.1
		<hr/>	<hr/>
		3449	100
Yes	no stress	293	42.7
	some stress	349	50.9
	very stressed	44	6.4
		<hr/>	<hr/>
		687	100

% Mid-age cohort at Survey 3 where living with partner, no children:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M3	Violent Relationship-M3	Frequency Count	%
no stress	No	1877	86.5
	Yes	293	13.5
		<hr/>	<hr/>
		2170	100
some stress	No	1429	80.4
	Yes	349	19.6
		<hr/>	<hr/>
		1779	100
very stressed	No	143	76.4
	Yes	44	23.6
		<hr/>	<hr/>
		187	100

% Mid-age cohort at Survey 3 where living with partner and children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
No	no stress	1607	47.2
	some stress	1302	38.3
	very stressed	96	2.8
Yes	no stress	164	4.8
	some stress	205	6.0
	very stressed	30	0.9
		=====	=====
		3405	100
		=====	=====

% Mid-age cohort at Survey 3 where living with partner and children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	%
No	no stress	1607	53.5
	some stress	1302	43.3
	very stressed	96	3.2
		<hr/>	<hr/>
		3005	100
Yes	no stress	164	41.2
	some stress	205	51.3
	very stressed	30	7.5
		<hr/>	<hr/>
		399	100

% Mid-age cohort at Survey 3 where living with partner and children:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M3	Violent Relationship-M3	Frequency Count	%
no stress	No	1607	90.7
	Yes	164	9.3
		<hr/>	<hr/>
		1772	100
some stress	No	1302	86.4
	Yes	205	13.6
		<hr/>	<hr/>
		1507	100
very stressed	No	96	76.1
	Yes	30	23.9
		<hr/>	<hr/>
		126	100

% Mid-age cohort at Survey 3 where living with children, no partner:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
No	no stress	292	34.7
	some stress	255	30.3
	very stressed	39	4.6
Yes	no stress	81	9.7
	some stress	146	17.3
	very stressed	29	3.4
		=====	=====
		843	100
		=====	=====

% Mid-age cohort at Survey 3 where living with children, no partner:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	%
No	no stress	292	49.8
	some stress	255	43.5
	very stressed	39	6.7
		<hr/> 587	<hr/> 100
Yes	no stress	81	31.8
	some stress	146	57.0
	very stressed	29	11.2
		<hr/> 256	<hr/> 100

% Mid-age cohort at Survey 3 where living with children, no partner:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M3	Violent Relationship-M3	Frequency Count	%
no stress	No	292	78.2
	Yes	81	21.8
		<hr/>	<hr/>
		374	100
some stress	No	255	63.6
	Yes	146	36.4
		<hr/>	<hr/>
		401	100
very stressed	No	39	57.7
	Yes	29	42.3
		<hr/>	<hr/>
		68	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	Percent of Total Frequency
No	no stress	86	39.3
	some stress	51	23.2
	very stressed	14	6.4
Yes	no stress	21	9.7
	some stress	38	17.2
	very stressed	9	4.1
		=====	=====
		219	100
		=====	=====

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 violent relationship ever by self-health stress level felt in past 12 months

Violent Relationship-M3	Self-health Stress-M3	Frequency Count	%
No	no stress	86	57.0
	some stress	51	33.6
	very stressed	14	9.4
		151	100
Yes	no stress	21	31.3
	some stress	38	55.4
	very stressed	9	13.3
		68	100

% Mid-age cohort at Survey 3 where living with others, no partner or children:
 self-health stress level felt in past 12 months by violent relationship ever

Self-health Stress-M3	Violent Relationship-M3	Frequency Count	%
no stress	No	86	80.2
	Yes	21	19.8
		<hr/>	<hr/>
		107	100
some stress	No	51	57.4
	Yes	38	42.6
		<hr/>	<hr/>
		88	100
very stressed	No	14	61.0
	Yes	9	39.0
		<hr/>	<hr/>
		23	100

LEVEL OF PHYSICAL ACTIVITY BY DEPRESSION M2, M3

% Mid-age cohort at Survey 2 where education is less than year 12:

level of physical activity by symptoms of depression felt in the past week

Physical Activity-M2	Depression-M2	Frequency Count	Percent of Total Frequency
Nil/sedentary	No	585	13.7
	Yes	318	7.4
Low	No	1015	23.7
	Yes	375	8.8
Moderate	No	714	16.7
	Yes	199	4.7
High	No	845	19.7
	Yes	230	5.4
		=====	=====
		4280	100
		=====	=====

% Mid-age cohort at Survey 2 where education is less than year 12:
level of physical activity by symptoms of depression felt in the past week

Physical Activity-M2	Depression-M2	Frequency Count	%
Nil/sedentary	No	585	64.8
	Yes	318	35.2
		<hr/>	<hr/>
		903	100
Low	No	1015	73.0
	Yes	375	27.0
		<hr/>	<hr/>
		1390	100
Moderate	No	714	78.2
	Yes	199	21.8
		<hr/>	<hr/>
		913	100
High	No	845	78.6
	Yes	230	21.4
		<hr/>	<hr/>
		1075	100

% Mid-age cohort at Survey 2 where education is less than year 12:
 symptoms of depression felt in the past week by level of physical activity

Depression-M2	Physical Activity-M2	Frequency Count	%
No	Nil/sedentary	585	18.5
	Low	1015	32.1
	Moderate	714	22.6
	High	845	26.7
			3158
Yes	Nil/sedentary	318	28.3
	Low	375	33.4
	Moderate	199	17.7
	High	230	20.5
			1122

% Mid-age cohort at Survey 2 where education is equal to year 12:
 level of physical activity by symptoms of depression felt in the past week

Physical Activity-M2	Depression-M2	Frequency Count	Percent of Total Frequency
Nil/sedentary	No	173	10.3
	Yes	85	5.1
Low	No	403	24.1
	Yes	122	7.3
Moderate	No	326	19.4
	Yes	71	4.2
High	No	410	24.4
	Yes	85	5.1
		=====	=====
		1676	100
		=====	=====

% Mid-age cohort at Survey 2 where education is equal to year 12:
 level of physical activity by symptoms of depression felt in the past week

Physical Activity-M2	Depression-M2	Frequency Count	%
Nil/sedentary	No	173	67.0
	Yes	85	33.0
		<hr/>	<hr/>
		259	100
Low	No	403	76.7
	Yes	122	23.3
		<hr/>	<hr/>
		526	100
Moderate	No	326	82.1
	Yes	71	17.9
		<hr/>	<hr/>
		397	100
High	No	410	82.7
	Yes	85	17.3
		<hr/>	<hr/>
		495	100

% Mid-age cohort at Survey 2 where education is equal to year 12:
 symptoms of depression felt in the past week by level of physical activity

Depression-M2	Physical Activity-M2	Frequency Count	%
No	Nil/sedentary	173	13.2
	Low	403	30.7
	Moderate	326	24.8
	High	410	31.2
		<hr/>	<hr/>
		1312	100
Yes	Nil/sedentary	85	23.4
	Low	122	33.6
	Moderate	71	19.5
	High	85	23.5
		<hr/>	<hr/>
		364	100

% Mid-age cohort at Survey 2 where education is trade/certificate/diploma:
level of physical activity by symptoms of depression felt in the past week

Physical Activity-M2	Depression-M2	Frequency Count	Percent of Total Frequency
Nil/sedentary	No	221	11.1
	Yes	97	4.9
Low	No	454	22.9
	Yes	116	5.8
Moderate	No	384	19.4
	Yes	99	5.0
High	No	511	25.8
	Yes	99	5.0
		=====	=====
		1980	100
		=====	=====

% Mid-age cohort at Survey 2 where education is trade/certificate/diploma:
level of physical activity by symptoms of depression felt in the past week

Physical Activity-M2	Depression-M2	Frequency Count	%
Nil/sedentary	No	221	69.4
	Yes	97	30.6
		<hr/>	<hr/>
		318	100
Low	No	454	79.7
	Yes	116	20.3
		<hr/>	<hr/>
		570	100
Moderate	No	384	79.6
	Yes	99	20.4
		<hr/>	<hr/>
		482	100
High	No	511	83.8
	Yes	99	16.2
		<hr/>	<hr/>
		610	100

% Mid-age cohort at Survey 2 where education is trade/certificate/diploma:
 symptoms of depression felt in the past week by level of physical activity

Depression-M2	Physical Activity-M2	Frequency Count	%
No	Nil/sedentary	221	14.1
	Low	454	28.9
	Moderate	384	24.5
	High	511	32.6
		1570	100
Yes	Nil/sedentary	97	23.7
	Low	116	28.2
	Moderate	99	24.0
	High	99	24.1
		410	100

% Mid-age cohort at Survey 2 where education is university degree:
 level of physical activity by symptoms of depression felt in the past week

Physical Activity-M2	Depression-M2	Frequency Count	Percent of Total Frequency
Nil/sedentary	No	155	9.0
	Yes	65	3.8
Low	No	457	26.6
	Yes	141	8.2
Moderate	No	353	20.5
	Yes	68	4.0
High	No	411	23.9
	Yes	69	4.0
		=====	=====
		1719	100
		=====	=====

% Mid-age cohort at Survey 2 where education is university degree:
 level of physical activity by symptoms of depression felt in the past week

Physical Activity-M2	Depression-M2	Frequency Count	%
Nil/sedentary	No	155	70.5
	Yes	65	29.5
		<hr/>	<hr/>
		220	100
Low	No	457	76.4
	Yes	141	23.6
		<hr/>	<hr/>
		598	100
Moderate	No	353	83.8
	Yes	68	16.2
		<hr/>	<hr/>
		421	100
High	No	411	85.7
	Yes	69	14.3
		<hr/>	<hr/>
		480	100

% Mid-age cohort at Survey 2 where education is university degree:
 symptoms of depression felt in the past week by level of physical activity

Depression-M2	Physical Activity-M2	Frequency Count	%
No	Nil/sedentary	155	11.3
	Low	457	33.2
	Moderate	353	25.6
	High	411	29.9
			1376
Yes	Nil/sedentary	65	18.9
	Low	141	41.2
	Moderate	68	19.9
	High	69	20.0
			343

% Mid-age cohort at Survey 3 where education is less than year 12:
 level of physical activity by symptoms of depression felt in the past week

Physical Activity-M3	Depression-M3	Frequency Count	Percent of Total Frequency
Nil/sedentary	No	655	15.4
	Yes	306	7.2
Low	No	1153	27.2
	Yes	361	8.5
Moderate	No	650	15.3
	Yes	167	3.9
High	No	757	17.8
	Yes	195	4.6
		===== 4244 =====	===== 100 =====

% Mid-age cohort at Survey 3 where education is less than year 12:
level of physical activity by symptoms of depression felt in the past week

Physical Activity-M3	Depression-M3	Frequency Count	%
Nil/sedentary	No	655	68.1
	Yes	306	31.9
		<hr/>	<hr/>
		961	100
Low	No	1153	76.1
	Yes	361	23.9
		<hr/>	<hr/>
		1514	100
Moderate	No	650	79.6
	Yes	167	20.4
		<hr/>	<hr/>
		817	100
High	No	757	79.5
	Yes	195	20.5
		<hr/>	<hr/>
		952	100

% Mid-age cohort at Survey 3 where education is less than year 12:
 symptoms of depression felt in the past week by level of physical activity

Depression-M3	Physical Activity-M3	Frequency Count	%
No	Nil/sedentary	655	20.4
	Low	1153	35.9
	Moderate	650	20.2
	High	757	23.6
			3215
Yes	Nil/sedentary	306	29.7
	Low	361	35.1
	Moderate	167	16.2
	High	195	18.9
			1029

% Mid-age cohort at Survey 3 where education is equal to year 12:
 level of physical activity by symptoms of depression felt in the past week

Physical Activity-M3	Depression-M3	Frequency Count	Percent of Total Frequency
Nil/sedentary	No	198	11.6
	Yes	92	5.4
Low	No	496	29.0
	Yes	139	8.1
Moderate	No	297	17.4
	Yes	51	3.0
High	No	368	21.5
	Yes	68	4.0
		=====	=====
		1710	100
		=====	=====

% Mid-age cohort at Survey 3 where education is equal to year 12:
level of physical activity by symptoms of depression felt in the past week

Physical Activity-M3	Depression-M3	Frequency Count	%
Nil/sedentary	No	198	68.3
	Yes	92	31.7
		<hr/>	<hr/>
		291	100
Low	No	496	78.1
	Yes	139	21.9
		<hr/>	<hr/>
		635	100
Moderate	No	297	85.2
	Yes	51	14.8
		<hr/>	<hr/>
		348	100
High	No	368	84.5
	Yes	68	15.5
		<hr/>	<hr/>
		435	100

% Mid-age cohort at Survey 3 where education is equal to year 12:
 symptoms of depression felt in the past week by level of physical activity

Depression-M3	Physical Activity-M3	Frequency Count	%
No	Nil/sedentary	198	14.6
	Low	496	36.5
	Moderate	297	21.8
	High	368	27.0
			1359
Yes	Nil/sedentary	92	26.3
	Low	139	39.7
	Moderate	51	14.7
	High	68	19.3
			350

% Mid-age cohort at Survey 3 where education is trade/certificate/diploma:
level of physical activity by symptoms of depression felt in the past week

Physical Activity-M3	Depression-M3	Frequency Count	Percent of Total Frequency
Nil/sedentary	No	182	9.0
	Yes	77	3.8
Low	No	633	31.4
	Yes	155	7.7
Moderate	No	325	16.1
	Yes	75	3.7
High	No	472	23.4
	Yes	95	4.7
		=====	=====
		2014	100
		=====	=====

% Mid-age cohort at Survey 3 where education is trade/certificate/diploma:
level of physical activity by symptoms of depression felt in the past week

Physical Activity-M3	Depression-M3	Frequency Count	%
Nil/sedentary	No	182	70.4
	Yes	77	29.6
		<hr/>	<hr/>
		259	100
Low	No	633	80.3
	Yes	155	19.7
		<hr/>	<hr/>
		789	100
Moderate	No	325	81.2
	Yes	75	18.8
		<hr/>	<hr/>
		400	100
High	No	472	83.2
	Yes	95	16.8
		<hr/>	<hr/>
		567	100

% Mid-age cohort at Survey 3 where education is trade/certificate/diploma:
 symptoms of depression felt in the past week by level of physical activity

Depression-M3	Physical Activity-M3	Frequency Count	%
No	Nil/sedentary	182	11.3
	Low	633	39.3
	Moderate	325	20.1
	High	472	29.3
			1612
Yes	Nil/sedentary	77	19.0
	Low	155	38.6
	Moderate	75	18.7
	High	95	23.7
			402

% Mid-age cohort at Survey 3 where education is university degree:
 level of physical activity by symptoms of depression felt in the past week

Physical Activity-M3	Depression-M3	Frequency Count	Percent of Total Frequency
Nil/sedentary	No	125	7.3
	Yes	52	3.0
Low	No	564	32.7
	Yes	110	6.4
Moderate	No	353	20.5
	Yes	90	5.2
High	No	368	21.4
	Yes	62	3.6
		=====	=====
		1723	100
		=====	=====

% Mid-age cohort at Survey 3 where education is university degree:
 level of physical activity by symptoms of depression felt in the past week

Physical Activity-M3	Depression-M3	Frequency Count	%
Nil/sedentary	No	125	70.5
	Yes	52	29.5
		<hr/>	<hr/>
		178	100
Low	No	564	83.7
	Yes	110	16.3
		<hr/>	<hr/>
		673	100
Moderate	No	353	79.7
	Yes	90	20.3
		<hr/>	<hr/>
		442	100
High	No	368	85.6
	Yes	62	14.4
		<hr/>	<hr/>
		430	100

% Mid-age cohort at Survey 3 where education is university degree:
symptoms of depression felt in the past week by level of physical activity

Depression-M3	Physical Activity-M3	Frequency Count	%
No	Nil/sedentary	125	8.9
	Low	564	40.0
	Moderate	353	25.0
	High	368	26.1
			1410
Yes	Nil/sedentary	52	16.7
	Low	110	35.0
	Moderate	90	28.6
	High	62	19.7
			313

BODY SHAPE BY DEPRESSION M2

% Mid-age cohort at Survey 2 where education is less than year 12:
dissatisfied with body shape in past month by depression symptoms in past week

Body Shape-M2	Depression-M2	Frequency Count	Percent of Total Frequency
not at all dissatisfied	No	709	14.3
	Yes	212	4.3
slightly dissatisfied	No	1319	26.7
	Yes	329	6.7
moderately dissatisfied	No	971	19.6
	Yes	320	6.5
markedly dissatisfied	No	611	12.4
	Yes	472	9.5
		===== 4943	===== 100
		=====	=====

% Mid-age cohort at Survey 2 where education is less than year 12:
dissatisfied with body shape in past month by depression symptoms in past week

Body Shape-M2	Depression-M2	Frequency Count	%
not at all dissatisfied	No	709	77.0
	Yes	212	23.0
		921	100
slightly dissatisfied	No	1319	80.0
	Yes	329	20.0
		1648	100
moderately dissatisfied	No	971	75.2
	Yes	320	24.8
		1291	100
markedly dissatisfied	No	611	56.4
	Yes	472	43.6
		1083	100

% Mid-age cohort at Survey 2 where education is less than year 12:
depression symptoms in past week by dissatisfied with body shape in past month

Depression-M2	Body Shape-M2	Frequency Count	%
No	not at all dissatisfied	709	19.6
	slightly dissatisfied	1319	36.5
	moderately dissatisfied	971	26.9
	markedly dissatisfied	611	16.9
		3610	100
Yes	not at all dissatisfied	212	15.9
	slightly dissatisfied	329	24.7
	moderately dissatisfied	320	24.0
	markedly dissatisfied	472	35.4
		1334	100

% Mid-age cohort at Survey 2 where education is equal to year 12:
dissatisfied with body shape in past month by depression symptoms in past week

Body Shape-M2	Depression-M2	Frequency Count	Percent of Total Frequency
not at all dissatisfied	No	316	16.4
	Yes	85	4.4
slightly dissatisfied	No	542	28.2
	Yes	138	7.2
moderately dissatisfied	No	367	19.1
	Yes	108	5.6
markedly dissatisfied	No	239	12.4
	Yes	128	6.7
		=====	=====
		1924	100
		=====	=====

% Mid-age cohort at Survey 2 where education is equal to year 12:
dissatisfied with body shape in past month by depression symptoms in past week

Body Shape-M2	Depression-M2	Frequency Count	%
not at all dissatisfied	No	316	78.9
	Yes	85	21.1
		401	100
slightly dissatisfied	No	542	79.7
	Yes	138	20.3
		680	100
moderately dissatisfied	No	367	77.2
	Yes	108	22.8
		476	100
markedly dissatisfied	No	239	65.1
	Yes	128	34.9
		367	100

% Mid-age cohort at Survey 2 where education is equal to year 12:
depression symptoms in past week by dissatisfied with body shape in past month

Depression-M2	Body Shape-M2	Frequency Count	%
No	not at all dissatisfied	316	21.6
	slightly dissatisfied	542	37.0
	moderately dissatisfied	367	25.1
	markedly dissatisfied	239	16.3
		1465	100
Yes	not at all dissatisfied	85	18.5
	slightly dissatisfied	138	30.0
	moderately dissatisfied	108	23.6
	markedly dissatisfied	128	27.9
		459	100

% Mid-age cohort at Survey 2 where education is trade/certificate/diploma:
dissatisfied with body shape in past month by depression symptoms in past week

Body Shape-M2	Depression-M2	Frequency Count	Percent of Total Frequency
not at all dissatisfied	No	318	14.5
	Yes	71	3.2
slightly dissatisfied	No	662	30.1
	Yes	145	6.6
moderately dissatisfied	No	477	21.7
	Yes	116	5.3
markedly dissatisfied	No	247	11.2
	Yes	163	7.4
		=====	=====
		2198	100
		=====	=====

% Mid-age cohort at Survey 2 where education is trade/certificate/diploma:
dissatisfied with body shape in past month by depression symptoms in past week

Body Shape-M2	Depression-M2	Frequency Count	%
not at all dissatisfied	No	318	81.8
	Yes	71	18.2
		389	100
slightly dissatisfied	No	662	82.1
	Yes	145	17.9
		807	100
moderately dissatisfied	No	477	80.4
	Yes	116	19.6
		593	100
markedly dissatisfied	No	247	60.3
	Yes	163	39.7
		409	100

% Mid-age cohort at Survey 2 where education is trade/certificate/diploma:
depression symptoms in past week by dissatisfied with body shape in past month

Depression-M2	Body Shape-M2	Frequency Count	%
No	not at all dissatisfied	318	18.7
	slightly dissatisfied	662	38.9
	moderately dissatisfied	477	28.0
	markedly dissatisfied	247	14.5
		1704	100
Yes	not at all dissatisfied	71	14.3
	slightly dissatisfied	145	29.3
	moderately dissatisfied	116	23.5
	markedly dissatisfied	163	32.9
		494	100

% Mid-age cohort at Survey 2 where education is university degree:
dissatisfied with body shape in past month by depression symptoms in past week

Body Shape-M2	Depression-M2	Frequency Count	Percent of Total Frequency
not at all dissatisfied	No	320	17.0
	Yes	59	3.1
slightly dissatisfied	No	596	31.7
	Yes	114	6.1
moderately dissatisfied	No	348	18.5
	Yes	112	5.9
markedly dissatisfied	No	229	12.2
	Yes	103	5.5
		=====	=====
		1880	100
		=====	=====

% Mid-age cohort at Survey 2 where education is university degree:
dissatisfied with body shape in past month by depression symptoms in past week

Body Shape-M2	Depression-M2	Frequency Count	%
not at all dissatisfied	No	320	84.4
	Yes	59	15.6
		379	100
slightly dissatisfied	No	596	83.9
	Yes	114	16.1
		710	100
moderately dissatisfied	No	348	75.7
	Yes	112	24.3
		459	100
markedly dissatisfied	No	229	69.1
	Yes	103	30.9
		332	100

% Mid-age cohort at Survey 2 where education is university degree:
depression symptoms in past week by dissatisfied with body shape in past month

Depression-M2	Body Shape-M2	Frequency Count	%
No	not at all dissatisfied	320	21.4
	slightly dissatisfied	596	39.9
	moderately dissatisfied	348	23.3
	markedly dissatisfied	229	15.4
		1493	100
Yes	not at all dissatisfied	59	15.2
	slightly dissatisfied	114	29.4
	moderately dissatisfied	112	28.8
	markedly dissatisfied	103	26.5
		387	100