

women's  
health  
*a u s t r a l i a*

the australian longitudinal  
study on women's health

data book

*for the eighth survey of the 1973-78  
cohort 2018 (when they were aged  
40-45 years)*

November 2019

## **ALSWH Data book for eighth survey of 1973-78 cohort**

### **Data book for the eighth survey of the 1973-78 cohort (aged 40-45 years)**

This work is copyright. Permission to use or reproduce material in this book for the purpose of free distribution is not required, provided that proper acknowledgement of the source is given. For other uses, apart from any permitted use under the Copyright Act 1968, no part may be reproduced by any process without written permission from the Director, Australian Longitudinal Study on Women's Health, University of Queensland.

### **Acknowledgements**

This study is funded by the Australian Government Department of Health. This document was prepared by David Fitzgerald, with help from the data management group of the Australian Longitudinal Study on Women's Health (ALSWH) at the Universities of Queensland and Newcastle. The research team would like to thank all participants who contributed to the project.

### **Notes**

From June 2018 and until November 2019, 7121 valid surveys were returned from members of the ALSWH 1973-78 birth cohort. There were 1769 paper questionnaires returned and 5352 responded online.

This data book is ordered in the order of the questions on the paper questionnaire. The questionnaire number is given where appropriate. Some derived variables are given in place of the questionnaire item or immediately after it. The derived variables do not have any questionnaire numbering.

The frequencies in this data book were weighted according to the area classification to account for the deliberate over-sampling of women from rural and remote areas. The missing amounts were not weighted. Both the missing and not missing counts were not weighted for the non-categorical responses.

For information on the derived variables refer to the ALSWH website (<http://www.alwsh.org.au/>). The ALSWH website has general information about the project; the investigators and staff; publications and presentations; information for participants; surveys; and information for potential data users. If you have any queries, please contact us at:  
Australian Longitudinal Study on Women's Health  
[www.alswh.org.au](http://www.alswh.org.au)

The University of Newcastle  
Research Centre for Gender, Health & Ageing  
University Drive  
Callaghan NSW 2308  
Phone: 02 4042 0686  
Fax: 02 4042 0044  
Email: [info@alswh.org.au](mailto:info@alswh.org.au)

The University of Queensland  
School of Population Health  
Herston Road  
Herston QLD 4006  
Phone: 07 3346 4723  
Fax: 07 3365 5540  
Email: [sph-wha@sph.uq.edu.au](mailto:sph-wha@sph.uq.edu.au)

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q1A Consulted: A family doctor or another general practitioner (GP), last 12m (Y8Q1A)	None	0	461	6.4
	1-2 times	1	2549	35.1
	3-4 times	2	2141	29.5
	5-6 times	3	1083	14.9
	7-9 times	4	486	6.7
	10-12 times	5	239	3.3
	More than 12 times	6	299	4.1
	N Missing			8
Q1B Consulted: A specialist doctor, last 12m (Y8Q1B)	None	0	3678	50.7
	1-2 times	1	2184	30.1
	3-4 times	2	700	9.7
	5-6 times	3	304	4.2
	7-9 times	4	142	2.0
	10-12 times	5	87	1.2
	More than 12 times	6	158	2.2
	N Missing			13
Q1C Consulted: A dentist, last 12m (Y8Q1C)	None	0	2256	31.1
	1-2 times	1	4321	59.5
	3-4 times	2	526	7.2
	5-6 times	3	101	1.4
	7-9 times	4	33	0.4
	10-12 times	5	8	0.1
	More than 12 times	6	16	0.2
	N Missing			7
Q2A Services: A hospital doctor (e.g. in outpatients or casualty), last 12m (Y8Q2A)	Yes	1	1611	22.2
	No	2	5645	77.8
	N Missing			12
Q2B Services: A midwife, last 12m (Y8Q2B)	Yes	1	206	2.8
	No	2	7050	97.2
	N Missing			13
Q2C Services: A counsellor or other mental health worker, last 12m (Y8Q2C)	Yes	1	1571	21.6
	No	2	5685	78.4
	N Missing			13

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q2D Services: A Chiropractor, last 12m (Y8Q2D)	Yes	1	1291	17.8
	No	2	5968	82.2
	N Missing		11	
Q2E Services: An Osteopath, last 12m (Y8Q2E)	Yes	1	708	9.8
	No	2	6544	90.2
	N Missing		15	
Q2F Services: Massage therapist, last 12m (Y8Q2F)	Yes	1	3458	47.6
	No	2	3801	52.4
	N Missing		10	
Q2G Services: Acupuncturist, last 12m (Y8Q2G)	Yes	1	681	9.4
	No	2	6575	90.6
	N Missing		12	
Q2H Services: Naturopath/ Herbalist, last 12m (Y8Q2H)	Yes	1	642	8.9
	No	2	6610	91.1
	N Missing		20	
Q2I Services: Another alternative health practitioner, last 12m (Y8Q2I)	Yes	1	502	6.9
	No	2	6754	93.1
	N Missing		13	
Q2J Services: A community nurse, practice nurse or nurse practitioner, last 12m (Y8Q2J)	Yes	1	739	10.2
	No	2	6515	89.8
	N Missing		15	
Q2K Services: A physiotherapist, last 12m (Y8Q2K)	Yes	1	2179	30.0
	No	2	5078	70.0
	N Missing		13	
Q2L Services: A dietitian, last 12m (Y8Q2L)	Yes	1	469	6.5
	No	2	6782	93.5
	N Missing		17	
Q2M Services: An exercise physiologist, last 12m (Y8Q2M)	Yes	1	343	4.7
	No	2	6910	95.3
	N Missing		15	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q3A Therapy: Vitamins / Minerals, last 12m (Y8Q3A)	Never	1	1402	19.3
	Rarely	2	1315	18.1
	Sometimes	3	1926	26.6
	Often	4	2609	36.0
	N Missing		15	
Q3B Therapy: Yoga or Meditation, last 12m (Y8Q3B)	Never	1	3482	48.0
	Rarely	2	1404	19.4
	Sometimes	3	1441	19.9
	Often	4	924	12.7
	N Missing		17	
Q3C Therapy: Pilates, last 12m (Y8Q3C)	Never	1	5242	72.3
	Rarely	2	774	10.7
	Sometimes	3	667	9.2
	Often	4	565	7.8
	N Missing		20	
Q3D Therapy: Herbal medicines, last 12m (Y8Q3D)	Never	1	4903	67.6
	Rarely	2	918	12.7
	Sometimes	3	909	12.5
	Often	4	523	7.2
	N Missing		16	
Q3E Therapy: Aromatherapy oils, last 12m (Y8Q3E)	Never	1	4280	59.0
	Rarely	2	1042	14.4
	Sometimes	3	1184	16.3
	Often	4	746	10.3
	N Missing		16	
Q3F Therapy: Chinese medicines, last 12m (Y8Q3F)	Never	1	6317	87.1
	Rarely	2	510	7.0
	Sometimes	3	289	4.0
	Often	4	136	1.9
	N Missing		15	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q3G Therapy: Other alternative therapies, last 12m (Y8Q3G)	Never	1	5729	79.0
	Rarely	2	714	9.8
	Sometimes	3	586	8.1
	Often	4	222	3.1
	N Missing		16	
Q4A Hospital for: Childbirth, last 12m (Y8Q4A)	Yes	1	160	2.2
	No	2	7088	97.8
	N Missing		19	
Q4B Hospital for: Problems during pregnancy, last 12m (Y8Q4B)	Yes	1	102	1.4
	No	2	7145	98.6
	N Missing		20	
Q4C Hospital for: All other reasons, last 12m (Y8Q4C)	Yes	1	1112	15.3
	No	2	6136	84.7
	N Missing		19	
Q5A GP: Do you go to the same place (Y8Q5A)	Always	1	4104	56.5
	Most of the time	2	2799	38.6
	Sometimes	3	312	4.3
	Rarely or never	4	45	0.6
	N Missing		7	
Q5B GP: Do you usually see the same doctor (Y8Q5B)	Always	1	1458	20.1
	Most of the time	2	4043	55.7
	Sometimes	3	1374	18.9
	Rarely or never	4	384	5.3
	N Missing		7	
Q6A GP Visit Satisfaction: The amount of time you spent with the doctor (Y8Q6A)	Excellent	1	2380	32.9
	Very good	2	2399	33.1
	Good	3	1776	24.5
	Fair	4	593	8.2
	Poor	5	96	1.3
	N Missing		22	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q6B GP Visit Satisfaction: The doctors explanation of your problem and treatment (Y8Q6B)	Excellent	1	2456	33.9
	Very good	2	2442	33.7
	Good	3	1671	23.1
	Fair	4	541	7.5
	Poor	5	136	1.9
	N Missing			22
Q6C GP Visit Satisfaction: The doctors interest in how you felt about having the tests, etc. (Y8Q6C)	Not Applicable	0	1	0.0
	Excellent	1	2527	34.9
	Very good	2	2329	32.1
	Good	3	1532	21.2
	Fair	4	647	8.9
	Poor	5	208	2.9
	N Missing			23
Q6D GP Visit Satisfaction: Your opportunity to ask all the questions you wanted to (Y8Q6D)	Excellent	1	2752	38.0
	Very good	2	2408	33.2
	Good	3	1427	19.7
	Fair	4	533	7.4
	Poor	5	124	1.7
	N Missing			25
Q6E GP Visit Satisfaction: The technical skills of the doctor (Y8Q6E)	Excellent	1	2785	38.4
	Very good	2	2437	33.6
	Good	3	1438	19.9
	Fair	4	467	6.4
	Poor	5	116	1.6
	N Missing			25
Q6F GP Visit Satisfaction: The personal manner of the doctor (Y8Q6F)	Excellent	1	3254	44.9
	Very good	2	2314	31.9
	Good	3	1249	17.2
	Fair	4	318	4.4
	Poor	5	108	1.5
	N Missing			26

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q6G GP Visit Satisfaction: The cost to you of the visit (Y8Q6G)	No cost	0	2707	37.4
	Excellent	1	332	4.6
	Very good	2	775	10.7
	Good	3	1475	20.4
	Fair	4	1562	21.6
	Poor	5	396	5.5
	N Missing		23	
Q7 In general do you prefer to see a female doctor? (Y8Q7)	Yes, always	1	1175	16.2
	Yes, for certain things	2	3640	50.3
	No	3	655	9.1
	Don't care	4	1769	24.4
	N Missing		26	
Q8A Own health care: Access to medical specialists if you need them (Y8Q8A)	Excellent	1	2320	32.1
	Very good	2	2286	31.6
	Good	3	1452	20.1
	Fair	4	594	8.2
	Poor	5	310	4.3
	Don't know	6	271	3.7
	N Missing		32	
Q8B Own health care: Access to a hospital if you need it (Y8Q8B)	Excellent	1	3184	44.0
	Very good	2	2318	32.0
	Good	3	1181	16.3
	Fair	4	289	4.0
	Poor	5	85	1.2
	Don't know	6	176	2.4
	N Missing		32	
Q8C Own health care: Access to medical care in an emergency (Y8Q8C)	Excellent	1	3094	42.8
	Very good	2	2192	30.3
	Good	3	1090	15.1
	Fair	4	367	5.1
	Poor	5	130	1.8
	Don't know	6	356	4.9
N Missing		35		



*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q8D Own health care: Access to after-hours medical care (Y8Q8D)				
	Excellent	1	1745	24.2
	Very good	2	1888	26.2
	Good	3	1596	22.1
	Fair	4	865	12.0
	Poor	5	562	7.8
	Don't know	6	562	7.8
	N Missing		49	
Q8E Own health care: Access to a GP who bulk bills (Y8Q8E)				
	Excellent	1	1721	23.8
	Very good	2	1279	17.7
	Good	3	1250	17.3
	Fair	4	964	13.3
	Poor	5	1353	18.7
	Don't know	6	662	9.2
	N Missing		37	
Q8F Own health care: Access to a female GP (Y8Q8F)				
	Excellent	1	2074	28.7
	Very good	2	2162	29.9
	Good	3	1641	22.7
	Fair	4	753	10.4
	Poor	5	319	4.4
	Don't know	6	280	3.9
	N Missing		36	
Q8G Own health care: Hours when a GP is available (Y8Q8G)				
	Excellent	1	1261	17.4
	Very good	2	2097	29.0
	Good	3	2224	30.8
	Fair	4	1171	16.2
	Poor	5	387	5.4
	Don't know	6	90	1.3
	N Missing		34	
Q8H Own health care: Number of GPs you have to choose from (Y8Q8H)				
	Excellent	1	1663	23.0
	Very good	2	2228	30.8
	Good	3	1911	26.4
	Fair	4	856	11.8
	Poor	5	414	5.7
	Don't know	6	156	2.2
	N Missing		38	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q8I Own health care: Ease of seeing the GP of your choice (Y8Q8I)				
	Excellent	1	976	13.5
	Very good	2	1709	23.7
	Good	3	2124	29.4
	Fair	4	1430	19.8
	Poor	5	866	12.0
	Don't know	6	122	1.7
	N Missing		36	
Q8J Own health care: How long you wait to get a GP appointment (Y8Q8J)				
	Excellent	1	1014	14.0
	Very good	2	1796	24.8
	Good	3	2121	29.3
	Fair	4	1437	19.9
	Poor	5	801	11.1
	Don't know	6	61	0.8
	N Missing		36	
Q8K Own health care: Ease of obtaining a Pap test (Y8Q8K)				
	Excellent	1	2329	32.2
	Very good	2	2402	33.2
	Good	3	1461	20.2
	Fair	4	376	5.2
	Poor	5	98	1.4
	Don't know	6	563	7.8
	N Missing		36	
Q8L Own health care: Access to a Womens Health Centre or a Family Planning Centre (Y8Q8L)				
	Excellent	1	1311	18.1
	Very good	2	1458	20.2
	Good	3	1076	14.9
	Fair	4	383	5.3
	Poor	5	198	2.7
	Don't know	6	2804	38.8
	N Missing		36	
Q8M Own health care: Access to maternal and child health services (Y8Q8M)				
	Excellent	1	1262	17.5
	Very good	2	1478	20.5
	Good	3	1001	13.8
	Fair	4	257	3.6
	Poor	5	100	1.4
	Don't know	6	3131	43.3
	N Missing		35	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q9 General health (Y8Q9)	Excellent	1	1030	14.2
	Very good	2	2996	41.4
	Good	3	2419	33.5
	Fair	4	648	9.0
	Poor	5	137	1.9
	N Missing		35	
Q10 Health now compared to 1y ago (Y8Q10)	Much better than one year ago	1	712	9.8
	Somewhat better than one year ago	2	1400	19.4
	About same as one year ago	3	4013	55.5
	Somewhat worse than one year ago	4	995	13.8
	Much worse than one year ago	5	110	1.5
	N Missing		35	
Q11A Health limit: vigorous activities (Y8Q11A)	Yes limited a lot	1	1180	16.3
	Yes limited a little	2	2958	41.0
	No not limited at all	3	3084	42.7
	N Missing		44	
Q11B Health limit: moderate activities (Y8Q11B)	Yes limited a lot	1	243	3.4
	Yes limited a little	2	922	12.8
	No not limited at all	3	6054	83.9
	N Missing		47	
Q11C Health limit: lifting or carrying (Y8Q11C)	Yes limited a lot	1	172	2.4
	Yes limited a little	2	737	10.2
	No not limited at all	3	6310	87.4
	N Missing		47	
Q11D Health limit: climbing flights stairs (Y8Q11D)	Yes limited a lot	1	354	4.9
	Yes limited a little	2	1476	20.4
	No not limited at all	3	5388	74.6
	N Missing		47	
Q11E Health limit: climbing one flight stairs (Y8Q11E)	Yes limited a lot	1	133	1.8
	Yes limited a little	2	420	5.8
	No not limited at all	3	6666	92.3
	N Missing		46	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q11F Health limit: bending, kneeling or stooping (Y8Q11F)	Yes limited a lot	1	284	3.9
	Yes limited a little	2	1536	21.3
	No not limited at all	3	5397	74.8
	N Missing		48	
Q11G Health limit: walking one kilometre (Y8Q11G)	Yes limited a lot	1	232	3.2
	Yes limited a little	2	697	9.7
	No not limited at all	3	6289	87.1
	N Missing		47	
Q11H Health limit: walking half kilometre (Y8Q11H)	Yes limited a lot	1	163	2.3
	Yes limited a little	2	321	4.5
	No not limited at all	3	6735	93.3
	N Missing		46	
Q11I Health limit: walking 100 metres (Y8Q11I)	Yes limited a lot	1	97	1.3
	Yes limited a little	2	187	2.6
	No not limited at all	3	6935	96.1
	N Missing		47	
Q11J Health limit: bathing or dressing (Y8Q11J)	Yes limited a lot	1	87	1.2
	Yes limited a little	2	192	2.7
	No not limited at all	3	6934	96.1
	N Missing		52	
Q12A Physical health: Cut down on time spent work and other acts, last 4w (Y8Q12A)	Yes	1	1091	15.1
	No	2	6122	84.9
	N Missing		52	
Q12B Physical health: Accomplished less than you would like, last 4w (Y8Q12B)	Yes	1	1806	25.0
	No	2	5406	75.0
	N Missing		54	
Q12C Physical health: Limited in kind of work, last 4w (Y8Q12C)	Yes	1	1130	15.7
	No	2	6079	84.3
	N Missing		56	
Q12D Physical health: Difficulty performing the work, last 4w (Y8Q12D)	Yes	1	1325	18.4
	No	2	5885	81.6
	N Missing		56	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q13A Emotional problems: Cut down on time spent workand other acts, last 4w (Y8Q13A)	Yes	1	1350	18.7
	No	2	5858	81.3
	N Missing		56	
Q13B Emotional problems: Accomplished less than you would like, last 4w (Y8Q13B)	Yes	1	2218	30.8
	No	2	4988	69.2
	N Missing		59	
Q13C Emotional problems: Did not do work as carefully as usual, last 4w (Y8Q13C)	Yes	1	1429	19.8
	No	2	5778	80.2
	N Missing		58	
Q14 To what extent has health interfered with social activities, last 4w (Y8Q14)	Not at all	1	3760	52.1
	Slightly	2	2101	29.1
	Moderately	3	741	10.3
	Quite a bit	4	449	6.2
	Extremely	5	160	2.2
	N Missing		53	
Q15 How much bodily pain, last 4w (Y8Q15)	None	1	1176	16.3
	Very mild	2	2702	37.5
	Mild	3	1776	24.6
	Moderate	4	1199	16.6
	Severe	5	289	4.0
	Very severe	6	64	0.9
	N Missing		61	
Q16 Pain interfere with work, last 4w (Y8Q16)	Not at all	1	3996	55.5
	A little bit	2	2226	30.9
	Moderately	3	605	8.4
	Quite a bit	4	268	3.7
	Extremely	5	109	1.5
	N Missing		62	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q17A How often feel full of life, last 4w (Y8Q17A)	All of the time	1	241	3.3
	Most of the time	2	2506	34.9
	A good bit of the time	3	1831	25.5
	Some of the time	4	1490	20.7
	A little of the time	5	818	11.4
	None of the time	6	299	4.2
	N Missing		79	
Q17B How often feel nervous person, last 4w (Y8Q17B)	All of the time	1	66	0.9
	Most of the time	2	240	3.3
	A good bit of the time	3	492	6.8
	Some of the time	4	1263	17.6
	A little of the time	5	2591	36.1
	None of the time	6	2534	35.3
	N Missing		80	
Q17C How often felt down in the dumps, last 4w (Y8Q17C)	All of the time	1	37	0.5
	Most of the time	2	111	1.5
	A good bit of the time	3	296	4.1
	Some of the time	4	661	9.2
	A little of the time	5	1725	24.0
	None of the time	6	4356	60.6
	N Missing		81	
Q17D How often felt calm and peaceful, last 4w (Y8Q17D)	All of the time	1	121	1.7
	Most of the time	2	1821	25.3
	A good bit of the time	3	1865	26.0
	Some of the time	4	1978	27.5
	A little of the time	5	1101	15.3
	None of the time	6	298	4.2
	N Missing		83	
Q17E How often have a lot of energy, last 4w (Y8Q17E)	All of the time	1	125	1.7
	Most of the time	2	1567	21.8
	A good bit of the time	3	1985	27.7
	Some of the time	4	1908	26.6
	A little of the time	5	1103	15.4
	None of the time	6	490	6.8
	N Missing		87	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q17F How often felt down, last 4w (Y8Q17F)	All of the time	1	88	1.2
	Most of the time	2	267	3.7
	A good bit of the time	3	532	7.4
	Some of the time	4	1548	21.6
	A little of the time	5	3186	44.4
	None of the time	6	1557	21.7
	N Missing		88	
Q17G How often feel worn out, last 4w (Y8Q17G)	All of the time	1	299	4.2
	Most of the time	2	927	12.9
	A good bit of the time	3	1548	21.6
	Some of the time	4	2092	29.1
	A little of the time	5	1950	27.2
	None of the time	6	361	5.0
	N Missing		89	
Q17H How often feel happy person, last 4w (Y8Q17H)	All of the time	1	407	5.7
	Most of the time	2	3049	42.5
	A good bit of the time	3	1819	25.3
	Some of the time	4	1346	18.8
	A little of the time	5	492	6.9
	None of the time	6	67	0.9
	N Missing		86	
Q17I How often feel tired, last 4w (Y8Q17I)	All of the time	1	585	8.1
	Most of the time	2	1383	19.3
	A good bit of the time	3	1696	23.6
	Some of the time	4	2136	29.7
	A little of the time	5	1310	18.2
	None of the time	6	72	1.0
	N Missing		82	
Q18 How much time has health interfered with social activities, last 4w (Y8Q18)	All of the time	1	190	2.6
	Most of the time	2	363	5.1
	Some of the time	3	1141	15.9
	A little of the time	4	1868	26.0
	None of the time	5	3614	50.4
	N Missing		92	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q19A T/F: I Get sick easier than others (Y8Q19A)	Definitely true	1	205	2.9
	Mostly true	2	507	7.1
	Don't know	3	508	7.1
	Mostly false	4	2368	33.1
	Definitely false	5	3572	49.9
	N Missing			106
Q19B T/F: I am as healthy as anybody I know (Y8Q19B)	Definitely true	1	2002	28.0
	Mostly true	2	3055	42.7
	Don't know	3	953	13.3
	Mostly false	4	827	11.5
	Definitely false	5	324	4.5
	N Missing			106
Q19C T/F: I expect my health to get worse (Y8Q19C)	Definitely true	1	193	2.7
	Mostly true	2	943	13.2
	Don't know	3	1859	26.0
	Mostly false	4	1990	27.8
	Definitely false	5	2173	30.4
	N Missing			111
Q19D T/F: My health is excellent (Y8Q19D)	Definitely true	1	1257	17.6
	Mostly true	2	3820	53.3
	Don't know	3	546	7.6
	Mostly false	4	1011	14.1
	Definitely false	5	526	7.4
	N Missing			106
Q20 Do you have a Health Care Card? (Y8Q20)	Yes	1	805	11.2
	No	2	6357	88.8
	N Missing			101
Q21 Do you have private health insurance for hospital cover? (Y8Q21)	Yes	1	5049	70.5
	No - can't afford cost	2	988	13.8
	No - don't think you get value for money	3	757	10.6
	No - don't think I need it	4	179	2.5
	No - another reason	5	193	2.7
	N Missing			96



*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q22 Do you have private health insurance for ancillary services? (Y8Q22)	Yes	1	4997	69.7
	No - can't afford cost	2	938	13.1
	No - don't think you get value for money	3	876	12.2
	No - don't think I need it	4	154	2.2
	No - services not available where I live	5	19	0.3
	No - another reason	6	181	2.5
	N Missing		96	
Q24A Diagnosed: Insulin dependent (Type 1) diabetes, last 3y (Y8Q24A)	No	0	6943	99.5
	Yes	1	33	0.5
	N Missing		285	
Q24A_AGE Age first diagnosed: Insulin dependent (Type 1) diabetes (Y8Q24A_AGE)	Mean		20.12	
	Std Error		2.26	
	N		25	
	N Missing		7096	
Q24B Diagnosed: Non-insulin dependent (Type 2) diabetes, last 3y (Y8Q24B)	No	0	6881	98.6
	Yes	1	95	1.4
	N Missing		285	
Q24B_AGE Age first diagnosed: Non-insulin dependent (Type 2) diabetes (Y8Q24B_AGE)	Mean		36.72	
	Std Error		0.61	
	N		88	
	N Missing		7033	
Q24C Diagnosed: Heart disease, last 3y (Y8Q24C)	No	0	6932	99.4
	Yes	1	44	0.6
	N Missing		285	
Q24C_AGE Age first diagnosed: Heart disease (Y8Q24C_AGE)	Mean		36.46	
	Std Error		1.61	
	N		37	
	N Missing		7084	
Q24D Diagnosed: Hypertension (high blood pressure), last 3y (Y8Q24D)	No	0	6569	94.2
	Yes	1	407	5.8
	N Missing		285	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q24D_AGE Age first diagnosed: Hypertension (high blood pressure) (Y8Q24D_AGE)	Mean		36.56	
	Std Error		0.34	
	N		401	
	N Missing		6720	
Q24E Diagnosed: Low iron level (iron deficiency or anaemia), last 3y (Y8Q24E)	No	0	5567	79.8
	Yes	1	1409	20.2
	N Missing		285	
Q24E_AGE Age first diagnosed: Low iron level (iron deficiency or anaemia) (Y8Q24E_AGE)	Mean		33.08	
	Std Error		0.27	
	N		1246	
	N Missing		5875	
Q24F Diagnosed: Osteoarthritis, last 3y (Y8Q24F)	No	0	6719	96.3
	Yes	1	257	3.7
	N Missing		285	
Q24F_AGE Age first diagnosed: Osteoarthritis (Y8Q24F_AGE)	Mean		36.34	
	Std Error		0.47	
	N		229	
	N Missing		6892	
Q24G Diagnosed: Rheumatoid arthritis, last 3y (Y8Q24G)	No	0	6892	98.8
	Yes	1	84	1.2
	N Missing		285	
Q24G_AGE Age first diagnosed: Rheumatoid arthritis (Y8Q24G_AGE)	Mean		31.97	
	Std Error		1.13	
	N		81	
	N Missing		7040	
Q24H Diagnosed: Other arthritis, last 3y (Y8Q24H)	No	0	6800	97.5
	Yes	1	176	2.5
	N Missing		285	
Q24H_AGE Age first diagnosed: Other arthritis (Y8Q24H_AGE)	Mean		36.76	
	Std Error		0.62	
	N		154	
	N Missing		6967	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q24I Diagnosed: Gastro-oesophageal reflux, last 3y (Y8Q24I)	No	0	6677	95.7
	Yes	1	299	4.3
	N Missing		285	
Q24I_AGE Age first diagnosed: Gastro-oesophageal reflux (Y8Q24I_AGE)	Mean		34.90	
	Std Error		0.47	
	N		270	
	N Missing		6851	
Q24J Diagnosed: Thyroid problem, last 3y (Y8Q24J)	No	0	6464	92.7
	Yes	1	512	7.3
	N Missing		285	
Q24J_AGE Age first diagnosed: Thyroid problem (Y8Q24J_AGE)	Mean		34.51	
	Std Error		0.35	
	N		479	
	N Missing		6642	
Q24K Diagnosed: Asthma, last 3y (Y8Q24K)	No	0	6286	90.1
	Yes	1	690	9.9
	N Missing		285	
Q24K_AGE Age first diagnosed: Asthma (Y8Q24K_AGE)	Mean		17.32	
	Std Error		0.53	
	N		619	
	N Missing		6502	
Q24L Diagnosed: Bronchitis, last 3y (Y8Q24L)	No	0	6697	96.0
	Yes	1	279	4.0
	N Missing		285	
Q24L_AGE Age first diagnosed: Bronchitis (Y8Q24L_AGE)	Mean		27.62	
	Std Error		1.00	
	N		231	
	N Missing		6890	
Q24M Diagnosed: Depression (not postnatal), last 3y (Y8Q24M)	No	0	5899	84.6
	Yes	1	1077	15.4
	N Missing		285	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q24M_AGE Age first diagnosed: Depression (not postnatal) (Y8Q24M_AGE)	Mean		30.27	
	Std Error		0.28	
	N		985	
	N Missing		6136	
Q24N Diagnosed: Anxiety disorder, last 3y (Y8Q24N)	No	0	6053	86.8
	Yes	1	923	13.2
	N Missing		285	
Q24N_AGE Age first diagnosed: Anxiety disorder (Y8Q24N_AGE)	Mean		32.91	
	Std Error		0.29	
	N		836	
	N Missing		6285	
Q24O Diagnosed: Post-traumatic stress disorder(PTSD), last 3y (Y8Q24O)	No	0	6751	96.8
	Yes	1	225	3.2
	N Missing		285	
Q24O_AGE Age first diagnosed: Post-traumatic stress disorder(PTSD) (Y8Q24O_AGE)	Mean		35.55	
	Std Error		0.55	
	N		203	
	N Missing		6918	
Q24P Diagnosed: Bipolar disorder, last 3y (Y8Q24P)	No	0	6919	99.2
	Yes	1	57	0.8
	N Missing		285	
Q24P_AGE Age first diagnosed: Bipolar disorder (Y8Q24P_AGE)	Mean		33.80	
	Std Error		0.97	
	N		49	
	N Missing		7072	
Q24Q Diagnosed: Endometriosis, last 3y (Y8Q24Q)	No	0	6691	95.9
	Yes	1	285	4.1
	N Missing		285	
Q24Q_AGE Age first diagnosed: Endometriosis (Y8Q24Q_AGE)	Mean		31.47	
	Std Error		0.55	
	N		253	
	N Missing		6868	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q24R Diagnosed: Thrombosis, last 3y (Y8Q24R)	No	0	6952	99.7
	Yes	1	24	0.3
	N Missing		285	
Q24R_AGE Age first diagnosed: Thrombosis (Y8Q24R_AGE)	Mean		37.91	
	Std Error		1.45	
	N		21	
	N Missing		7100	
Q24S Diagnosed: Polycystic Ovary Syndrome, last 3y (Y8Q24S)	No	0	6781	97.2
	Yes	1	195	2.8
	N Missing		285	
Q24S_AGE Age first diagnosed: Polycystic Ovary Syndrome (Y8Q24S_AGE)	Mean		27.36	
	Std Error		0.62	
	N		185	
	N Missing		6936	
Q24T Diagnosed: Uterine polyps/Uterine fibroids, last 3y (Y8Q24T)	No	0	6742	96.6
	Yes	1	234	3.4
	N Missing		285	
Q24T_AGE Age first diagnosed: Uterine polyps/Uterine fibroids (Y8Q24T_AGE)	Mean		38.96	
	Std Error		0.35	
	N		210	
	N Missing		6911	
Q24U Diagnosed: Urinary tract infection, last 3y (Y8Q24U)	No	0	6315	90.5
	Yes	1	662	9.5
	N Missing		285	
Q24U_AGE Age first diagnosed: Urinary tract infection (Y8Q24U_AGE)	Mean		30.79	
	Std Error		0.47	
	N		575	
	N Missing		6546	
Q24V Diagnosed: Chlamydia, last 3y (Y8Q24V)	No	0	6954	99.7
	Yes	1	22	0.3
	N Missing		285	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q24V_AGE Age first diagnosed: Chlamydia (Y8Q24V_AGE)				
	Mean		36.62	
	Std Error		1.80	
	N		16	
	N Missing		7105	
Q24W Diagnosed: Genital herpes, last 3y (Y8Q24W)				
	No	0	6877	98.6
	Yes	1	99	1.4
	N Missing		285	
Q24W_AGE Age first diagnosed: Genital herpes (Y8Q24W_AGE)				
	Mean		30.47	
	Std Error		0.88	
	N		82	
	N Missing		7039	
Q24X Diagnosed: Genital warts (HPV), last 3y (Y8Q24X)				
	No	0	6933	99.4
	Yes	1	43	0.6
	N Missing		285	
Q24X_AGE Age first diagnosed: Genital warts (HPV) (Y8Q24X_AGE)				
	Mean		32.53	
	Std Error		1.60	
	N		39	
	N Missing		7082	
Q24Y Diagnosed: Hepatitis B or C, last 3y (Y8Q24Y)				
	No	0	6962	99.8
	Yes	1	14	0.2
	N Missing		285	
Q24Y_AGE Age first diagnosed: Hepatitis B or C (Y8Q24Y_AGE)				
	Mean		25.65	
	Std Error		3.47	
	N		8	
	N Missing		7113	
Q24Z Diagnosed: Skin cancer, last 3y (Y8Q24Z)				
	No	0	6664	95.5
	Yes	1	312	4.5
	N Missing		285	
Q24Z_AGE Age first diagnosed: Skin cancer (Y8Q24Z_AGE)				
	Mean		38.00	
	Std Error		0.36	
	N		298	
	N Missing		6823	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q24AA Diagnosed: Other cancer, last 3y (Y8Q24AA)	No	0	6850	98.2
	Yes	1	126	1.8
	N Missing		285	
Q24AA_AGE Age first diagnosed: Other cancer (Y8Q24AA_AGE)	Mean		36.72	
	Std Error		0.96	
	N		113	
	N Missing		7008	
Q24AB Diagnosed: Other major physical illness, last 3y (Y8Q24AB)	No	0	6506	93.3
	Yes	1	470	6.7
	N Missing		285	
Q24AB_AGE Age first diagnosed: Other major physical illness (Y8Q24AB_AGE)	Mean		37.48	
	Std Error		0.39	
	N		420	
	N Missing		6701	
Q24AC Diagnosed: Other major mental illness, last 3y (Y8Q24AC)	No	0	6908	99.0
	Yes	1	68	1.0
	N Missing		285	
Q24AC_AGE Age first diagnosed: Other major mental illness (Y8Q24AC_AGE)	Mean		34.40	
	Std Error		1.73	
	N		52	
	N Missing		7069	
Q24AD Diagnosed: Other sexually transmitted infection, last 3y (Y8Q24AD)	No	0	6956	99.7
	Yes	1	20	0.3
	N Missing		285	
Q24AD_AGE Age first diagnosed: Other sexually transmitted infection (Y8Q24AD_AGE)	Mean		33.20	
	Std Error		3.52	
	N		16	
	N Missing		7105	
Q24AE Diagnosed: Other, last 3y (Y8Q24AE)	No	0	6298	90.3
	Yes	1	678	9.7
	N Missing		285	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q24AE_AGE Age first diagnosed: Other (Y8Q24AE_AGE)				
	Mean		37.62	
	Std Error		0.34	
	N		601	
	N Missing		6520	
Q24AF Diagnosed: None of these conditions, last 3y (Y8Q24AF)				
	No	0	4479	64.2
	Yes	1	2497	35.8
	N Missing		285	
Q25 Ever diagnosed or treated for cervical cancer (Y8Q25)				
	Yes	1	347	4.9
	No	2	6769	95.1
	N Missing		142	
Q26 Ever diagnosed or treated for pelvic pain (Y8Q26)				
	Yes	1	1157	16.3
	No	2	5955	83.7
	N Missing		148	
Q26_YEARS Age first diagnosed with pelvic pain (Y8Q26_YEARS)				
	Mean		28.82	
	Std Error		0.30	
	N		1124	
	N Missing		5997	
Q27A Ever diagnosed or treated for breast cancer (Y8Q27A)				
	Yes	1	79	1.1
	No	2	7032	98.9
	N Missing		149	
Q27B Ever diagnosed or treated for high cholesterol (Y8Q27B)				
	Yes	1	683	9.6
	No	2	6408	90.4
	N Missing		163	
Q28A When did you last have A Pap Test (Y8Q28A)				
	In the last 12 months	1	2892	40.7
	1 to less than 2 years ago	2	1997	28.1
	2 to less than 3 years ago	3	1075	15.1
	3 to less than 5 years ago	4	527	7.4
	More than 5 years ago	5	412	5.8
	Never	6	139	2.0
	Not sure	7	72	1.0
	N Missing		142	



**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>	
Q28B When did you last have your blood pressure checked? (Y8Q28B)	In the last 12 months	1	5471	77.0	
	1 to less than 2 years ago	2	913	12.9	
	2 to less than 3 years ago	3	339	4.8	
	3 to less than 5 years ago	4	146	2.0	
	More than 5 years ago	5	106	1.5	
	Never	6	15	0.2	
	Not sure	7	117	1.7	
	N Missing			150	
Q28C When did you last have your skin checked? (Y8Q28C)	In the last 12 months	1	2376	33.5	
	1 to less than 2 years ago	2	1074	15.1	
	2 to less than 3 years ago	3	804	11.3	
	3 to less than 5 years ago	4	514	7.2	
	More than 5 years ago	5	702	9.9	
	Never	6	1432	20.2	
	Not sure	7	196	2.8	
	N Missing			157	
Q28D When did you last have your cholesterol checked (Y8Q28D)	In the last 12 months	1	2744	38.6	
	1 to less than 2 years ago	2	1122	15.8	
	2 to less than 3 years ago	3	680	9.6	
	3 to less than 5 years ago	4	406	5.7	
	More than 5 years ago	5	423	6.0	
	Never	6	1064	15.0	
	Not sure	7	670	9.4	
	N Missing			148	
Q28E When did you last have your blood sugar level checked (Y8Q28E)	In the last 12 months	1	3011	42.3	
	1 to less than 2 years ago	2	1097	15.4	
	2 to less than 3 years ago	3	681	9.6	
	3 to less than 5 years ago	4	507	7.1	
	More than 5 years ago	5	597	8.4	
	Never	6	580	8.2	
	Not sure	7	638	9.0	
	N Missing			146	
Q29 Abnormal Pap test in last 3 years (Y8Q29)	Yes	1	478	6.7	
	No	2	6364	89.7	
	Don't know	3	249	3.5	
	N Missing			161	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q30AA Experienced: Death of a partner in the last 12 months (Y8Q30AA)	No	0	7104	99.8
	Yes	1	14	0.2
	N Missing		139	
Q30AB Experienced: Death of a parent in the last 12 months (Y8Q30AB)	No	0	6921	97.2
	Yes	1	197	2.8
	N Missing		139	
Q30AC Experienced: Death of a child in the last 12 months (Y8Q30AC)	No	0	7089	99.6
	Yes	1	30	0.4
	N Missing		139	
Q30AD Experienced: Been pushed, grabbed, shoved, kicked or hit in the last 12 months (Y8Q30AD)	No	0	6838	96.1
	Yes	1	280	3.9
	N Missing		139	
Q30AE Experienced: Forced into unwanted sexual activity in the last 12 months (Y8Q30AE)	No	0	7045	99.0
	Yes	1	74	1.0
	N Missing		139	
Q30AF Experienced: Been bullied in the last 12 months (Y8Q30AF)	No	0	6531	91.7
	Yes	1	587	8.3
	N Missing		139	
Q30AG Experienced: None of these events in the last 12 months (Y8Q30AG)	No	0	2735	38.4
	Yes	1	4383	61.6
	N Missing		139	
Q30BA Experienced: Death of a partner, more than 12 months ago (Y8Q30BA)	No	0	6975	98.0
	Yes	1	143	2.0
	N Missing		139	
Q30BB Experienced: Death of a parent, more than 12 months ago (Y8Q30BB)	No	0	5966	83.8
	Yes	1	1153	16.2
	N Missing		139	
Q30BC Experienced: Death of a child, more than 12 months ago (Y8Q30BC)	No	0	6918	97.2
	Yes	1	200	2.8
	N Missing		139	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q30BD Experienced: Been pushed, grabbed, shoved, kicked or hit, more than 12 months ago (Y8Q30BD)	No	0	6334	89.0
	Yes	1	784	11.0
	N Missing		139	
Q30BE Experienced: Forced into unwanted sexual activity, more than 12 months ago (Y8Q30BE)	No	0	6561	92.2
	Yes	1	557	7.8
	N Missing		139	
Q30BF Experienced: Been bullied, more than 12 months ago (Y8Q30BF)	No	0	6207	87.2
	Yes	1	911	12.8
	N Missing		139	
Q30BG Experienced: None of these events, more than 12 months ago (Y8Q30BG)	No	0	3919	55.1
	Yes	1	3199	44.9
	N Missing		139	
Q31 Ever had problems with fertility (Y8Q31)	No, never tried	1	1217	17.2
	No, no problem with fertility	2	4125	58.2
	Yes, not sought help	3	356	5.0
	Yes, have sought help	4	1391	19.6
	N Missing		170	
Q32A Procedure: Hysterectomy, ever (Y8Q32A)	Yes	1	335	4.7
	No	2	6717	95.3
	N Missing		204	
Q32B Procedure: One ovary removed, ever (Y8Q32B)	Yes	1	167	2.4
	No	2	6880	97.6
	N Missing		209	
Q32C Procedure: Both ovaries removed, ever (Y8Q32C)	Yes	1	63	0.9
	No	2	6973	99.1
	N Missing		221	
Q32D Procedure: Repair of prolapsed vagina, bladder or bowel, ever (Y8Q32D)	Yes	1	140	2.0
	No	2	6904	98.0
	N Missing		211	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q32E Procedure: Breast biopsy, ever (Y8Q32E)	Yes	1	687	9.8
	No	2	6355	90.2
	N Missing		214	
Q32F Procedure: Lumpectomy (removal of lump from breasts), ever (Y8Q32F)	Yes	1	197	2.8
	No	2	6848	97.2
	N Missing		209	
Q32G Procedure: Mastectomy (removal of one or both breasts), ever (Y8Q32G)	Yes	1	38	0.5
	No	2	6999	99.5
	N Missing		217	
Q32H Procedure: Cholecystectomy (gall bladder removed), ever (Y8Q32H)	Yes	1	499	7.1
	No	2	6541	92.9
	N Missing		214	
Q32I Procedure: Weight loss surgery, ever (Y8Q32I)	Yes	1	190	2.7
	No	2	6850	97.3
	N Missing		213	
Q32J Procedure: Cosmetic surgery, ever (Y8Q32J)	Yes	1	428	6.1
	No	2	6618	93.9
	N Missing		208	
Q32K Procedure: Endometrial ablation, ever (Y8Q32K)	Yes	1	444	6.3
	No	2	6602	93.7
	N Missing		209	
Q33 Mother had a hysterectomy (Y8Q33)	Yes	1	2407	33.9
	No	2	4312	60.7
	Don't know	3	387	5.4
	N Missing		151	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q34 Age at mothers menopause (Y8Q34)	Under 40 years	1	145	2.1
	40 - 44 years	2	477	6.7
	45 - 49 years	3	940	13.3
	50 - 52 years	4	1075	15.2
	53 - 54 years	5	609	8.6
	55 or order	6	928	13.1
	Mother had hysterectomy before menopause	7	807	11.4
	Don't know	8	2098	29.6
	N Missing		178	
Q35 Currently taking HRT (Y8Q35)	Yes	1	109	1.5
	No	2	6999	98.5
	N Missing		150	
Q36A Had a period / menstrual bleeding in last 12 months (Y8Q36A)	Yes	1	6003	85.4
	No	2	1028	14.6
	N Missing		235	
Q36B Had a period / menstrual bleeding in last 2 months (Y8Q36B)	Yes	1	5458	81.9
	No	2	1203	18.1
	N Missing		601	
Q37 Skipped period for two months in last 12 months (Y8Q37)	Yes	1	1082	17.8
	No	2	4990	82.2
	N Missing		1208	
Q38 Compared with 12 months ago, frequency of periods (Y8Q38)	Less frequent	1	564	9.3
	About the same	2	4444	73.3
	More frequent	3	448	7.4
	Changeable	4	609	10.0
	N Missing		1214	
Q39_NA (Menopause) Not applicable (Y8Q39_NA)	No	0	329	4.6
	Yes	1	6786	95.4
	N Missing		142	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q39_YEARS Age periods completely stopped if reached menopause (Y8Q39_YEARS)	Mean		38.60	
	Std Error		0.44	
	N		131	
	N Missing		6990	
Q40A How stressed about: Own health, last 12m (Y8Q40A)	Not applicable	1	101	1.4
	Not at all stressed	2	2361	33.3
	Somewhat stressed	3	2967	41.8
	Moderately stressed	4	990	14.0
	Very stressed	5	486	6.9
	Extremely stressed	6	188	2.7
	N Missing		163	
Q40B How stressed about: Health of family members, last 12m (Y8Q40B)	Not applicable	1	85	1.2
	Not at all stressed	2	1607	22.7
	Somewhat stressed	3	2923	41.2
	Moderately stressed	4	1251	17.7
	Very stressed	5	760	10.7
	Extremely stressed	6	461	6.5
	N Missing		168	
Q40C How stressed about: Work/Employment, last 12m (Y8Q40C)	Not applicable	1	388	5.5
	Not at all stressed	2	1344	18.9
	Somewhat stressed	3	2517	35.5
	Moderately stressed	4	1365	19.2
	Very stressed	5	1033	14.6
	Extremely stressed	6	447	6.3
	N Missing		163	
Q40D How stressed about: Living arrangements, last 12m (Y8Q40D)	Not applicable	1	156	2.2
	Not at all stressed	2	4388	61.9
	Somewhat stressed	3	1457	20.5
	Moderately stressed	4	564	8.0
	Very stressed	5	350	4.9
	Extremely stressed	6	176	2.5
	N Missing		166	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q40E How stressed about: Study, last 12m (Y8Q40E)	Not applicable	1	4783	67.4
	Not at all stressed	2	1335	18.8
	Somewhat stressed	3	549	7.7
	Moderately stressed	4	239	3.4
	Very stressed	5	131	1.8
	Extremely stressed	6	56	0.8
	N Missing		164	
Q40F How stressed about: Money, last 12m (Y8Q40F)	Not applicable	1	70	1.0
	Not at all stressed	2	2037	28.7
	Somewhat stressed	3	2687	37.9
	Moderately stressed	4	1128	15.9
	Very stressed	5	702	9.9
	Extremely stressed	6	465	6.6
	N Missing		166	
Q40G How stressed about: Relationship with parents, last 12m (Y8Q40G)	Not applicable	1	296	4.2
	Not at all stressed	2	4148	58.5
	Somewhat stressed	3	1804	25.4
	Moderately stressed	4	455	6.4
	Very stressed	5	244	3.4
	Extremely stressed	6	146	2.1
	N Missing		168	
Q40H How stressed about: Relationship with partner/spouse, last 12m (Y8Q40H)	Not applicable	1	868	12.2
	Not at all stressed	2	2850	40.2
	Somewhat stressed	3	2058	29.0
	Moderately stressed	4	613	8.6
	Very stressed	5	380	5.4
	Extremely stressed	6	327	4.6
	N Missing		164	
Q40I How stressed about: Relationship with other family members, last 12m (Y8Q40I)	Not applicable	1	127	1.8
	Not at all stressed	2	3695	52.1
	Somewhat stressed	3	2263	31.9
	Moderately stressed	4	581	8.2
	Very stressed	5	294	4.1
	Extremely stressed	6	136	1.9
	N Missing		163	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q40J How stressed about: Relationship with friends, last 12m (Y8Q40J)	Not applicable	1	136	1.9
	Not at all stressed	2	4867	68.6
	Somewhat stressed	3	1713	24.2
	Moderately stressed	4	266	3.7
	Very stressed	5	80	1.1
	Extremely stressed	6	31	0.4
	N Missing		167	
Q40K How stressed about: Motherhood/children, last 12m (Y8Q40K)	Not applicable	1	1170	16.5
	Not at all stressed	2	1246	17.6
	Somewhat stressed	3	2802	39.5
	Moderately stressed	4	1140	16.1
	Very stressed	5	492	6.9
	Extremely stressed	6	246	3.5
	N Missing		163	
Q41A Control weight: Used commercial weight loss programs, last 12m (Y8Q41A)	Yes	1	741	10.5
	No	2	6341	89.5
	N Missing		175	
Q41B Control weight: Used meal replacements or slimming products, last 12m (Y8Q41B)	Yes	1	1082	15.3
	No	2	5997	84.7
	N Missing		179	
Q41C Control weight: Exercised, last 12m (Y8Q41C)	Yes	1	5336	76.0
	No	2	1682	24.0
	N Missing		246	
Q41D Control weight: Cut down meal portions and snacks, last 12m (Y8Q41D)	Yes	1	5143	72.6
	No	2	1937	27.4
	N Missing		177	
Q41E Control weight: Cut down on fats, last 12m (Y8Q41E)	Yes	1	2864	40.5
	No	2	4212	59.5
	N Missing		183	
Q41F Control weight: Cut down on sugars, last 12m (Y8Q41F)	Yes	1	4581	64.7
	No	2	2502	35.3
	N Missing		174	



**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q41G Control weight: Cut down on carbohydrates, last 12m (Y8Q41G)	Yes	1	3225	45.5
	No	2	3856	54.5
	N Missing		177	
Q41H Control weight: Low glycaemic index(GI) diet, last 12m (Y8Q41H)	Yes	1	718	10.1
	No	2	6355	89.9
	N Missing		184	
Q41I Control weight: Used laxatives, diuretics or diet pills, last 12m (Y8Q41I)	Yes	1	297	4.2
	No	2	6780	95.8
	N Missing		181	
Q41J Control weight: Fasting, last 12m (Y8Q41J)	Yes	1	1207	17.1
	No	2	5868	82.9
	N Missing		182	
Q42A Dissatisfied about: Your weight, past month (Y8Q42A)	1 Not at all dissatisfied	1	809	11.4
	2	2	763	10.8
	3 Slightly dissatisfied	3	1749	24.7
	4	4	530	7.5
	5 Moderately dissatisfied	5	1341	18.9
	6	6	689	9.7
	7 Markedly dissatisfied	7	1205	17.0
	N Missing		173	
Q42B Dissatisfied about: Your shape, past month (Y8Q42B)	1 Not at all dissatisfied	1	696	9.8
	2	2	840	11.9
	3 Slightly dissatisfied	3	1869	26.4
	4	4	585	8.3
	5 Moderately dissatisfied	5	1445	20.4
	6	6	604	8.5
	7 Markedly dissatisfied	7	1038	14.7
	N Missing		179	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q44 How much would you like to weigh now? (Y8Q44)	Happy as I am	1	892	12.6
	1 - 5 kg more	2	131	1.8
	Over 5 kg more	3	30	0.4
	1 - 5 kg less	4	2410	34.0
	6 - 10 kg less	5	1521	21.5
	Over 10 kg less	6	2097	29.6
	N Missing		176	
Q45A Applied to me: Aware of dryness in my mouth, past week (Y8Q45A)	Did not apply to me at all	0	4580	64.7
	Applied to me some of the time	1	2055	29.0
	Applied to me considerably	2	323	4.6
	Applied to me very much, most of the time	3	124	1.7
	N Missing		176	
Q45B Applied to me: Experienced breathing difficulty, past week (Y8Q45B)	Did not apply to me at all	0	5793	81.8
	Applied to me some of the time	1	1094	15.5
	Applied to me considerably	2	153	2.2
	Applied to me very much, most of the time	3	41	0.6
	N Missing		178	
Q45C Applied to me: Experienced trembling, past week (Y8Q45C)	Did not apply to me at all	0	5963	84.3
	Applied to me some of the time	1	965	13.6
	Applied to me considerably	2	106	1.5
	Applied to me very much, most of the time	3	42	0.6
	N Missing		184	
Q45D Applied to me: Worried about panic and making a fool of myself, past week (Y8Q45D)	Did not apply to me at all	0	5360	75.8
	Applied to me some of the time	1	1423	20.1
	Applied to me considerably	2	223	3.2
	Applied to me very much, most of the time	3	68	1.0
	N Missing		182	
Q45E Applied to me: Felt close to panic, past week (Y8Q45E)	Did not apply to me at all	0	5547	78.4
	Applied to me some of the time	1	1310	18.5
	Applied to me considerably	2	180	2.5
	Applied to me very much, most of the time	3	42	0.6
	N Missing		180	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q45F Applied to me: Aware of heart action without physical exertion, past week (Y8Q45F)	Did not apply to me at all	0	5053	71.4
	Applied to me some of the time	1	1775	25.1
	Applied to me considerably	2	204	2.9
	Applied to me very much, most of the time	3	46	0.6
	N Missing		180	
Q45G Applied to me: Felt scared without good reason, past week (Y8Q45G)	Did not apply to me at all	0	5995	84.7
	Applied to me some of the time	1	925	13.1
	Applied to me considerably	2	122	1.7
	Applied to me very much, most of the time	3	38	0.5
	N Missing		178	
Q46A Pain: In hands, past week (Y8Q46A)	0 No pain	0	5228	74.0
	1	1	515	7.3
	2	2	437	6.2
	3	3	302	4.3
	4	4	159	2.2
	5	5	158	2.2
	6	6	114	1.6
	7	7	86	1.2
	8	8	46	0.6
	9	9	16	0.2
	10 Worst pain	10	9	0.1
	N Missing		190	
	Q46B Pain: In shoulders, past week (Y8Q46B)	0 No pain	0	3074
1		1	580	8.2
2		2	883	12.5
3		3	782	11.1
4		4	495	7.0
5		5	448	6.3
6		6	311	4.4
7		7	261	3.7
8		8	161	2.3
9		9	46	0.7
10 Worst pain		10	31	0.4
N Missing		188		

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q46C Pain: In hips, past week (Y8Q46C)	0 No pain	0	4234	59.9
	1	1	512	7.2
	2	2	626	8.9
	3	3	491	6.9
	4	4	307	4.3
	5	5	306	4.3
	6	6	213	3.0
	7	7	177	2.5
	8	8	130	1.8
	9	9	43	0.6
	10 Worst pain	10	31	0.4
	N Missing			191
Q46D Pain: In knees, past week (Y8Q46D)	0 No pain	0	4108	58.1
	1	1	794	11.2
	2	2	671	9.5
	3	3	497	7.0
	4	4	295	4.2
	5	5	259	3.7
	6	6	152	2.2
	7	7	136	1.9
	8	8	105	1.5
	9	9	23	0.3
	10 Worst pain	10	24	0.3
	N Missing			192
Q46E Pain: In ankles, past week (Y8Q46E)	0 No pain	0	5635	79.7
	1	1	425	6.0
	2	2	313	4.4
	3	3	205	2.9
	4	4	116	1.6
	5	5	119	1.7
	6	6	94	1.3
	7	7	65	0.9
	8	8	61	0.9
	9	9	15	0.2
	10 Worst pain	10	19	0.3
	N Missing			193

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>	
Q46F Pain: In back, past week (Y8Q46F)	0 No pain	0	2167	30.7	
	1	1	735	10.4	
	2	2	1049	14.8	
	3	3	897	12.7	
	4	4	634	9.0	
	5	5	529	7.5	
	6	6	387	5.5	
	7	7	302	4.3	
	8	8	206	2.9	
	9	9	88	1.2	
	10 Worst pain	10	76	1.1	
	N Missing			188	
Q47A Managing time: Rushed, pressured, too busy (Y8Q47A)	Every day	1	2398	33.9	
	A few times a week	2	3136	44.3	
	About once a week	3	880	12.4	
	About once a month	4	485	6.9	
	Never	5	176	2.5	
	N Missing			182	
	Q47B Managing time: Time on your hands (Y8Q47B)	Every day	1	103	1.5
A few times a week		2	578	8.2	
About once a week		3	715	10.1	
About once a month		4	1374	19.4	
Never		5	4305	60.8	
N Missing				182	
Q48A Time in usual week: Active leisure (Y8Q48A)		I don't do this activity	1	1038	14.7
	1-15 hours	2	5665	80.4	
	16-24 hours	3	254	3.6	
	25-34 hours	4	57	0.8	
	35-40 hours	5	16	0.2	
	41-48 hours	6	8	0.1	
	49 hours or more	7	8	0.1	
	N Missing			208	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q48B Time in usual week: Passive leisure (Y8Q48B)				
	I don't do this activity	1	130	1.9
	1-15 hours	2	5008	71.2
	16-24 hours	3	1261	17.9
	25-34 hours	4	397	5.7
	35-40 hours	5	113	1.6
	41-48 hours	6	44	0.6
	49 hours or more	7	78	1.1
	N Missing		225	
Q48C Time in usual week: Full-time permanent paid work (Y8Q48C)				
	I don't do this activity	1	3830	54.7
	1-15 hours	2	35	0.5
	16-24 hours	3	61	0.9
	25-34 hours	4	214	3.1
	35-40 hours	5	1388	19.8
	41-48 hours	6	1004	14.3
	49 hours or more	7	472	6.7
	N Missing		251	
Q48D Time in usual week: Part-time permanent paid work (Y8Q48D)				
	I don't do this activity	1	4635	66.1
	1-15 hours	2	400	5.7
	16-24 hours	3	843	12.0
	25-34 hours	4	834	11.9
	35-40 hours	5	231	3.3
	41-48 hours	6	47	0.7
	49 hours or more	7	26	0.4
	N Missing		239	
Q48E Time in usual week: Casual paid work (Y8Q48E)				
	I don't do this activity	1	6093	86.7
	1-15 hours	2	535	7.6
	16-24 hours	3	207	2.9
	25-34 hours	4	120	1.7
	35-40 hours	5	54	0.8
	41-48 hours	6	15	0.2
	49 hours or more	7	4	0.1
	N Missing		233	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q48F Time in usual week: Work without pay (Y8Q48F)	I don't do this activity	1	5094	72.3
	1-15 hours	2	1325	18.8
	16-24 hours	3	269	3.8
	25-34 hours	4	132	1.9
	35-40 hours	5	94	1.3
	41-48 hours	6	32	0.4
	49 hours or more	7	101	1.4
	N Missing			208
	Q48G Time in usual week: Studying (Y8Q48G)	I don't do this activity	1	5871
1-15 hours		2	950	13.5
16-24 hours		3	129	1.8
25-34 hours		4	50	0.7
35-40 hours		5	30	0.4
41-48 hours		6	13	0.2
49 hours or more		7	18	0.3
N Missing				196
Q48H Time in usual week: Unpaid voluntary work (Y8Q48H)		I don't do this activity	1	5073
	1-15 hours	2	1864	26.5
	16-24 hours	3	79	1.1
	25-34 hours	4	15	0.2
	35-40 hours	5	3	0.0
	41-48 hours	6	6	0.1
	49 hours or more	7	3	0.0
	N Missing			211
	Q48I Time in usual week: Home duties (Y8Q48I)	I don't do this activity	1	50
1-15 hours		2	3111	44.1
16-24 hours		3	1675	23.8
25-34 hours		4	899	12.8
35-40 hours		5	475	6.7
41-48 hours		6	200	2.8
49 hours or more		7	636	9.0
N Missing				206

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q48J Time in usual week: Looking after your/partners children (Y8Q48J)	I don't do this activity	1	1673	23.7
	1-15 hours	2	754	10.7
	16-24 hours	3	711	10.1
	25-34 hours	4	664	9.4
	35-40 hours	5	591	8.4
	41-48 hours	6	361	5.1
	49 hours or more	7	2299	32.6
	N Missing		206	
Q49AA Self work: No paid work (Y8Q49AA)	No	0	6162	89.1
	Yes	1	757	10.9
	N Missing		338	
Q49AB Self work: Paid shift work (Y8Q49AB)	No	0	6318	91.3
	Yes	1	601	8.7
	N Missing		338	
Q49AC Self work: Paid work with irregular hours (Y8Q49AC)	No	0	6175	89.2
	Yes	1	744	10.8
	N Missing		338	
Q49AD Self work: Paid work on short-term contract (Y8Q49AD)	No	0	6607	95.5
	Yes	1	312	4.5
	N Missing		338	
Q49AE Self work: Paid work in more than one job (Y8Q49AE)	No	0	6334	91.5
	Yes	1	585	8.5
	N Missing		338	
Q49AF Self work: Paid work at night (Y8Q49AF)	No	0	6527	94.3
	Yes	1	392	5.7
	N Missing		338	
Q49AG Self work: Paid work from home (Y8Q49AG)	No	0	6088	88.0
	Yes	1	831	12.0
	N Missing		338	
Q49AH Self work: Self-employment (Y8Q49AH)	No	0	5829	84.2
	Yes	1	1090	15.8
	N Missing		338	



*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q49AI Self work: Irregular work away from home (Y8Q49AI)	No	0	6852	99.0
	Yes	1	67	1.0
	N Missing		338	
Q49AJ Self work: Defence Force Posting (Y8Q49AJ)	No	0	6905	99.8
	Yes	1	14	0.2
	N Missing		338	
Q49AK Self work: None of the above (Y8Q49AK)	No	0	3780	54.6
	Yes	1	3139	45.4
	N Missing		338	
Q49BA Partner work: No paid work (Y8Q49BA)	No	0	5467	96.3
	Yes	1	213	3.7
	N Missing		1547	
Q49BB Partner work: Paid shift work (Y8Q49BB)	No	0	5066	89.2
	Yes	1	614	10.8
	N Missing		1547	
Q49BC Partner work: Paid work with irregular hours (Y8Q49BC)	No	0	4909	86.4
	Yes	1	770	13.6
	N Missing		1547	
Q49BD Partner work: Paid work on short-term contract (Y8Q49BD)	No	0	5498	96.8
	Yes	1	182	3.2
	N Missing		1547	
Q49BE Partner work: Paid work in more than one job (Y8Q49BE)	No	0	5414	95.3
	Yes	1	266	4.7
	N Missing		1547	
Q49BF Partner work: Paid work at night (Y8Q49BF)	No	0	5277	92.9
	Yes	1	403	7.1
	N Missing		1547	
Q49BG Partner work: Paid work from home (Y8Q49BG)	No	0	5225	92.0
	Yes	1	455	8.0
	N Missing		1547	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q49BH Partner work: Self-employment (Y8Q49BH)	No	0	4358	76.7
	Yes	1	1322	23.3
	N Missing		1547	
Q49BI Partner work: Irregular work away from home (Y8Q49BI)	No	0	5370	94.5
	Yes	1	310	5.5
	N Missing		1547	
Q49BJ Partner work: Defence Force Posting (Y8Q49BJ)	No	0	5644	99.4
	Yes	1	36	0.6
	N Missing		1547	
Q49BK Partner work: None of the above (Y8Q49BK)	No	0	3284	57.8
	Yes	1	2396	42.2
	N Missing		1547	
Q49BL Partner work: Dont know or no partner (Y8Q49BL)	No	0	5964	84.3
	Yes	1	1108	15.7
	N Missing		185	
Q50AA Had: Allergies, hay fever, sinusitis, last 12m (Y8Q50AA)	Never	1	2356	33.4
	Rarely	2	1596	22.7
	Sometimes	3	2035	28.9
	Often	4	1057	15.0
	N Missing		214	
Q50AB Had: Headaches/migraines, last 12m (Y8Q50AB)	Never	1	551	7.8
	Rarely	2	2514	35.7
	Sometimes	3	2915	41.3
	Often	4	1070	15.2
	N Missing		209	
Q50AC Had: Severe tiredness, last 12m (Y8Q50AC)	Never	1	931	13.2
	Rarely	2	2040	29.0
	Sometimes	3	2668	37.9
	Often	4	1403	19.9
	N Missing		215	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q50AD Had: Indigestion (heart burn), last 12m (Y8Q50AD)	Never	1	3658	51.9
	Rarely	2	1865	26.5
	Sometimes	3	1149	16.3
	Often	4	369	5.2
	N Missing		217	
Q50AE Had: Breathing difficulties, last 12m (Y8Q50AE)	Never	1	4951	70.3
	Rarely	2	1356	19.2
	Sometimes	3	629	8.9
	Often	4	111	1.6
	N Missing		210	
Q50AF Had: Stiff or painful joints, last 12m (Y8Q50AF)	Never	1	2156	30.6
	Rarely	2	2046	29.0
	Sometimes	3	2067	29.3
	Often	4	780	11.1
	N Missing		208	
Q50AG Had: Back pain, last 12m (Y8Q50AG)	Never	1	1379	19.6
	Rarely	2	2185	31.0
	Sometimes	3	2470	35.1
	Often	4	1010	14.3
	N Missing		211	
Q50AH Had: Problems with one or both feet, last 12m (Y8Q50AH)	Never	1	4261	60.5
	Rarely	2	1326	18.8
	Sometimes	3	947	13.4
	Often	4	515	7.3
	N Missing		209	
Q50AI Had: Urine that burns or stings, last 12m (Y8Q50AI)	Never	1	5850	83.0
	Rarely	2	943	13.4
	Sometimes	3	223	3.2
	Often	4	34	0.5
	N Missing		207	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q50AJ Had: Leaking urine, last 12m (Y8Q50AJ)	Never	1	3858	54.7
	Rarely	2	1673	23.7
	Sometimes	3	1152	16.3
	Often	4	366	5.2
	N Missing		209	
Q50AK Had: Constipation, last 12m (Y8Q50AK)	Never	1	3128	44.4
	Rarely	2	2334	33.1
	Sometimes	3	1307	18.5
	Often	4	282	4.0
	N Missing		207	
Q50AL Had: Haemorrhoids (piles), last 12m (Y8Q50AL)	Never	1	4830	68.6
	Rarely	2	1295	18.4
	Sometimes	3	718	10.2
	Often	4	201	2.9
	N Missing		212	
Q50AM Had: Other bowel problems, last 12m (Y8Q50AM)	Never	1	5286	75.0
	Rarely	2	792	11.2
	Sometimes	3	699	9.9
	Often	4	268	3.8
	N Missing		215	
Q50AN Had: Vaginal discharge or irritation, last 12m (Y8Q50AN)	Never	1	4467	63.4
	Rarely	2	1757	24.9
	Sometimes	3	693	9.8
	Often	4	133	1.9
	N Missing		208	
Q50AO Had: Premenstrual tension, last 12m (Y8Q50AO)	Never	1	2599	36.9
	Rarely	2	1640	23.3
	Sometimes	3	1998	28.4
	Often	4	811	11.5
	N Missing		211	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q50AP Had: Irregular monthly periods, last 12m (Y8Q50AP)	Never	1	4546	64.6
	Rarely	2	1134	16.1
	Sometimes	3	862	12.3
	Often	4	494	7.0
	N Missing		221	
Q50AQ Had: Heavy periods, last 12m (Y8Q50AQ)	Never	1	3747	53.2
	Rarely	2	1129	16.0
	Sometimes	3	1272	18.1
	Often	4	897	12.7
	N Missing		213	
Q50AR Had: Severe period pain, last 12m (Y8Q50AR)	Never	1	3882	55.1
	Rarely	2	1590	22.6
	Sometimes	3	1062	15.1
	Often	4	509	7.2
	N Missing		213	
Q50AS Had: Skin problems, last 12m (Y8Q50AS)	Never	1	3309	47.0
	Rarely	2	2018	28.7
	Sometimes	3	1187	16.9
	Often	4	528	7.5
	N Missing		215	
Q50AT Had: Difficulty sleeping, last 12m (Y8Q50AT)	Never	1	1228	17.4
	Rarely	2	2059	29.2
	Sometimes	3	2496	35.4
	Often	4	1269	18.0
	N Missing		206	
Q50AU Had: Depression, last 12m (Y8Q50AU)	Never	1	3678	52.2
	Rarely	2	1655	23.5
	Sometimes	3	1218	17.3
	Often	4	496	7.0
	N Missing		211	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q50AV Had: Episodes of intense anxiety (e.g. panic attacks), last 12m (Y8Q50AV)	Never	1	4805	68.2
	Rarely	2	1254	17.8
	Sometimes	3	751	10.7
	Often	4	239	3.4
	N Missing		208	
Q50AW Had: Other mental health problems, last 12m (Y8Q50AW)	Never	1	5634	80.1
	Rarely	2	804	11.4
	Sometimes	3	404	5.7
	Often	4	194	2.8
	N Missing		221	
Q50AX Had: Palpitations, last 12m (Y8Q50AX)	Never	1	4365	62.0
	Rarely	2	1685	23.9
	Sometimes	3	842	12.0
	Often	4	151	2.1
	N Missing		215	
Q50AY Had: Hot flushes, last 12m (Y8Q50AY)	Never	1	5452	77.4
	Rarely	2	890	12.6
	Sometimes	3	536	7.6
	Often	4	164	2.3
	N Missing		214	
Q50AZ Had: Night sweats, last 12m (Y8Q50AZ)	Never	1	5024	71.3
	Rarely	2	1137	16.1
	Sometimes	3	675	9.6
	Often	4	213	3.0
	N Missing		208	
Q50BA Seek help for: Allergies, hay fever, sinusitis, last 12m (Y8Q50BA)	No	0	3505	49.8
	Yes	1	1181	16.8
	Did not have this symptom	2	2356	33.5
	N Missing		216	
Q50BB Seek help for: Headaches/migraines, last 12m (Y8Q50BB)	No	0	5340	75.8
	Yes	1	1155	16.4
	Did not have this symptom	2	551	7.8
	N Missing		212	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q50BC Seek help for: Severe tiredness, last 12m (Y8Q50BC)	No	0	5092	72.4
	Yes	1	1015	14.4
	Did not have this symptom	2	931	13.2
	N Missing		218	
Q50BD Seek help for: Indigestion (heart burn), last 12m (Y8Q50BD)	No	0	2953	42.0
	Yes	1	427	6.1
	Did not have this symptom	2	3658	52.0
	N Missing		221	
Q50BE Seek help for: Breathing difficulties, last 12m (Y8Q50BE)	No	0	1666	23.6
	Yes	1	429	6.1
	Did not have this symptom	2	4951	70.3
	N Missing		211	
Q50BF Seek help for: Stiff or painful joints, last 12m (Y8Q50BF)	No	0	3655	51.9
	Yes	1	1236	17.5
	Did not have this symptom	2	2156	30.6
	N Missing		210	
Q50BG Seek help for: Back pain, last 12m (Y8Q50BG)	No	0	3813	54.2
	Yes	1	1848	26.3
	Did not have this symptom	2	1379	19.6
	N Missing		215	
Q50BH Seek help for: Problems with one or both feet, last 12m (Y8Q50BH)	No	0	2055	29.2
	Yes	1	730	10.4
	Did not have this symptom	2	4261	60.5
	N Missing		211	
Q50BI Seek help for: Urine that burns or stings, last 12m (Y8Q50BI)	No	0	803	11.4
	Yes	1	396	5.6
	Did not have this symptom	2	5850	83.0
	N Missing		208	
Q50BJ Seek help for: Leaking urine, last 12m (Y8Q50BJ)	No	0	2963	42.0
	Yes	1	228	3.2
	Did not have this symptom	2	3858	54.7
	N Missing		210	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q50BK Seek help for: Constipation, last 12m (Y8Q50BK)	No	0	3627	51.5
	Yes	1	295	4.2
	Did not have this symptom	2	3128	44.4
	N Missing		209	
Q50BL Seek help for: Haemorrhoids (piles), last 12m (Y8Q50BL)	No	0	2012	28.6
	Yes	1	202	2.9
	Did not have this symptom	2	4830	68.6
	N Missing		212	
Q50BM Seek help for: Other bowel problems, last 12m (Y8Q50BM)	No	0	1397	19.8
	Yes	1	360	5.1
	Did not have this symptom	2	5286	75.1
	N Missing		216	
Q50BN Seek help for: Vaginal discharge or irritation, last 12m (Y8Q50BN)	No	0	2206	31.3
	Yes	1	377	5.4
	Did not have this symptom	2	4467	63.4
	N Missing		208	
Q50BO Seek help for: Premenstrual tension, last 12m (Y8Q50BO)	No	0	4170	59.2
	Yes	1	277	3.9
	Did not have this symptom	2	2599	36.9
	N Missing		214	
Q50BP Seek help for: Irregular periods, last 12m (Y8Q50BP)	No	0	2039	29.0
	Yes	1	448	6.4
	Did not have this symptom	2	4546	64.6
	N Missing		224	
Q50BQ Seek help for: Heavy periods, last 12m (Y8Q50BQ)	No	0	2644	37.5
	Yes	1	652	9.3
	Did not have this symptom	2	3747	53.2
	N Missing		215	
Q50BR Seek help for: Severe period pain, last 12m (Y8Q50BR)	No	0	2795	39.7
	Yes	1	365	5.2
	Did not have this symptom	2	3882	55.1
	N Missing		214	



**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q50BS Seek help for: Skin problems, last 12m (Y8Q50BS)	No	0	3092	43.9
	Yes	1	640	9.1
	Did not have this symptom	2	3309	47.0
	N Missing		217	
Q50BT Seek help for: Difficulty sleeping, last 12m (Y8Q50BT)	No	0	5107	72.5
	Yes	1	713	10.1
	Did not have this symptom	2	1228	17.4
	N Missing		210	
Q50BU Seek help for: Depression, last 12m (Y8Q50BU)	No	0	2357	33.5
	Yes	1	1010	14.3
	Did not have this symptom	2	3678	52.2
	N Missing		212	
Q50BV Seek help for: Episodes of intense anxiety, last 12m (Y8Q50BV)	No	0	1591	22.6
	Yes	1	652	9.2
	Did not have this symptom	2	4805	68.2
	N Missing		210	
Q50BW Seek help for: Other mental health problems, last 12m (Y8Q50BW)	No	0	939	13.3
	Yes	1	462	6.6
	Did not have this symptom	2	5634	80.1
	N Missing		221	
Q50BX Seek help for: Palpitations, last 12m (Y8Q50BX)	No	0	2288	32.5
	Yes	1	389	5.5
	Did not have this symptom	2	4365	62.0
	N Missing		215	
Q50BY Seek help for: Hot flushes, last 12m (Y8Q50BY)	No	0	1411	20.0
	Yes	1	181	2.6
	Did not have this symptom	2	5452	77.4
	N Missing		213	
Q50BZ Seek help for: Night sweats, last 12m (Y8Q50BZ)	No	0	1804	25.6
	Yes	1	220	3.1
	Did not have this symptom	2	5024	71.3
	N Missing		209	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q50AAA Had: Teeth or gum problems, last 12m (Y8Q50AAA)	Never	1	4385	62.2
	Rarely	2	1659	23.5
	Sometimes	3	798	11.3
	Often	4	204	2.9
	N Missing		211	
Q50BAA Seek help for: Teeth or gum problems, last 12m (Y8Q50BAA)	No	0	1649	23.4
	Yes	1	1010	14.3
	Did not have this symptom	2	4385	62.3
	N Missing		213	
Q51AA Marijuana in the last 12 months (Y8Q51AA)	No	0	6565	93.3
	Yes	1	468	6.7
	N Missing		222	
Q51AB Other illicit drug in the last 12 months (Y8Q51AB)	No	0	6764	96.2
	Yes	1	270	3.8
	N Missing		222	
Q51BA Marijuana more than 12 months (Y8Q51BA)	No	0	3519	50.0
	Yes	1	3514	50.0
	N Missing		222	
Q51BB Other illicit drug more than 12 months (Y8Q51BB)	No	0	5206	74.0
	Yes	1	1827	26.0
	N Missing		222	
Q51CA Never used Marijuana (Y8Q51CA)	No	0	3977	56.5
	Yes	1	3057	43.5
	N Missing		222	
Q51CB Never used Other illicit drug (Y8Q51CB)	No	0	2106	29.9
	Yes	1	4927	70.1
	N Missing		222	
Q52 How often do you currently smoke (Y8Q52)	Daily	1	459	6.5
	At least weekly (but not daily)	2	72	1.0
	Less often than weekly	3	156	2.2
	Not at all	4	6354	90.2
	N Missing		216	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q53A On average how many cigarettes do you smoke per day (Y8Q53A)	Mean		13.47	
	Std Error		0.51	
	N		477	
	N Missing		6644	
Q53B On average how many cigarettes do you smoke per week? (Y8Q53B)	Mean		19.91	
	Std Error		3.38	
	N		75	
	N Missing		7046	
Q54 In your lifetime, would you have smoked at least 100 cigarettes (Y8Q54)	Yes	1	2182	31.0
	No	2	4394	62.5
	Daily Smoker	3	459	6.5
	N Missing		223	
Q55 Have you ever smoked daily? (Y8Q55)	Yes	1	1726	24.5
	No	2	460	6.5
	Daily Smoker	3	456	6.5
	Not smoked 100	4	4394	62.4
	N Missing		223	
Q56 At what age did you finally stop smoking daily? (Y8Q56)	Mean		29.71	
	Std Error		0.16	
	N		1720	
	N Missing		5401	
Q57 At what age did you finally stop smoking? (Y8Q57)	Mean		29.33	
	Std Error		0.16	
	N		1843	
	N Missing		5278	
Q58 Have you tried to quit smoking in the last six months? (Y8Q58)	Yes	1	294	4.2
	No	2	1850	26.5
	Never smoked	8	4843	69.3
	N Missing		273	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q59 How often do you usually drink alcohol? (Y8Q59)	I never drink alcohol	1	721	10.2
	Less than once a month	2	1589	22.6
	Less than once a week	3	1233	17.5
	On 1 or 2 days a week	4	1441	20.5
	On 3 or 4 days a week	5	1195	17.0
	On 5 or 6 days a week	6	600	8.5
	Every day	7	262	3.7
	N Missing			215
Q60 When you drink alcohol, how many standard drinks you usually have? (Y8Q60)	Do not drink alcohol	0	721	10.2
	1 or 2 drinks per day	1	4361	62.0
	3 or 4 drinks per day	2	1526	21.7
	5 to 8 drinks per day	3	374	5.3
	9 or more drinks per day	4	53	0.8
	N Missing			221
Q61 How often do you have five+ standard drinks of alcohol on one occasion? (Y8Q61)	Never	1	3149	44.7
	Less than once a month	2	2327	33.1
	About once a month	3	793	11.3
	About once a week	4	553	7.9
	More than once a week	5	215	3.0
	N Missing			219
Q62A Use of stairs: Live in a house with stairs (Y8Q62A)	Yes	1	2876	40.9
	No	2	4124	58.6
	NA/Don't work	3	37	0.5
	N Missing			218
Q62B Use of stairs: Stairs at work (Y8Q62B)	Yes	1	3685	52.5
	No	2	2486	35.4
	NA/Don't work	3	854	12.2
	N Missing			230
Q62C Use of stairs: Stairs on usual route (Y8Q62C)	Yes	1	1177	16.8
	No	2	4760	67.8
	NA/Don't work	3	1085	15.5
	N Missing			233

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q63A Flights of stairs up: Work day (Y8Q63A)				
	Mean		4.26	
	Std Error		0.11	
	N		6712	
	N Missing		409	
Q63B Flights of stairs up: Non-work day (Y8Q63B)				
	Mean		3.60	
	Std Error		0.10	
	N		6688	
	N Missing		433	
Q64ATOTMINS Sitting: Week day total mins (Y8Q64ATOTMINS)				
	Mean		407.73	
	Std Error		2.47	
	N		6622	
	N Missing		499	
Q64BTOTMINS Sitting: Weekend day total mins (Y8Q64BTOTMINS)				
	Mean		313.41	
	Std Error		2.06	
	N		6675	
	N Missing		446	
Q66A Felt/behaved: Bothered by things that dont usually, last week (Y8Q66A)				
	Rarely or none of the time	1	4065	58.3
	Some or a little of the time	2	2184	31.3
	Occasionally or moderate amount of time	3	570	8.2
	Most or all of the time	4	158	2.3
	N Missing		275	
Q66B Felt/behaved: Trouble keeping my mind what doing, last week (Y8Q66B)				
	Rarely or none of the time	1	3170	45.4
	Some or a little of the time	2	2716	38.9
	Occasionally or moderate amount of time	3	828	11.9
	Most or all of the time	4	267	3.8
	N Missing		271	
Q66C Felt/behaved: I felt depressed, last week (Y8Q66C)				
	Rarely or none of the time	1	4802	68.9
	Some or a little of the time	2	1465	21.0
	Occasionally or moderate amount of time	3	469	6.7
	Most or all of the time	4	232	3.3
	N Missing		285	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q66D Felt/behaved: Everything I did was an effort, last week (Y8Q66D)	Rarely or none of the time	1	3725	53.5
	Some or a little of the time	2	2257	32.4
	Occasionally or moderate amount of time	3	643	9.2
	Most or all of the time	4	339	4.9
	N Missing		286	
Q66E Felt/behaved: I felt hopeful about the future, last week (Y8Q66E)	Rarely or none of the time	1	686	9.9
	Some or a little of the time	2	1393	20.0
	Occasionally or moderate amount of time	3	1731	24.9
	Most or all of the time	4	3153	45.3
	N Missing		287	
Q66F Felt/behaved: I felt fearful, last week (Y8Q66F)	Rarely or none of the time	1	5468	78.8
	Some or a little of the time	2	1108	16.0
	Occasionally or moderate amount of time	3	275	4.0
	Most or all of the time	4	91	1.3
	N Missing		307	
Q66G Felt/behaved: My sleep was restless, last week (Y8Q66G)	Rarely or none of the time	1	2117	30.4
	Some or a little of the time	2	2676	38.4
	Occasionally or moderate amount of time	3	1352	19.4
	Most or all of the time	4	820	11.8
	N Missing		288	
Q66H Felt/behaved: I was happy, last week (Y8Q66H)	Rarely or none of the time	1	271	3.9
	Some or a little of the time	2	1238	17.8
	Occasionally or moderate amount of time	3	1748	25.2
	Most or all of the time	4	3694	53.1
	N Missing		300	
Q66I Felt/behaved: I felt lonely, last week (Y8Q66I)	Rarely or none of the time	1	4596	66.0
	Some or a little of the time	2	1589	22.8
	Occasionally or moderate amount of time	3	513	7.4
	Most or all of the time	4	267	3.8
	N Missing		286	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q66J Felt/behaved: I could not get going, last week (Y8Q66J)	Rarely or none of the time	1	3626	52.0
	Some or a little of the time	2	2409	34.6
	Occasionally or moderate amount of time	3	661	9.5
	Most or all of the time	4	273	3.9
	N Missing		286	
Q66K Felt/behaved: I felt terrific, last week (Y8Q66K)	Rarely or none of the time	1	1721	24.7
	Some or a little of the time	2	1915	27.4
	Occasionally or moderate amount of time	3	1983	28.4
	Most or all of the time	4	1362	19.5
	N Missing		273	
Q67A Apply to you: I am pregnant now/have recently had a baby (Y8Q67A)	Yes	1	269	3.8
	No	2	6711	96.2
	N Missing		270	
Q67B Apply to you: I am trying to become pregnant (Y8Q67B)	Yes	1	233	3.3
	No	2	6745	96.7
	N Missing		272	
Q67C Apply to you: I have had a tubal ligation (Y8Q67C)	Yes	1	383	5.5
	No	2	6591	94.5
	N Missing		276	
Q67D Apply to you: My partner has had a vasectomy (Y8Q67D)	Yes	1	1602	23.0
	No	2	5367	77.0
	N Missing		282	
Q67E Apply to you: I cannot have children (Y8Q67E)	Yes	1	364	5.2
	No	2	6595	94.8
	N Missing		289	
Q67F Apply to you: My partner cannot have children (Y8Q67F)	Yes	1	286	4.1
	No	2	6669	95.9
	N Missing		295	
Q67G Apply to you: My partner has a low or zero sperm count (Y8Q67G)	Yes	1	281	4.0
	No	2	6671	96.0
	N Missing		301	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q67H Apply to you: I have no male sexual partners now (Y8Q67H)	Yes	1	1032	14.8
	No	2	5926	85.2
	N Missing		291	
Q67I Apply to you: I am using / have used IVF (Y8Q67I)	Yes	1	620	8.9
	No	2	6349	91.1
	N Missing		281	
Q67J Apply to you: I am using / have used fertility hormones (Y8Q67J)	Yes	1	480	6.9
	No	2	6488	93.1
	N Missing		282	
Q67K Apply to you: I practice abstinence (Y8Q67K)	Yes	1	325	4.7
	No	2	6627	95.3
	N Missing		300	
Q68A Contraception now: I use a combined oral contraceptive pill (Y8Q68A)	No	0	6200	89.2
	Yes	1	751	10.8
	N Missing		301	
Q68B Contraception now: I use a progestogen only oral contraceptive pill (Y8Q68B)	No	0	6851	98.6
	Yes	1	99	1.4
	N Missing		301	
Q68C Contraception now: I use the oral contraceptive pill, dont know type (Y8Q68C)	No	0	6896	99.2
	Yes	1	54	0.8
	N Missing		301	
Q68D Contraception now: I use condoms for contraception (Y8Q68D)	No	0	5805	83.5
	Yes	1	1146	16.5
	N Missing		301	
Q68E Contraception now: I use emergency contraception (Y8Q68E)	No	0	6924	99.6
	Yes	1	27	0.4
	N Missing		301	
Q68F Contraception now: I use an implant (Y8Q68F)	No	0	6733	96.9
	Yes	1	218	3.1
	N Missing		301	



**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q68G Contraception now: I use the withdrawal method (Y8Q68G)	No	0	6421	92.4
	Yes	1	530	7.6
	N Missing		301	
Q68H Contraception now: I use a copper intrauterine device (Y8Q68H)	No	0	6887	99.1
	Yes	1	64	0.9
	N Missing		301	
Q68I Contraception now: I use a progestogen intrauterine device (Y8Q68I)	No	0	5975	86.0
	Yes	1	976	14.0
	N Missing		301	
Q68J Contraception now: I use an injection (Y8Q68J)	No	0	6893	99.2
	Yes	1	58	0.8
	N Missing		301	
Q68K Contraception now: I use a safe period method (Y8Q68K)	No	0	6757	97.2
	Yes	1	193	2.8
	N Missing		301	
Q68L Contraception now: I use a vaginal ring (Y8Q68L)	No	0	6938	99.8
	Yes	1	12	0.2
	N Missing		301	
Q68M Contraception now: I use another method of contraception (Y8Q68M)	No	0	6698	96.4
	Yes	1	252	3.6
	N Missing		301	
Q68N Contraception now: I dont use contraception (Y8Q68N)	No	0	3831	55.1
	Yes	1	3119	44.9
	N Missing		301	
Q69 Are you currently pregnant? (Y8Q69)	No	1	6911	98.8
	Less than 3 months	2	20	0.3
	3 to 6 months	3	24	0.3
	More than 6 months	4	28	0.4
	Don't know	5	10	0.1
	N Missing		261	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q70 Have you ever been pregnant? (Y8Q70)	Yes	1	5968	85.3
	No	2	1024	14.7
	N Missing		261	
Q71A Miscarriage, ever (Y8Q71A)	None	0	4650	66.6
	One	1	1495	21.4
	Two	2	480	6.9
	Three	3	213	3.0
	Four	4	74	1.1
	5 or more	5	75	1.1
	N Missing		268	
Q71B Termination (abortion) for medical reasons, ever (Y8Q71B)	None	0	6694	96.2
	One	1	230	3.3
	Two	2	32	0.5
	Three	3	3	0.0
	Four	4	3	0.0
	N Missing		291	
Q71C Termination (abortion) for other reasons, ever (Y8Q71C)	None	0	5756	82.5
	One	1	892	12.8
	Two	2	238	3.4
	Three	3	62	0.9
	Four	4	17	0.2
	5 or more	5	13	0.2
	N Missing		276	
Q71D Ectopic pregnancy (tubal pregnancy), ever (Y8Q71D)	None	0	6803	97.4
	One	1	169	2.4
	Two	2	7	0.1
	Three	3	1	0.0
	Four	4	1	0.0
	N Missing		274	
Q72A Emotional well-being during pregnancy and early parenthood, most recent pregnancy (Y8Q72A)	Never	1	1355	19.5
	Yes, during pregnancy	2	1178	16.9
	Yes, following birth	3	625	9.0
	Yes, during and after pregnancy	4	2778	39.9
	Never pregnant	88	1024	14.7
	N Missing		291	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q72B Asked any questions by a midwife, etc. , about your emotional well-being, most recent pregnancy (Y8Q72B)	Never	1	1329	19.1
	Yes, during pregnancy	2	855	12.3
	Yes, following birth	3	1090	15.7
	Yes, during and after pregnancy	4	2663	38.2
	Never pregnant	88	1024	14.7
	N Missing		291	
Q73 Have you ever given birth in last 10 years? (Y8Q73)	Yes	1	3598	51.5
	No	2	3387	48.5
	N Missing		268	
Q74A Number of live births in last 10 years (Y8Q74A)	Mean		0.86	
	Std Error		0.01	
	N		6852	
	N Missing		269	
Q74B Number of still births in last 10 years (Y8Q74B)	Mean		0.01	
	Std Error		0.00	
	N		6676	
	N Missing		445	
Q79 Any children living with you (Y8Q79)	Yes	1	5416	77.8
	No	2	1542	22.2
	N Missing		292	
Q80A Number of children under 12 months living with you (Y8Q80A)	None	0	5277	76.0
	One	1	126	1.8
	Two	2	6	0.1
	Three	3	1	0.0
	Do not have children living with me	9	1535	22.1
	N Missing		305	
Q80B Number of children 1-5yrs living with you (Y8Q80B)	None	0	3952	57.0
	One	1	1138	16.4
	Two	2	285	4.1
	Three	3	25	0.4
	Four or more	4	2	0.0
	Do not have children living with me	9	1535	22.1
N Missing		316		

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q80C Number of children 6-12yrs living with you (Y8Q80C)	None	0	1631	23.5
	One	1	1792	25.8
	Two	2	1634	23.5
	Three	3	316	4.5
	Four or more	4	37	0.5
	Do not have children living with me	9	1535	22.1
	N Missing		308	
Q80D Number of children 13-16yrs living with you (Y8Q80D)	None	0	3248	47.2
	One	1	1524	22.1
	Two	2	536	7.8
	Three	3	35	0.5
	Four or more	4	7	0.1
	Do not have children living with me	9	1535	22.3
	N Missing		365	
Q80E Number of children 17+ yrs living with you (Y8Q80E)	None	0	4378	64.0
	One	1	658	9.6
	Two	2	221	3.2
	Three	3	44	0.6
	Four or more	4	6	0.1
	Do not have children living with me	9	1535	22.4
	N Missing		401	
Q81A Use of formal child care, how much (Y8Q81A)	Do not use this type of childcare	1	3733	53.7
	Less than 5 hours	2	361	5.2
	5 - 10 hrs	3	404	5.8
	11 - 20 hrs	4	403	5.8
	21 - 30 hrs	5	272	3.9
	31 - 40 hrs	6	163	2.3
	More than 40 hrs	7	80	1.1
	No children living with me	9	1534	22.1
	N Missing		304	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q81B Use of informal child care, how much (Y8Q81B)	Do not use this type of childcare	1	3364	48.4
	Less than 5 hours	2	1181	17.0
	5 - 10 hrs	3	506	7.3
	11 - 20 hrs	4	252	3.6
	21 - 30 hrs	5	68	1.0
	31 - 40 hrs	6	18	0.3
	More than 40 hrs	7	21	0.3
	No children living with me	9	1534	22.1
	N Missing		308	
Q82A Child care: Is formal child care located in an area convenient to you? (Y8Q82A)	Yes	1	4641	66.8
	No	2	171	2.5
	Don't know	3	604	8.7
	No children living with me	9	1533	22.1
	N Missing		303	
Q82B Child care: Are formal child care places available to you? (Y8Q82B)	Yes	1	3257	46.9
	No	2	270	3.9
	Don't know	3	1885	27.1
	No children living with me	9	1533	22.1
	N Missing		307	
Q82C Child care: Is the cost of formal child care a problem for you? (Y8Q82C)	Yes	1	1323	19.1
	No	2	2482	35.8
	Don't know	3	1604	23.1
	No children living with me	9	1533	22.1
	N Missing		309	
Q82D Child care: Is informal child care available to you? (Y8Q82D)	Yes	1	3406	49.0
	No	2	931	13.4
	Don't know	3	1076	15.5
	No children living with me	9	1533	22.1
	N Missing		306	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q83 At the time of the birth/adoption of your youngest child, were you employed (Y8Q83)	Have not given birth or adopted	1	1293	18.7
	Yes, full-time work	2	1760	25.4
	Yes, part-time work	3	1856	26.8
	yes, casual work	4	454	6.5
	No,but looking for work	5	79	1.1
	Was not in paid workforce	6	1489	21.5
	N Missing		322	
Q84 Took leave from paid work for youngest child (Y8Q84)	Yes	1	3561	85.8
	No	2	587	14.2
	N Missing		3079	
Q85 Weeks leave for youngest: Currently on parental leave (Y8Q85)	No	0	4343	97.6
	Yes	1	105	2.4
	N Missing		2782	
Q85AA Weeks leave for youngest: Employer paid leave before birth (Y8Q85AA)	Mean		3.10	
	Std Error		0.13	
	N		2769	
	N Missing		4352	
Q85AB Weeks leave for youngest: Government paid leave before birth (Y8Q85AB)	Mean		1.62	
	Std Error		0.10	
	N		2461	
	N Missing		4660	
Q85AC Weeks leave for youngest: Annual leave before birth (Y8Q85AC)	Mean		1.32	
	Std Error		0.07	
	N		2509	
	N Missing		4612	
Q85AD Weeks leave for youngest: Sick leave before birth (Y8Q85AD)	Mean		0.38	
	Std Error		0.03	
	N		2387	
	N Missing		4734	
Q85AE Weeks leave for youngest: Unpaid leave before birth (Y8Q85AE)	Mean		7.36	
	Std Error		0.38	
	N		2683	
	N Missing		4438	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q85BA Weeks leave for youngest: Employer paid leave after birth (Y8Q85BA)	Mean		8.90	
	Std Error		0.23	
	N		2722	
	N Missing		4399	
Q85BB Weeks leave for youngest: Government paid leave after birth (Y8Q85BB)	Mean		6.28	
	Std Error		0.18	
	N		2472	
	N Missing		4649	
Q85BC Weeks leave for youngest: Annual leave after birth (Y8Q85BC)	Mean		3.44	
	Std Error		0.14	
	N		2418	
	N Missing		4703	
Q85BD Weeks leave for youngest: Sick leave after birth (Y8Q85BD)	Mean		0.14	
	Std Error		0.03	
	N		2235	
	N Missing		4886	
Q85BE Weeks leave for youngest: Unpaid leave after birth (Y8Q85BE)	Mean		23.19	
	Std Error		0.63	
	N		2776	
	N Missing		4345	
Q86 Return to work within 12-13 months of youngest child (Y8Q86)	Yes, full-time work	1	835	14.9
	Yes, part-time work	2	2165	38.6
	yes, casual work	3	569	10.1
	No, job was no longer available	4	175	3.1
	No, I chose to not return	5	1871	33.3
	N Missing		1571	
Q87A Parental leave arrangements for youngest child (Y8Q87A)	Very satisfied	1	1088	19.4
	Satisfied	2	1823	32.5
	Dissatisfied	3	448	8.0
	Very dissatisfied	4	255	4.5
	Not applicable	5	1997	35.6
	N Missing		1583	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q87B Return to work arrangements for youngest child (Y8Q87B)	Very satisfied	1	1055	18.8
	Satisfied	2	1907	34.0
	Dissatisfied	3	414	7.4
	Very dissatisfied	4	269	4.8
	Not applicable	5	1968	35.1
	N Missing		1579	
Q88 Ever breastfed (Y8Q88)	Yes	1	4632	66.6
	No	2	1636	23.5
	Don't know	3	683	9.8
	N Missing		304	
Q89DK Do not know (when stopped being breastfed) (Y8Q89DK)	No	0	2217	42.0
	Yes	1	3063	58.0
	N Missing		1967	
Q89MTHS Age (months) when stopped being breastfed (Y8Q89MTHS)	Mean		8.95	
	Std Error		0.19	
	N		1615	
	N Missing		5506	
Q90A Mother pregnancy complications: Gestational diabetes (Y8Q90A)	Yes	1	62	0.9
	No	2	5349	77.2
	Not sure	3	1517	21.9
	N Missing		328	
Q90B Mother pregnancy complications: Gestational hypertension (Y8Q90B)	Yes	1	181	2.6
	No	2	5050	72.9
	Not sure	3	1692	24.4
	N Missing		332	
Q90C Mother pregnancy complications: Pre-eclampsia (Y8Q90C)	Yes	1	175	2.5
	No	2	5180	74.8
	Not sure	3	1573	22.7
	N Missing		328	
Q90D Mother pregnancy complications: Premature labour (Y8Q90D)	Yes	1	417	6.0
	No	2	5301	76.5
	Not sure	3	1212	17.5
	N Missing		322	



**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q91 Regularly need help with daily tasks because of illness or disability (Y8Q91)	Yes	1	161	2.3
	No	2	6795	97.7
	N Missing		298	
Q92A Regularly provide unpaid care or assistance for someone living with you (Y8Q92A)	Yes	1	408	5.9
	No	2	6541	94.1
	N Missing		304	
Q92B Regularly provide unpaid care or assistance for someone not living with you (Y8Q92B)	Yes	1	521	7.5
	No	2	6412	92.5
	N Missing		320	
Q93 How many people do you regularly provide care for? (Y8Q93)	Do not provide care	0	6045	87.2
	One person	1	656	9.5
	Two person	2	189	2.7
	More than two people	3	41	0.6
	N Missing		321	
Q94 How often do you provide care or assistance? (Y8Q94)	Do not provide care	0	6045	87.2
	Every day	1	367	5.3
	Several times a week	2	187	2.7
	Once a week	3	151	2.2
	Once every few weeks	4	138	2.0
	Less often	5	43	0.6
	N Missing		322	
Q95 How much time do you spend providing such care on each occasion? (Y8Q95)	Do not provide care	0	6045	87.2
	All day and night	1	122	1.8
	All day	2	41	0.6
	All night	3	9	0.1
	Several hours	4	496	7.2
	About an hour	5	220	3.2
	N Missing		320	
Q96A Care for: Parent or parent-in-law (Y8Q96A)	No	0	424	6.1
	Yes	1	482	6.9
	Do not provide care	8	6051	87.0
	N Missing		295	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q96B Care for: Spouse or partner (Y8Q96B)	No	0	820	11.8
	Yes	1	86	1.2
	Do not provide care	8	6051	87.0
	N Missing		295	
Q96C Care for: Brother or sister (Y8Q96C)	No	0	877	12.6
	Yes	1	30	0.4
	Do not provide care	8	6051	87.0
	N Missing		295	
Q96D Care for: Son or daughter (Y8Q96D)	No	0	660	9.5
	Yes	1	247	3.5
	Do not provide care	8	6051	87.0
	N Missing		295	
Q96E Care for: Other relative (Y8Q96E)	No	0	842	12.1
	Yes	1	64	0.9
	Do not provide care	8	6051	87.0
	N Missing		295	
Q96F Care for: Friend (Y8Q96F)	No	0	866	12.4
	Yes	1	41	0.6
	Do not provide care	8	6051	87.0
	N Missing		295	
Q96G Care for: Other (Y8Q96G)	No	0	883	12.7
	Yes	1	23	0.3
	Do not provide care	8	6051	87.0
	N Missing		295	
Q97A Support: Someone to help if confined to bed (Y8Q97A)	None of the time	1	515	7.4
	A little of the time	2	707	10.2
	Some of the time	3	1049	15.1
	Most of the time	4	1974	28.5
	All of the time	5	2681	38.7
	N Missing		326	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q97B Support: Someone to listen to you when you need to talk (Y8Q97B)	None of the time	1	117	1.7
	A little of the time	2	485	7.0
	Some of the time	3	829	12.0
	Most of the time	4	2098	30.3
	All of the time	5	3404	49.1
	N Missing			319
Q97C Support: Someone to give you good advice about a crisis (Y8Q97C)	None of the time	1	156	2.2
	A little of the time	2	470	6.8
	Some of the time	3	867	12.5
	Most of the time	4	2156	31.1
	All of the time	5	3284	47.4
	N Missing			320
Q97D Support: Someone to take to the doctor if needed (Y8Q97D)	None of the time	1	224	3.2
	A little of the time	2	502	7.2
	Some of the time	3	770	11.1
	Most of the time	4	2137	30.8
	All of the time	5	3297	47.6
	N Missing			324
Q97E Support: Someone who shows you love and affection (Y8Q97E)	None of the time	1	150	2.2
	A little of the time	2	315	4.5
	Some of the time	3	635	9.2
	Most of the time	4	1605	23.2
	All of the time	5	4223	60.9
	N Missing			325
Q97F Support: Someone to have good time with (Y8Q97F)	None of the time	1	83	1.2
	A little of the time	2	397	5.7
	Some of the time	3	905	13.1
	Most of the time	4	2074	29.9
	All of the time	5	3473	50.1
	N Missing			322

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q97G Support: Someone to give information to help understand a situation (Y8Q97G)	None of the time	1	118	1.7
	A little of the time	2	438	6.3
	Some of the time	3	983	14.2
	Most of the time	4	2272	32.8
	All of the time	5	3125	45.1
	N Missing			318
Q97H Support: Someone to confide in (Y8Q97H)	None of the time	1	165	2.4
	A little of the time	2	514	7.4
	Some of the time	3	869	12.5
	Most of the time	4	1981	28.6
	All of the time	5	3406	49.1
	N Missing			319
Q97I Support: Someone who hugs you (Y8Q97I)	None of the time	1	164	2.4
	A little of the time	2	464	6.7
	Some of the time	3	642	9.3
	Most of the time	4	1514	21.8
	All of the time	5	4150	59.8
	N Missing			319
Q97J Support: Someone to relax with (Y8Q97J)	None of the time	1	180	2.6
	A little of the time	2	596	8.6
	Some of the time	3	1064	15.3
	Most of the time	4	1910	27.6
	All of the time	5	3184	45.9
	N Missing			320
Q97K Support: Someone to prepare meals if needed (Y8Q97K)	None of the time	1	376	5.4
	A little of the time	2	677	9.8
	Some of the time	3	917	13.2
	Most of the time	4	1793	25.9
	All of the time	5	3172	45.7
	N Missing			318

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q97L Support: Someone whose advice you really want (Y8Q97L)	None of the time	1	179	2.6
	A little of the time	2	531	7.7
	Some of the time	3	1064	15.3
	Most of the time	4	2243	32.3
	All of the time	5	2919	42.1
	N Missing			318
Q97M Support: Someone to do things with to help you get your mind off things (Y8Q97M)	None of the time	1	171	2.5
	A little of the time	2	678	9.8
	Some of the time	3	1246	18.0
	Most of the time	4	2118	30.6
	All of the time	5	2719	39.2
	N Missing			320
Q97N Support: Someone to help with daily chores if you are sick (Y8Q97N)	None of the time	1	413	5.9
	A little of the time	2	838	12.1
	Some of the time	3	1053	15.2
	Most of the time	4	1895	27.3
	All of the time	5	2738	39.5
	N Missing			317
Q97O Support: Someone to share your private worries (Y8Q97O)	None of the time	1	395	5.7
	A little of the time	2	683	9.9
	Some of the time	3	908	13.1
	Most of the time	4	1790	25.8
	All of the time	5	3155	45.5
	N Missing			322
Q97P Support: Someone for suggestions/personal problem (Y8Q97P)	None of the time	1	200	2.9
	A little of the time	2	656	9.5
	Some of the time	3	937	13.5
	Most of the time	4	1997	28.8
	All of the time	5	3145	45.3
	N Missing			317

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q97Q Support: Someone to do something enjoyable with (Y8Q97Q)	None of the time	1	103	1.5
	A little of the time	2	497	7.2
	Some of the time	3	1031	14.9
	Most of the time	4	2124	30.6
	All of the time	5	3179	45.8
	N Missing			318
Q97R Support: Someone who understands your problems (Y8Q97R)	None of the time	1	264	3.8
	A little of the time	2	614	8.9
	Some of the time	3	1076	15.5
	Most of the time	4	2029	29.3
	All of the time	5	2951	42.6
	N Missing			319
Q97S Support: Someone to love and make feel wanted (Y8Q97S)	None of the time	1	268	3.9
	A little of the time	2	454	6.6
	Some of the time	3	682	9.8
	Most of the time	4	1567	22.6
	All of the time	5	3964	57.2
	N Missing			318
Q98 Life isnt worth living, felt past week (Y8Q98)	Yes	1	373	5.4
	No	2	6546	94.6
	N Missing			335
Q99 Deliberately hurt/harmed yourself, past 6m (Y8Q99)	Yes	1	100	1.4
	No	2	6818	98.6
	N Missing			332
Q100A Feeling: Felt keyed up/on edge, past month (Y8Q100A)	Yes	1	2814	40.6
	No	2	4113	59.4
	N Missing			324
Q100B Feeling: Worrying a lot, past month (Y8Q100B)	Yes	1	3380	48.8
	No	2	3547	51.2
	N Missing			324
Q100C Feeling: Been irritable, past month (Y8Q100C)	Yes	1	4342	62.7
	No	2	2587	37.3
	N Missing			323

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q100D Feeling: Difficulty relaxing, past month (Y8Q100D)	Yes	1	3336	48.1
	No	2	3597	51.9
	N Missing		320	
Q100E Feeling: Sleeping poorly, past month (Y8Q100E)	Yes	1	3733	53.9
	No	2	3191	46.1
	N Missing		326	
Q100F Feeling: Had headaches or neck aches, past month (Y8Q100F)	Yes	1	4401	63.5
	No	2	2526	36.5
	N Missing		325	
Q100G Feeling: Trembling/dizzy/sweating/diarrhoea/urine problems, past month (Y8Q100G)	Yes	1	1728	24.9
	No	2	5204	75.1
	N Missing		321	
Q100H Feeling: Worried about health, past month (Y8Q100H)	Yes	1	2456	35.4
	No	2	4474	64.6
	N Missing		322	
Q100I Feeling: Difficulty falling asleep, past month, past month (Y8Q100I)	Yes	1	2852	41.1
	No	2	4079	58.9
	N Missing		322	
Q101 Currently unemployed, actively seeking work (Y8Q101)	No	1	6528	94.2
	Yes, unemployed for less than 6 months	2	97	1.4
	Yes, unemployed for 6 months or more	3	304	4.4
	N Missing		324	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q102 Main occupation now (Y8Q102)				
	Manager or administrator	1	1138	16.5
	Professional	2	2653	38.4
	Associate professional	3	487	7.0
	Tradesperson or related worker	4	107	1.5
	Advanced clerical or service worker	5	728	10.5
	Intermediate clerical, sales/service worker	6	648	9.4
	Intermediate production or transport worker	7	38	0.6
	Elementary clerical, sales or service worker	8	163	2.4
	Labourer or related worker	9	144	2.1
	No paid job	10	810	11.7
	N Missing		339	
Q103 How secure about job (Y8Q103)				
	I worry all the time about losing my job	1	165	2.4
	Sometimes I worry about losing my job	2	1283	18.5
	I rarely or never worry about losing my job	3	4407	63.6
	Don't know	4	188	2.7
	Do not do paid work	5	886	12.8
	N Missing		325	
Q104 Before 16 years old, woman primarily responsible for raising you (Y8Q104)				
	Biological mother	1	6732	97.1
	Other maternal caregiver	2	161	2.3
	No mother/ maternal caregiver	3	40	0.6
	N Missing		320	
Q105A Mother/maternal caregiver: Let me do things I liked (Y8Q105A)				
	Strongly agree	1	2487	36.1
	Agree	2	3686	53.6
	Disagree	3	574	8.3
	Strongly disagree	4	134	1.9
	N Missing		380	
Q105B Mother/maternal caregiver: Seemed emotionally cold (Y8Q105B)				
	Strongly agree	1	351	5.1
	Agree	2	952	13.8
	Disagree	3	2252	32.7
	Strongly disagree	4	3324	48.3
	N Missing		382	



*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q105C Mother/maternal caregiver: Appeared to understand my problems (Y8Q105C)	Strongly agree	1	1641	23.8
	Agree	2	3215	46.7
	Disagree	3	1620	23.5
	Strongly disagree	4	406	5.9
	N Missing		378	
Q105D Mother/maternal caregiver: Liked me to make my own decisions (Y8Q105D)	Strongly agree	1	1441	20.9
	Agree	2	3874	56.3
	Disagree	3	1305	19.0
	Strongly disagree	4	261	3.8
	N Missing		379	
Q105E Mother/maternal caregiver: Made me feel not wanted (Y8Q105E)	Strongly agree	1	210	3.1
	Agree	2	459	6.7
	Disagree	3	1798	26.1
	Strongly disagree	4	4415	64.2
	N Missing		379	
Q105F Mother/maternal caregiver: Tried to make me dependent on her (Y8Q105F)	Strongly agree	1	194	2.8
	Agree	2	497	7.2
	Disagree	3	2390	34.7
	Strongly disagree	4	3800	55.2
	N Missing		381	
Q105G Mother/maternal caregiver: Was overprotective of me (Y8Q105G)	Strongly agree	1	371	5.4
	Agree	2	1201	17.4
	Disagree	3	2799	40.7
	Strongly disagree	4	2511	36.5
	N Missing		379	
Q106 Before 16 years old, man primarily responsible for raising you (Y8Q106)	Biological father	1	6079	87.7
	Other paternal caregiver	2	480	6.9
	No father/ paternal caregiver	3	369	5.3
	N Missing		326	
Q107A Father/paternal caregiver: Let me do things I liked (Y8Q107A)	Strongly agree	1	1928	29.4
	Agree	2	3745	57.2
	Disagree	3	664	10.1
	Strongly disagree	4	211	3.2
	N Missing		704	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q107B Father/paternal caregiver: Seemed emotionally cold (Y8Q107B)	Strongly agree	1	326	5.0
	Agree	2	976	14.9
	Disagree	3	2539	38.8
	Strongly disagree	4	2704	41.3
	N Missing		708	
Q107C Father/paternal caregiver: Appeared to understand my problems (Y8Q107C)	Strongly agree	1	875	13.4
	Agree	2	2970	45.4
	Disagree	3	2079	31.8
	Strongly disagree	4	618	9.5
	N Missing		708	
Q107D Father/paternal caregiver: Liked me to make my own decisions (Y8Q107D)	Strongly agree	1	1285	19.6
	Agree	2	3911	59.7
	Disagree	3	1047	16.0
	Strongly disagree	4	303	4.6
	N Missing		706	
Q107E Father/paternal caregiver: Made me feel not wanted (Y8Q107E)	Strongly agree	1	201	3.1
	Agree	2	386	5.9
	Disagree	3	2022	30.9
	Strongly disagree	4	3933	60.1
	N Missing		712	
Q107F Father/paternal caregiver: Tried to make me dependent on him (Y8Q107F)	Strongly agree	1	107	1.6
	Agree	2	289	4.4
	Disagree	3	2338	35.7
	Strongly disagree	4	3813	58.2
	N Missing		707	
Q107G Father/paternal caregiver: Qas overprotective of me (Y8Q107G)	Strongly agree	1	336	5.1
	Agree	2	1148	17.5
	Disagree	3	2700	41.2
	Strongly disagree	4	2363	36.1
	N Missing		707	
Q108A Who lived with you at age 10: Biological mother (Y8Q108A)	No	0	229	3.3
	Yes	1	6705	96.7
	N Missing		317	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q108B Who lived with you at age 10: Biological father (Y8Q108B)	No	0	1065	15.4
	Yes	1	5869	84.6
	N Missing		317	
Q108C Who lived with you at age 10: Adoptive, step, foster mother (Y8Q108C)	No	0	6776	97.7
	Yes	1	158	2.3
	N Missing		317	
Q108D Who lived with you at age 10: Adoptive, step, foster father (Y8Q108D)	No	0	6489	93.6
	Yes	1	445	6.4
	N Missing		317	
Q108E Who lived with you at age 10: Biological brothers or sisters (Y8Q108E)	No	0	1394	20.1
	Yes	1	5540	79.9
	N Missing		317	
Q108F Who lived with you at age 10: Adoptive, step, foster or half brothers or sisters (Y8Q108F)	No	0	6581	94.9
	Yes	1	353	5.1
	N Missing		317	
Q108G Who lived with you at age 10: Grandparents (Y8Q108G)	No	0	6652	95.9
	Yes	1	282	4.1
	N Missing		317	
Q108H Who lived with you at age 10: Other relatives (Y8Q108H)	No	0	6817	98.3
	Yes	1	117	1.7
	N Missing		317	
Q108I Who lived with you at age 10: Other non-relatives (Y8Q108I)	No	0	6880	99.2
	Yes	1	54	0.8
	N Missing		317	
Q109 Number of people in household at age 10 (Y8Q109)	Mean		4.76	
	Std Error		0.02	
	N		6795	
	N Missing		326	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q110 Number of bedrooms in household at age 10 (Y8Q110)	Mean		3.47	
	Std Error		0.01	
	N		6792	
	N Missing		329	
Q111 Ever had a partner or spouse? (Y8Q111)	Yes	1	6655	96.0
	No	2	275	4.0
	N Missing		322	
Q112 Ever been a violent relationship with a partner or spouse? (Y8Q112)	Yes	1	1034	15.0
	No	2	5582	81.1
	Never had partner, spouse	8	265	3.9
	N Missing		371	
Q113A Partner told me I wasn't good enough (Y8Q113A)	Never	1	4896	71.2
	Yes, in the last 12 months	2	308	4.5
	Yes, more than 12 months ago	3	1363	19.8
	Yes, both in the last 12 months and more than 12 months ago	4	41	0.6
	Never had partner, spouse	8	269	3.9
	N Missing		376	
Q113B Partner kept me from medical care (Y8Q113B)	Never	1	6455	93.8
	Yes, in the last 12 months	2	6	0.1
	Yes, more than 12 months ago	3	146	2.1
	Yes, both in the last 12 months and more than 12 months ago	4	3	0.0
	Never had partner, spouse	8	270	3.9
	N Missing		374	
Q113C Partner followed me (Y8Q113C)	Never	1	5714	83.1
	Yes, in the last 12 months	2	61	0.9
	Yes, more than 12 months ago	3	817	11.9
	Yes, both in the last 12 months and more than 12 months ago	4	12	0.2
	Never had partner, spouse	8	270	3.9
	N Missing		380	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q113D Partner turned family/friend/children against me (Y8Q113D)	Never	1	5723	83.1
	Yes, in the last 12 months	2	116	1.7
	Yes, more than 12 months ago	3	753	10.9
	Yes, both in the last 12 months and more than 12 months ago	4	23	0.3
	Never had partner, spouse	8	271	3.9
	N Missing		371	
	Q113E Partner locked me in the bedroom (Y8Q113E)	Never	1	6411
Yes, in the last 12 months		2	11	0.2
Yes, more than 12 months ago		3	188	2.7
Yes, both in the last 12 months and more than 12 months ago		4	1	0.0
Never had partner, spouse		8	270	3.9
N Missing			373	
Q113F Partner slapped me (Y8Q113F)		Never	1	5929
	Yes, in the last 12 months	2	35	0.5
	Yes, more than 12 months ago	3	622	9.1
	Yes, both in the last 12 months and more than 12 months ago	4	12	0.2
	Never had partner, spouse	8	271	3.9
	N Missing		385	
	Q113G Partner forced me to take part in unwanted sexual activity (Y8Q113G)	Never	1	5960
Yes, in the last 12 months		2	44	0.6
Yes, more than 12 months ago		3	595	8.7
Yes, both in the last 12 months and more than 12 months ago		4	6	0.1
Never had partner, spouse		8	270	3.9
N Missing			376	
Q113H Partner told me that I was ugly (Y8Q113H)		Never	1	5862
	Yes, in the last 12 months	2	68	1.0
	Yes, more than 12 months ago	3	662	9.6
	Yes, both in the last 12 months and more than 12 months ago	4	10	0.2
	Never had partner, spouse	8	273	4.0
	N Missing		379	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q113I Partner tried to keep me from seeing or talking to family (Y8Q113I)	Never	1	5897	85.8
	Yes, in the last 12 months	2	50	0.7
	Yes, more than 12 months ago	3	648	9.4
	Yes, both in the last 12 months and more than 12 months ago	4	12	0.2
	Never had partner, spouse	8	270	3.9
	N Missing		378	
	Q113J Partner threw me (Y8Q113J)	Never	1	6138
Yes, in the last 12 months		2	24	0.4
Yes, more than 12 months ago		3	428	6.2
Yes, both in the last 12 months and more than 12 months ago		4	6	0.1
Never had partner, spouse		8	270	3.9
N Missing			387	
Q113K Partner hung around outside my house (Y8Q113K)		Never	1	5925
	Yes, in the last 12 months	2	35	0.5
	Yes, more than 12 months ago	3	632	9.2
	Yes, both in the last 12 months and more than 12 months ago	4	6	0.1
	Never had partner, spouse	8	270	3.9
	N Missing		388	
	Q113L Partner blamed me for causing their violent behaviour (Y8Q113L)	Never	1	5502
Yes, in the last 12 months		2	166	2.4
Yes, more than 12 months ago		3	911	13.2
Yes, both in the last 12 months and more than 12 months ago		4	36	0.5
Never had partner, spouse		8	270	3.9
N Missing			370	
Q113M Partner harassed me over the telephone (Y8Q113M)		Never	1	5426
	Yes, in the last 12 months	2	143	2.1
	Yes, more than 12 months ago	3	1005	14.6
	Yes, both in the last 12 months and more than 12 months ago	4	28	0.4
	Never had partner, spouse	8	271	3.9
	N Missing		380	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q113N Partner shook me (Y8Q113N)	Never	1	6006	87.7
	Yes, in the last 12 months	2	38	0.6
	Yes, more than 12 months ago	3	525	7.7
	Yes, both in the last 12 months and more than 12 months ago	4	7	0.1
	Never had partner, spouse	8	271	4.0
	N Missing		404	
	Q113O Partner harassed me at work (Y8Q113O)	Never	1	6037
Yes, in the last 12 months		2	50	0.7
Yes, more than 12 months ago		3	491	7.1
Yes, both in the last 12 months and more than 12 months ago		4	14	0.2
Never had partner, spouse		8	270	3.9
N Missing			390	
Q113P Partner pushed/grabbed/shoved me (Y8Q113P)		Never	1	5400
	Yes, in the last 12 months	2	123	1.8
	Yes, more than 12 months ago	3	1042	15.2
	Yes, both in the last 12 months and more than 12 months ago	4	34	0.5
	Never had partner, spouse	8	270	3.9
	N Missing		384	
	Q113Q Partner used knife/gun/other weapon (Y8Q113Q)	Never	1	6396
Yes, in the last 12 months		2	13	0.2
Yes, more than 12 months ago		3	149	2.2
Yes, both in the last 12 months and more than 12 months ago		4	1	0.0
Never had partner, spouse		8	270	4.0
N Missing			420	
Q113R Partner became upset if dinner/housework not done (Y8Q113R)		Never	1	5589
	Yes, in the last 12 months	2	286	4.2
	Yes, more than 12 months ago	3	642	9.4
	Yes, both in the last 12 months and more than 12 months ago	4	77	1.1
	Never had partner, spouse	8	271	4.0
	N Missing		387	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q113S Partner told me that I was crazy (Y8Q113S)	Never	1	5031	73.3
	Yes, in the last 12 months	2	383	5.6
	Yes, more than 12 months ago	3	1097	16.0
	Yes, both in the last 12 months and more than 12 months ago	4	81	1.2
	Never had partner, spouse	8	270	3.9
	N Missing		393	
	Q113T Partner told no one would ever want me (Y8Q113T)	Never	1	5762
Yes, in the last 12 months		2	88	1.3
Yes, more than 12 months ago		3	720	10.5
Yes, both in the last 12 months and more than 12 months ago		4	24	0.3
Never had partner, spouse		8	270	3.9
N Missing			396	
Q113U Partner took my wallet and left me stranded (Y8Q113U)		Never	1	6281
	Yes, in the last 12 months	2	13	0.2
	Yes, more than 12 months ago	3	261	3.8
	Yes, both in the last 12 months and more than 12 months ago	4	7	0.1
	Never had partner, spouse	8	270	3.9
	N Missing		418	
	Q113V Partner hit or tried to hit me with something (Y8Q113V)	Never	1	5978
Yes, in the last 12 months		2	43	0.6
Yes, more than 12 months ago		3	544	7.9
Yes, both in the last 12 months and more than 12 months ago		4	13	0.2
Never had partner, spouse		8	270	3.9
N Missing			411	
Q113W Partner did not want me to socialise with female friends (Y8Q113W)		Never	1	5360
	Yes, in the last 12 months	2	163	2.4
	Yes, more than 12 months ago	3	1022	14.9
	Yes, both in the last 12 months and more than 12 months ago	4	50	0.7
	Never had partner, spouse	8	270	3.9
	N Missing		386	



*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q113X Partner refused to let me work outside the home (Y8Q113X)	Never	1	6440	94.0
	Yes, in the last 12 months	2	7	0.1
	Yes, more than 12 months ago	3	130	1.9
	Yes, both in the last 12 months and more than 12 months ago	4	4	0.1
	Never had partner, spouse	8	270	3.9
	N Missing		399	
	Q113Y Partner kicked/bit/hit with a fist (Y8Q113Y)	Never	1	6262
Yes, in the last 12 months		2	17	0.2
Yes, more than 12 months ago		3	314	4.6
Yes, both in the last 12 months and more than 12 months ago		4	8	0.1
Never had partner, spouse		8	270	3.9
N Missing			381	
Q113Z Partner tried to convince friends/family/children I was crazy (Y8Q113Z)		Never	1	6040
	Yes, in the last 12 months	2	68	1.0
	Yes, more than 12 months ago	3	462	6.7
	Yes, both in the last 12 months and more than 12 months ago	4	27	0.4
	Never had partner, spouse	8	270	3.9
	N Missing		385	
	Q113AA Partner told me I was stupid (Y8Q113AA)	Never	1	5418
Yes, in the last 12 months		2	243	3.5
Yes, more than 12 months ago		3	874	12.7
Yes, both in the last 12 months and more than 12 months ago		4	67	1.0
Never had partner, spouse		8	271	3.9
N Missing			382	
Q113BB Partner beat me up (Y8Q113BB)		Never	1	6342
	Yes, in the last 12 months	2	11	0.2
	Yes, more than 12 months ago	3	210	3.1
	Yes, both in the last 12 months and more than 12 months ago	4	5	0.1
	Never had partner, spouse	8	271	4.0
	N Missing		408	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q114 Health during childhood (Y8Q114)	Excellent	1	3519	50.8
	Very good	2	2238	32.3
	Good	3	866	12.5
	Fair	4	251	3.6
	Poor	5	54	0.8
	N Missing		323	
Q115 Missed school for a month or more because of health during childhood (Y8Q115)	Yes	1	663	9.6
	No	2	6260	90.4
	N Missing		328	
Q116 Confined to bed for a month or more during childhood (Y8Q116)	Yes	1	533	7.7
	No	2	6391	92.3
	N Missing		328	
Q117 In hospital for one month or more during childhood (Y8Q117)	Yes	1	196	2.8
	No	2	6729	97.2
	N Missing		326	
Q118 In hospital more than 3 times within a 12-month period during childhood (Y8Q118)	Yes	1	259	3.7
	No	2	6668	96.3
	N Missing		324	
Q119A How many times Walking briskly (Y8Q119A)	Mean		4.23	
	Std Error		0.06	
	N		6665	
	N Missing		456	
Q119ATOTMINS Total minutes spent walking briskly (Y8Q119ATOTMINS)	Mean		169.43	
	Std Error		4.42	
	N		6366	
	N Missing		755	
Q119B How many times Moderate leisure activity (Y8Q119B)	Mean		0.85	
	Std Error		0.02	
	N		6640	
	N Missing		481	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q119BTOTMINS Total minutes spent moderate leisure activity (Y8Q119BTOTMINS)	Mean		55.20	
	Std Error		2.71	
	N		6504	
	N Missing		617	
Q119C Vigorous leisure activity (Y8Q119C)	Mean		1.01	
	Std Error		0.02	
	N		6644	
	N Missing		477	
Q119CTOTMINS Total minutes spent vigorous leisure activity (Y8Q119CTOTMINS)	Mean		63.92	
	Std Error		2.12	
	N		6508	
	N Missing		613	
Q119D Vigorous household or garden chores (Y8Q119D)	Mean		1.61	
	Std Error		0.03	
	N		6650	
	N Missing		471	
Q119DTOTMINS Total minutes spent vigorous chores (Y8Q119DTOTMINS)	Mean		110.13	
	Std Error		3.28	
	N		6321	
	N Missing		800	
Q120A Regularly participated in individual sport in last 12 months (Y8Q120A)	Yes	1	1992	28.8
	No	2	4916	71.2
	N Missing		342	
Q120B Regularly participated in team sport in last 12 months (Y8Q120B)	Yes	1	664	9.6
	No	2	6240	90.4
	N Missing		347	
Q121 Fresh fruit eaten/day (Y8Q121)	I don't eat fruit	1	321	4.6
	Less than 1 piece of fruit per day	2	1748	25.3
	1 piece of fruit per day	3	2321	33.6
	2 pieces of fruit per day	4	1909	27.6
	3 pieces of fruit per day	5	490	7.1
	4 or more pieces of fruit per day	6	124	1.8
	N Missing		337	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q122 Vegetables eaten/day (Y8Q122)	None	1	13	0.2
	Less than one serve	2	175	2.5
	1 serve	3	694	10.0
	2 serves	4	1724	24.9
	3 serves	5	2159	31.2
	4 serves	6	1235	17.9
	5 serves or more	7	913	13.2
	N Missing			337
Q123A How often drink Cola drinks (Y8Q123A)	Never	1	3873	56.0
	Less than once a month	2	1677	24.3
	1 to 3 times per month	3	619	9.0
	1 time per week	4	206	3.0
	2 times per week	5	157	2.3
	3 to 4 times per week	6	143	2.1
	5 to 6 times per week	7	54	0.8
	1 time per day	8	95	1.4
	2 times per day	9	43	0.6
	3 or more times per day	10	42	0.6
N Missing			340	
Q123B How often drink Diet cola drinks (Y8Q123B)	Never	1	4291	62.1
	Less than once a month	2	921	13.3
	1 to 3 times per month	3	466	6.7
	1 time per week	4	194	2.8
	2 times per week	5	187	2.7
	3 to 4 times per week	6	240	3.5
	5 to 6 times per week	7	100	1.4
	1 time per day	8	238	3.4
	2 times per day	9	170	2.5
	3 or more times per day	10	103	1.5
N Missing			341	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q123C How often drink Other carbonated drinks(not diet) (Y8Q123C)	Never	1	3099	45.0
	Less than once a month	2	2191	31.8
	1 to 3 times per month	3	855	12.4
	1 time per week	4	286	4.1
	2 times per week	5	180	2.6
	3 to 4 times per week	6	131	1.9
	5 to 6 times per week	7	36	0.5
	1 time per day	8	67	1.0
	2 times per day	9	29	0.4
	3 or more times per day	10	15	0.2
	N Missing			361
Q123D How often drink Other diet carbonated drinks (Y8Q123D)	Never	1	5438	78.7
	Less than once a month	2	817	11.8
	1 to 3 times per month	3	275	4.0
	1 time per week	4	109	1.6
	2 times per week	5	78	1.1
	3 to 4 times per week	6	94	1.4
	5 to 6 times per week	7	30	0.4
	1 time per day	8	44	0.6
	2 times per day	9	17	0.2
	3 or more times per day	10	7	0.1
	N Missing			343
Q123E How often drink non-diet non-carbonated Cordials, fruit, sport drinks (Y8Q123E)	Never	1	3932	57.0
	Less than once a month	2	1533	22.2
	1 to 3 times per month	3	638	9.3
	1 time per week	4	240	3.5
	2 times per week	5	182	2.6
	3 to 4 times per week	6	182	2.6
	5 to 6 times per week	7	56	0.8
	1 time per day	8	94	1.4
	2 times per day	9	29	0.4
	3 or more times per day	10	13	0.2
	N Missing			350

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q123F How often drink diet non-carbonated Cordials, fruit, sport drinks (Y8Q123F)	Never	1	5276	76.5
	Less than once a month	2	894	13.0
	1 to 3 times per month	3	316	4.6
	1 time per week	4	92	1.3
	2 times per week	5	88	1.3
	3 to 4 times per week	6	91	1.3
	5 to 6 times per week	7	44	0.6
	1 time per day	8	55	0.8
	2 times per day	9	26	0.4
	3 or more times per day	10	17	0.2
	N Missing			353
Q123G How often drink Milk or soya milk (Y8Q123G)	Never	1	1166	16.9
	Less than once a month	2	698	10.1
	1 to 3 times per month	3	559	8.1
	1 time per week	4	319	4.6
	2 times per week	5	368	5.3
	3 to 4 times per week	6	533	7.7
	5 to 6 times per week	7	409	5.9
	1 time per day	8	1460	21.2
	2 times per day	9	970	14.1
	3 or more times per day	10	406	5.9
	N Missing			364
Q123H How often drink Fruit or vegetable juices (Y8Q123H)	Never	1	1820	26.5
	Less than once a month	2	1920	28.0
	1 to 3 times per month	3	1235	18.0
	1 time per week	4	537	7.8
	2 times per week	5	462	6.7
	3 to 4 times per week	6	360	5.2
	5 to 6 times per week	7	138	2.0
	1 time per day	8	332	4.8
	2 times per day	9	44	0.6
	3 or more times per day	10	19	0.3
	N Missing			386

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q123I How often drink Tea (Y8Q123I)	Never	1	1576	22.9
	Less than once a month	2	595	8.7
	1 to 3 times per month	3	502	7.3
	1 time per week	4	288	4.2
	2 times per week	5	371	5.4
	3 to 4 times per week	6	478	6.9
	5 to 6 times per week	7	279	4.1
	1 time per day	8	983	14.3
	2 times per day	9	1008	14.7
	3 or more times per day	10	796	11.6
	N Missing			372
Q123J How often drink Herbal tea (Y8Q123J)	Never	1	2496	36.5
	Less than once a month	2	795	11.6
	1 to 3 times per month	3	635	9.3
	1 time per week	4	362	5.3
	2 times per week	5	444	6.5
	3 to 4 times per week	6	507	7.4
	5 to 6 times per week	7	215	3.1
	1 time per day	8	736	10.8
	2 times per day	9	431	6.3
	3 or more times per day	10	226	3.3
	N Missing			408
Q123K How often drink Coffee (Y8Q123K)	Never	1	1587	23.0
	Less than once a month	2	131	1.9
	1 to 3 times per month	3	127	1.8
	1 time per week	4	68	1.0
	2 times per week	5	172	2.5
	3 to 4 times per week	6	254	3.7
	5 to 6 times per week	7	254	3.7
	1 time per day	8	1526	22.1
	2 times per day	9	1947	28.2
	3 or more times per day	10	828	12.0
	N Missing			356

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q123L How often drink Water (Y8Q123L)	Never	1	39	0.6
	Less than once a month	2	32	0.5
	1 to 3 times per month	3	65	0.9
	1 time per week	4	37	0.5
	2 times per week	5	59	0.8
	3 to 4 times per week	6	119	1.7
	5 to 6 times per week	7	114	1.7
	1 time per day	8	347	5.0
	2 times per day	9	723	10.5
	3 or more times per day	10	5371	77.8
	N Missing		342	
Q124 Able to manage on income available (Y8Q124)	It is impossible	1	151	2.2
	It is difficult all the time	2	787	11.4
	It is difficult some of the time	3	1708	24.8
	It is not too bad	4	2733	39.6
	It is easy	5	1521	22.0
	N Missing		351	
Q125 Highest qualification you have completed (Y8Q125)	No formal qualifications	1	39	0.6
	Year 10 or equivalent	2	278	4.0
	Year 12 or equivalent	3	558	8.1
	Trade/apprenticeship	4	147	2.1
	Certificate/diploma	5	1627	23.6
	University degree	6	2298	33.3
	Higher university degree	7	1960	28.4
	N Missing		345	
Q126 Housing situation? (Y8Q126)	Private rental	1	1123	16.3
	State Dept of Housing public rental	2	52	0.8
	Housing that comes with employment	3	80	1.2
	Owned home	4	5466	79.1
	Living with parents	5	187	2.7
	N Missing		343	



*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q127 Marital status (Y8Q127)				
	Never married	1	799	11.6
	Married (opposite sex)	2	4486	64.9
	Married (same sex)	3	82	1.2
	De facto (opposite sex)	4	776	11.2
	De facto (same sex)	5	82	1.2
	Separated	6	278	4.0
	Divorced	7	378	5.5
	Widowed	8	34	0.5
	N Missing		337	
Q128A Live alone (Y8Q128A)				
	No	0	6379	92.4
	Yes	1	525	7.6
	N Missing		346	
Q128B Live with partner/spouse (Y8Q128B)				
	No	0	1484	21.5
	Yes	1	5419	78.5
	N Missing		346	
Q128C Live with own children (Y8Q128C)				
	No	0	1545	22.4
	Yes	1	5358	77.6
	N Missing		346	
Q128D Live with someone elses children (Y8Q128D)				
	No	0	6685	96.8
	Yes	1	218	3.2
	N Missing		346	
Q128E Live with parents (Y8Q128E)				
	No	0	6606	95.7
	Yes	1	298	4.3
	N Missing		346	
Q128F Live with other adults (Y8Q128F)				
	No	0	6670	96.6
	Yes	1	234	3.4
	N Missing		346	
Q129A Satisfied with work (Y8Q129A)				
	Not applicable	0	200	2.9
	Very satisfied	1	2225	32.2
	Satisfied	2	3548	51.3
	Dissatisfied	3	762	11.0
	Very dissatisfied	4	178	2.6
	N Missing		340	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q129B Satisfied with career (Y8Q129B)	Not applicable	0	333	4.8
	Very satisfied	1	1891	27.4
	Satisfied	2	3240	46.9
	Dissatisfied	3	1228	17.8
	Very dissatisfied	4	220	3.2
	N Missing			340
Q129C Satisfied with study (Y8Q129C)	Not applicable	0	996	14.4
	Very satisfied	1	1876	27.1
	Satisfied	2	2905	42.0
	Dissatisfied	3	999	14.5
	Very dissatisfied	4	135	2.0
	N Missing			341
Q129D Satisfied with family relationships (Y8Q129D)	Not applicable	0	27	0.4
	Very satisfied	1	3297	47.7
	Satisfied	2	2797	40.5
	Dissatisfied	3	650	9.4
	Very dissatisfied	4	139	2.0
	N Missing			342
Q129E Satisfied with partner relationships (Y8Q129E)	Not applicable	0	351	5.1
	Very satisfied	1	3487	50.5
	Satisfied	2	1803	26.1
	Dissatisfied	3	890	12.9
	Very dissatisfied	4	377	5.5
	N Missing			343
Q129F Satisfied with friendships (Y8Q129F)	Not applicable	0	37	0.5
	Very satisfied	1	2992	43.3
	Satisfied	2	3037	44.0
	Dissatisfied	3	743	10.8
	Very dissatisfied	4	99	1.4
	N Missing			344

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Q129G Satisfied with social activities (Y8Q129G)	Not applicable	0	66	1.0
	Very satisfied	1	1807	26.1
	Satisfied	2	3616	52.3
	Dissatisfied	3	1288	18.6
	Very dissatisfied	4	134	1.9
	N Missing			340
Q129H Satisfied with motherhood/children (Y8Q129H)	Not applicable	0	975	14.1
	Very satisfied	1	3726	53.9
	Satisfied	2	1689	24.4
	Dissatisfied	3	340	4.9
	Very dissatisfied	4	183	2.6
	N Missing			339
Q131 Did someone help you fill in this survey? (Y8Q131)	No	1	6888	99.7
	Yes, but told answers	2	9	0.1
	Yes, but helper used judgement	3	8	0.1
	N Missing			345
Adverse Childhood Experiences scale (Y8ACES)	Mean		0.95	
	Std Error		0.06	
	N		556	
	N Missing		6565	
Age at survey (Y8AGE)	Mean		42.88	
	Std Error		0.02	
	N		7121	
	N Missing		0	
AIHW smoking status (Y8AIHWSMK)	Never smoker	1	4381	62.2
	Ex-smoker	2	1970	28.0
	Irregular smoker	3	156	2.2
	Weekly smoker	4	72	1.0
	Daily smoker	5	459	6.5
	N Missing			220

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
NHMRC alcohol classification (Y8ALCNHMRC)				
	Low risk drinker	1	4215	59.9
	Non-drinker	2	721	10.2
	Rarely drinks	3	1589	22.6
	Risky drinker	4	414	5.9
	High risk drinker	5	99	1.4
	N Missing		218	
Alcohol drinking pattern (Y8ALCPATT)				
	Low risk drinker, >=5 drinks <weekly	1	5390	76.6
	Non-drinker	2	721	10.2
	Low risk drinker, >=5 drinks weekly	3	411	5.8
	Risky/high risk drinker	4	513	7.3
	N Missing		221	
Aria Plus Grouped (Y8ARIAPGP)				
	Major cities	1	4620	67.7
	Inner regional	2	1474	21.6
	Outer regional	3	626	9.2
	Remote	4	85	1.2
	Very remote	5	23	0.3
	N Missing		403	
Year of birth (Y8BIRTHYEAR)				
	Mean		1975.26	
	Std Error		0.02	
	N		7121	
	N Missing		0	
CES-D 10 score (Y8CESD10)				
	Mean		6.60	
	Std Error		0.07	
	N		6831	
	N Missing		290	
Number of children (Y8CHILDREN)				
	Mean		0.82	
	Std Error		0.01	
	N		7121	
	N Missing		0	
Depression Anxiety Stress Scale (Y8DASS)				
	Mean		3.78	
	Std Error		0.06	
	N		6928	
	N Missing		193	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Goldbergs Anxiety, not depression, Scale (Y8GOLDANX)				
	Mean		4.19	
	Std Error		0.03	
	N		6796	
	N Missing		325	
GP satisfaction score (Y8GPSTFY)				
	Mean		3.96	
	Std Error		0.01	
	N		7098	
	N Missing		23	
Labour Force Participation (Y8LABF)				
	not in labour force	0	497	7.0
	labour force employed	1	6405	90.7
	labour force unemployed	2	163	2.3
	N Missing		190	
Life satisfaction score (Y8LFSTFY)				
	Mean		3.32	
	Std Error		0.01	
	N		6781	
	N Missing		340	
Ever used marijuana (Y8MARIJ)				
	Never used this drug	0	3057	43.5
	Used this drug	1	3963	56.5
	N Missing		235	
Metabolic Minutes (Y8METMIN)				
	Mean		1122.52	
	Std Error		18.96	
	N		6277	
	N Missing		844	
Metabolic Minutes grouped (Y8METMINEXGRP)				
	Nil/sedentary	1	824	12.8
	Low	2	1911	29.8
	Moderate	3	1474	23.0
	High	4	2209	34.4
	N Missing		844	
Modified Monash Model (Y8MMM)				
	N Missing		7121	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Mean stress score (Y8MNSTRS)	Mean		0.85	
	Std Error		0.01	
	N		6962	
	N Missing		159	
Ever used illicit drugs (Y8DRUGUSE)	Never used illicit drugs	0	2959	42.1
	Used illicit drugs	1	4075	57.9
	N Missing		222	
Proportion of Life events (Y8PROPLEV)	Mean		0.03	
	Std Error		0.00	
	N		6982	
	N Missing		139	
Smoking classification (WHA) (Y8SMOKST)	Never smoked	1	4381	62.3
	Ex-smoker	2	1970	28.0
	Smoke <10 day	3	361	5.1
	Smoke 10-19 day	4	204	2.9
	Smoke >=20 day	5	119	1.7
	N Missing		224	
State (Y8STATE)	NSW	1	1879	27.1
	Vic	2	1915	27.6
	Qld	3	1433	20.6
	SA	4	537	7.7
	WA	5	722	10.4
	Tas	6	192	2.8
	NT	7	67	1.0
	ACT	8	197	2.8
	N Missing		294	
BMI classification (Y8WHOBMIGROUP)	Underweight, BMI < 18.5	1	120	1.7
	Acceptable weight, 18.5 <= BMI < 25	2	2856	41.0
	Overweight, 25 <= BMI < 30	3	2024	29.1
	Obese, 30 <= BMI	4	1967	28.2
	N Missing		297	

*ALSWH Data book for eighth survey of 1973-78 cohort*

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
Weight (in kgs) (Y8WTKG)	Mean		75.63	
	Std Error		0.23	
	N		6891	
	N Missing		230	
BMI (Body Mass Index) (Y8BMI)	Mean		27.49	
	Std Error		0.08	
	N		6824	
	N Missing		297	
SF36 PAIN INDEX (0-100) (Y8BP)	Mean		71.65	
	Std Error		0.25	
	N		7063	
	N Missing		58	
SF36 GENERAL HEALTH PERCEPTIONS (0-100) (Y8GH)	Mean		70.75	
	Std Error		0.25	
	N		7013	
	N Missing		108	
SF36 MENTAL HEALTH INDEX (0-100) (Y8MH)	Mean		70.90	
	Std Error		0.20	
	N		7042	
	N Missing		79	
SF36 PHYSICAL FUNCTIONING (0-100) (Y8PF)	Mean		89.38	
	Std Error		0.20	
	N		7075	
	N Missing		46	
SF36 ROLE-EMOTIONAL (0-100) (Y8RE)	Mean		76.89	
	Std Error		0.43	
	N		7064	
	N Missing		57	
SF36 ROLE-PHYSICAL (0-100) (Y8RP)	Mean		81.44	
	Std Error		0.40	
	N		7067	
	N Missing		54	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
SF36 SOCIAL FUNCTIONING (0-100) (Y8SF)	Mean		79.89	
	Std Error		0.28	
	N		7069	
	N Missing		52	
SF36 VITALITY (0-100) (Y8VT)	Mean		52.20	
	Std Error		0.25	
	N		7041	
	N Missing		80	
MENTAL COMPONENT SCALE-00 - AUST (Y8MCSA)	Mean		46.94	
	Std Error		0.14	
	N		7004	
	N Missing		117	
MENTAL COMPONENT SCALE-00 - WHA (Y8MCSWHA)	Mean		51.59	
	Std Error		0.12	
	N		7004	
	N Missing		117	
MENTAL COMPONENT SCALE-00 - ABS AUST general (Y8MCS_ABS)	Mean		45.13	
	Std Error		0.14	
	N		7004	
	N Missing		117	
MENTAL COMPONENT SCALE-00 - US General (Y8MCS_US)	Mean		46.61	
	Std Error		0.13	
	N		7004	
	N Missing		117	
PHYSICAL COMPONENT SCALE-00 - AUST (Y8PCSA)	Mean		47.86	
	Std Error		0.12	
	N		7004	
	N Missing		117	
PHYSICAL COMPONENT SCALE-00 - WHA (Y8PCSWHA)	Mean		48.65	
	Std Error		0.14	
	N		7004	
	N Missing		117	



**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
PHYSICAL COMPONENT SCALE-00 - ABS AUST general (Y8PCS_ABS)	Mean		51.69	
	Std Error		0.10	
	N		7004	
	N Missing		117	
PHYSICAL COMPONENT SCALE-00 - US General (Y8PCS_US)	Mean		50.85	
	Std Error		0.10	
	N		7004	
	N Missing		117	
MOS affectionate support/positive social interaction (Y8MNAFFPOS)	Mean		4.21	
	Std Error		0.01	
	N		6803	
	N Missing		318	
MOS affectionate support/positive social interaction, grouped (Y8MNAFFPOSGP)	All the time	1	4239	61.1
	Most	2	1721	24.8
	Some	3	693	10.0
	None/little	4	282	4.1
	N Missing		318	
MOS emotional/informational support (Y8MNEMI)	Mean		4.08	
	Std Error		0.01	
	N		6804	
	N Missing		317	
MOS emotional/informational support, grouped (Y8MNEMIGP)	All the time	1	3769	54.3
	Most	2	1973	28.4
	Some	3	815	11.8
	None/little	4	378	5.5
	N Missing		317	
MOS 6 item social support score (Y8MNSOCSUP6)	Mean		4.05	
	Std Error		0.01	
	N		6802	
	N Missing		319	

**ALSWH Data book for eighth survey of 1973-78 cohort**

<i>Item Description</i>	<i>Categories</i>	<i>Values</i>	<i>Number</i>	<i>%</i>
MOS tangible support (Y8MNTAN)				
	Mean		3.93	
	Std Error		0.01	
	N		6782	
	N Missing		339	
MOS tangible support, grouped (Y8MNTANGP)				
	All the time	1	3357	48.5
	Most	2	2010	29.1
	Some	3	918	13.3
	None/little	4	630	9.1
	N Missing		339	
MOS 6 item social support score, grouped (Y8SOCSUPGP6)				
	All the time	1	3769	54.4
	Most	2	1942	28.0
	Some	3	902	13.0
	None/little	4	320	4.6
	N Missing		319	